# **Shoulder and Elbow**

Next Generation in Repair and Reconstruction | 2022



# Helping Surgeons Treat Their Patients Better™

Since its inception, Arthrex has been committed to one mission: Helping Surgeons Treat Their Patients Better. We are strategically focused on constant product innovation through scientific research, surgeon collaboration, and medical education to make less invasive surgical procedures simple, safer, and more reproducible. Each year, we develop more than 1,000 new innovative products and procedures to advance minimally invasive orthopedics worldwide.

Arthrex has always remained a privately held company, which allows for the rapid evaluation of new technologies and ideas and the freedom to develop products and techniques that truly make a difference Our experienced team of dedicated professionals represents a shared passion and commitment to delivering uncompromising quality to the health care providers who use our products and the millions of patients whose lives we impact.

The medical significance of our contributions serves as our primary benchmark of success and will continue into the future as the legacy of Arthrex.

# **Table of Contents**


Rotator Cuff Repair	05
SLAP and Bankart Repair	17
FiberWire® Suture	27
Cannulas	33
Instruments	39
Biceps and Pectoralis Repair	55
Elbow Arthroscopy	63
AC Reconstruction Systems	67
Glenoid Bone Loss	73
Fracture Management	77
Shoulder-Positioning Devices	83
Anchor Charts	89



# **Rotator Cuff Repair**

SwiveLock® C Suture Anchor	06
SwiveLock® SP Suture Anchor	07
SpeedBridge™ Implant Systems	08
CuffMend™ Rotator Cuff Augmentation System	09
Superior Capsular Reconstruction (SCR)	10
PASTA Bridge\Remplissage	11
Knotless Corkscrew® Suture Anchor	11
2.6 FiberTak® RC Soft Anchor	12
2.6 FiberTak® Soft Anchor	13
PushLock® Suture Anchor	13
Corkscrew® FT Suture Anchors	14
Corkscrew® Suture Anchor	15

# **SwiveLock® C Suture Anchor**



This closed-eyelet, twist-in knotless anchor can be used as the lateral row of the SutureBridge $^{\mathbb{M}}$  repair. Additionally, it can be combined with FiberTape $^{\mathbb{G}}$  suture for SpeedFix $^{\mathbb{M}}$  and SpeedBridge $^{\mathbb{M}}$  repairs. Knotless versions incorporate a knotless tensionable mechanism in the eyelet.

#### Biocomposite

Product Description	Item Number
3.9 mm × 17.9 mm <b>(a)</b>	AR- <b>2326BCC</b>
Knotless, 4.75 mm × 19.1 mm w/ #2 Suture (blue) and SutureTape Link (white/blue) (c)	AR- <b>2324KBCC</b>
<b>Knotless</b> , 4.75 mm × 19.1 mm w/ FiberTape Loop (blue), #2 Suture (white/black), and SutureTape Link (white/blue)	AR- <b>2324KBCCT</b>
Knotless, 4.75 mm × 19.1 mm w/ TigerTape Loop (white/black), #2 Suture (blue), and SutureTape Link (white/black)	AR- <b>2324KBCCTT</b>
4.75 mm × 19.1 mm	AR- <b>2324BCC</b>
4.75 mm × 22 mm, w/ two #2 TigerWire CL suture (1 white/blue, 1 white/black) (e)	AR- <b>2324BCC-2</b>
4.75 mm × 22 mm, w/ two #2 TigerTail® sutures (1 white/black, 1 blue/black)	AR- <b>2324BCT-2</b>
4.75 mm × 19.1 mm, w/ blue FiberTape Loop (d)	AR- <b>2324BCCT</b>
4.75 mm × 19.1 mm, w/ white/black TigerTape Loop	AR-2324BCCTT
Knotless, 5.5 mm × 19.1 mm w/ #2 Suture (blue) and SutureTape Link (white/blue)	AR- <b>2323KBCC</b>
5.5 mm × 22 mm, w/ two #2 TigerTail sutures (1 white/black, 1 blue/black)	AR- <b>2323BCT-2</b>
5.5 mm × 19.1 mm <b>(f)</b>	AR- <b>2323BCC</b>

#### PEEK

Product Description	Item Number
3.9 mm × 17.9 mm <b>(b)</b>	AR- <b>2326PSLC</b>
Knotless, 4.75 mm × 19.1 mm w/ FiberTape Loop (blue), #2 Suture (white) and SutureTape Link (white/blue)	AR- <b>2324KPCT</b>
Knotless, 4.75 mm × 19.1 mm w/ TigerTape Loop (white/black), #2 Suture (blue) and SutureTape Link (white/black)	AR- <b>2324KPCTT</b>
Knotless, 4.75 mm × 19.1 mm w/ #2 Suture (blue) and SutureTape Link (white/black)	AR-2324KPSLC
4.75 mm × 19.1 mm	AR- <b>2324PSLC</b>

# PEEK (Cont.)

Product Description	Item Number
4.75 mm × 22 mm, w/ two #2 TigerTail sutures (1 white/black, 1 blue/black)	AR- <b>2324PSLC-2</b>
4.75 mm × 19.1 mm, w/ blue FiberTape Loop	AR- <b>2324PCT</b>
4.75 mm × 19.1 mm, w/ white/black TigerTape Loop	AR- <b>2324PCTT</b>
Knotless, 5.5 mm × 19.1 mm w/ #2 Suture (blue) and SutureTape Link (white/black)	AR-2323KPSLC
5.5 mm × 22 mm, w/ two #2 TigerTail sutures (1 white/black, 1 blue/black)	AR- <b>2323PSLC-2</b>
5.5 mm × 19.1 mm <b>(g)</b>	AR- <b>2323PSLC</b>

#### Bio


Product Description	Item Number
4.75 mm × 19.1 mm	AR- <b>2324BSLC</b>

#### Implant System

Product Description	Item Number
SwiveLock Implant System	AR- <b>2324BCCS</b>
4.75 mm BioComposite SwiveLock anchor preloaded	
w/ blue FiberTape Loop	
SCORPION-multifire needle	

Product Description	Item Number
Required Instruments	
Punch for 5.5 mm Corkscrew® FT and 4.75 mm and 5.5 mm SwiveLock Anchors	AR- <b>1927PB</b>
Punch for 3.9 mm SwiveLock Anchor	AR- <b>2326P</b>
Optional Instruments	
Punch/Tap for 5.5 mm Corkscrew FT and 5.5 mm SwiveLock Anchors	AR- <b>1927CTB</b>
Punch/Tap for 4.75 mm SwiveLock Anchors	AR- <b>2324PTB</b>
Disposable Punch for 5.5 mm Corkscrew FT and 4.75 mm and 5.5 mm SwiveLock Anchors	AR- <b>1927PBS</b>
Spade Tip Drill for 5.5 mm Corkscrew FT and 4.75 mm and 5.5 mm SwiveLock Anchors	AR- <b>1927D</b>
Punch/Tap for 3.9 mm SwiveLock Anchor	AR- <b>2326PTB</b>
Spade Tip Drill for 3.9 mm SwiveLock Anchor	AR- <b>2326D</b>

# SwiveLock® SP Suture Anchor



Eliminate the need for prepunching a bone socket with the SwiveLock SP (self-punching) anchor, which combines a titanium tip with a biocomposite, PEEK, or titanium anchor body. This self-punching design can help save valuable OR time, while increasing the precision of the final construct. Combine the SwiveLock® SP anchor with FiberTape® suture to complete a SpeedFix™ or SpeedBridge™ knotless rotator cuff repair.

#### Biocomposite


Product Description	Item Number
4.75 mm × 24.5 mm <b>(a)</b>	AR- <b>2324BCM</b>
5.5 mm × 24.5 mm	AR- <b>2323BCM</b>

#### PEEK

•	Product Description	Item Number
	4.75 mm × 24.5 mm <b>(b)</b>	AR- <b>2324PSLM</b>
	5.5 mm × 24.5 mm	AR- <b>2323PSLM</b>


#### Titanium

Product Description	Item Number
4.75 mm × 19.1 mm <b>(c)</b>	AR- <b>2324SLM</b>
5.5 mm × 19.1 mm	AR- <b>2323SLM</b>



Product Description	Item Number
Recommended FiberTape Suture Options for SwiveLoc	ck C and SP Anchors
36 in (blue) tape, w/ each end tapered to #2 FiberWire® suture, 54 in	AR- <b>7237</b>
7 in (blue) tape, w/ each end tapered to #2 FiberWire suture, 30 in (d)	AR- <b>7237-7</b>
7 in (blue) tape, w/ each end tapered to #2 FiberWire suture, collagen-coated	AR- <b>7237-7B</b>
7 in (white/black) tape, w/ each end tapered to #2 TigerWire® suture, 30 in <b>(e)</b>	AR- <b>7237-7T</b>
17 in (blue) tape, w/ each end tapered to #2 FiberWire suture w/ tapered needle, 26.5 mm, ½ circle	AR- <b>7237-17N</b>
FiberTape Suture Instruments	
Mini FiberTape Suture Retriever w/ Self-Release (SR) Handle <b>(f)</b>	AR- <b>12974SR</b>
Mini FiberTape Suture Retriever w/ Nonratcheting (NR) Handle	AR- <b>12974NR</b>
Mini FiberTape Suture Retriever w/ WishBone™ Handle	AR- <b>12974W</b>
FiberTape Suture Retriever w/ SR Handle	AR- <b>13974SR</b>
FiberTape Suture Retriever w/ NR Handle	AR- <b>13974NR</b>
FiberTape Suture Retriever w/ WishBone Handle	AR- <b>13974W</b>
KingFisher® FiberTape Suture Retriever/Grasper w/ SR Handle	AR- <b>13971SR</b>
KingFisher FiberTape Suture Retriever/Grasper w/ NR Handle	AR- <b>13971NR</b>
KingFisher FiberTape Suture Retriever/Grasper w/ WishBone Handle <b>(g)</b>	AR- <b>13971W</b>
Penetrator™ FiberTape Suture Retriever, 15° up curved	AR- <b>2167-3</b>
Penetrator FiberTape Suture Retriever, straight	AR- <b>2167ST-3</b>
Penetrator FiberTape Suture Retriever w/ WishBone handle, 15° up curved	AR- <b>2167W-3</b>
Penetrator FiberTape Suture Retriever w/ WishBone Handle, straight <b>(h)</b>	AR- <b>2167STW-</b> 3
FiberTape Suture Cutter	AR- <b>13250</b>
FiberTape Suture Cutter w/ WishBone Handle	AR- <b>13250W</b>

# **SpeedBridge™ Implant Systems**









Tensionable Knotless SpeedBridge Repair

SpeedBridge Repair

SwiveLock® Anchor

SpeedBridge implant systems are intended to facilitate a more convenient and efficient SpeedBridge repair. Implant systems are packaged in a single "peel-pack" blister and contain all SwiveLock implants and sutures required to perform a typical 4-anchor SpeedBridge repair. These systems are also available with the self-punching (SP) eyelet option.


#### Implant Systems

Product Description	Item Number
Knotless BioComposite SpeedBridge Implant System w/ SCORPION-multifire Needle	AR- <b>2600SBS-10</b>
Two <b>4.75 mm</b> Knotless SwiveLock anchors w/ 1 preloaded FiberTape® Loop (1 blue, 1 white/black) for medial row Two <b>4.75 mm</b> Knotless SwiveLock anchors w/ #2 FiberWire® suture (blue) for lateral row Disposable punch SCORPION-multifire needle	
Knotless BioComposite SpeedBridge Implant System w/ SCORPION-multifire Needle	AR- <b>2600SBS-11</b>
Two <b>4.75 mm</b> Knotless SwiveLock anchors w/ 1 preloaded FiberTak Loop (1 blue, 1 white/black) for medial row Two <b>5.5 mm</b> Knotless SwiveLock anchors w/ #2 FiberWire suture (blue) for lateral row Disposable punch SCORPION-multifire needle	
BioComposite SpeedBridge Implant System w/ SCORPION-multifire Needle	AR- <b>2600SBS-8</b>
Two <b>4.75 mm</b> SwiveLock C anchors w/ 1 preloaded FiberTape Loop (1 blue, 1 white/black) for medial row Two <b>4.75 mm</b> SwiveLock C anchors for lateral row Disposable punch SCORPION-multifire needle	
BioComposite SpeedBridge Implant System w/ SCORPION-multifire Needle (a)	AR- <b>2600SBS-9</b>
Two <b>4.75 mm</b> SwiveLock C anchors w/ 1 preloaded FiberTape Loop (1 blue, 1 white/black) for medial row Two <b>5.5 mm</b> SwiveLock C anchors for lateral row Disposable punch SCORPION-multifire needle	

Product Description	Item Number
BioComposite SpeedBridge Implant System	AR- <b>2600SBS-4</b>
Two <b>4.75 mm</b> SwiveLock C anchors w/ 1 preloaded FiberTape Loop (1 blue, 1 white/black) for medial row Two <b>4.75 mm</b> SwiveLock C anchors for lateral row Disposable punch	
BioComposite SpeedBridge Implant System	AR- <b>2600SBS-5</b>
Two <b>4.75 mm</b> SwiveLock C anchors w/ 1 preloaded FiberTape Loop (1 blue, 1 white/black) for medial row Two <b>5.5 mm</b> SwiveLock SP anchors for lateral row Disposable punch	
PEEK SpeedBridge Implant System	AR- <b>2600SBS-6</b>
Two <b>4.75 mm</b> SwiveLock C anchors w/ 1 preloaded FiberTape Loop (1 blue, 1 white/black) for medial row Two <b>4.75 mm</b> SwiveLock C anchors for lateral row Disposable punch	
PEEK SpeedBridge Implant System	AR- <b>2600SBS-7</b>
Two <b>4.75 mm</b> SwiveLock C anchors w/ 1 preloaded FiberTape Loop (1 blue, 1 white/black) for medial row Two <b>5.5 mm</b> SwiveLock SP anchors for lateral row Disposable punch	

Product Description	Item Number
SpeedBridge™ Knotless Rotator Cuff Repair Surgical Technique	LT1-000170-en-US
SpeedBridge™ and SpeedFix™ Knotless Rotator Cuff Repair Using the SwiveLock® C Anchor and FiberTape® Surgical Technique	LT <b>1-0219-EN</b>

#### **CuffMend™ Rotator Cuff Augmentation System**



The CuffMend™ system provides an efficient, simplified approach for augmentation of partial- and full-thickness rotator cuff tears. The system employs the benefits of a 1 mm-thick ArthroFlex dermal allograft, which provides mechanical strength and supports healing.¹¹² The graft is introduced using the graft spreader and attached medially with the TissueTak™ tendon anchors for soft-tissue fixation to the rotator cuff tendon. This allows the augmentation to span the complete tendon length. PushLock® anchors are used, spanning the graft over the tuberosity footprint, for lateral bony fixation. Implantation of the CuffMend system is designed to be completed in <10 minutes of surgical time. Scientific literature supports the use of acellular dermal grafts as a safe and effective solution for rotator cuff augmentation.³

#### **Implants**

Product Description	Item Number
TissueTak Tendon Anchor (each box contains 1 TissueTak device w/ 10 absorbable tendon anchors), qty 5	AR- <b>19021TT</b>
CuffMend Implant System Includes TissueTak Tendon Anchors, Graft Spreader, and two self-punching 3.5 mm BioComposite PushLock Anchors	AR- <b>19041S</b> *
$\label{eq:bioComposite} \mbox{ BioComposite PushLock Anchor, 3.5 mm} \times \mbox{ 19.5 mm,} \\ \mbox{ self-punching PEEK eyelet}$	AR- <b>1926BCSP</b> *
PEEK PushLock Anchor, 3.5 mm x 19.5 mm, self-punching PEEK eyelet	AR- <b>1926PSSP</b> *
BioComposite PushLock Anchor, 3.5 mm × 19.5 mm	AR- <b>1926BC</b>
PEEK PushLock Anchor, 3.5 mm × 19.5 mm	AR- <b>1926PS</b>
FiberLink™ SutureTape, 1.3 mm, w/ loop (white/blue)	AR- <b>7535</b>
TigerLink™ SutureTape, 1.3 mm, w/ loop (white/black)	AR- <b>7535T</b>
0 FiberWire® Suture, 38 in (blue)	AR- <b>7254</b>

#### **Graft Options**

Product Description	Item Number
ArthroFlex Dermal Allograft, 20 mm × 25 mm × 1.0 mm, w/ Matracell Decellularized Dermis	AFLEX <b>402</b>
ArthroFlex Dermal Allograft, 25 mm × 30 mm ×	AFLEX <b>403</b>
1.0 mm, w/ Matracell Decellularized Dermis	



#### Instruments

Product Description	Item Number
Graft Spreader	AR- <b>19007GS</b>
PassPort Button™ Cannula, 10 mm l.D. × 2 cm	AR- <b>6592-10-20</b>
PassPort Button Cannula, 10 mm I.D. × 3 cm	AR- <b>6592-10-30</b>
PassPort Button Cannula, 10 mm I.D. × 4 cm	AR- <b>6592-10-40</b>
PassPort Button Cannula, 10 mm I.D. × 5 cm	AR- <b>6592-10-50</b>
10 mm PassPort Inserter	AR- <b>6592-10PI</b>
Crystal Cannula®, 5.75 mm ID × 7 cm, distal ring	AR- <b>6560</b>
Crystal Cannula, 5.75 mm ID × 7 cm, smooth	AR- <b>6562</b>
Crystal Cannula, $5.75 \text{ mm ID} \times 7 \text{ cm}$ , partially threaded	AR- <b>6564</b>
Reusable Obturator for 7 cm Crystal Cannula	AR- <b>6563</b>
Punch for 3.5 mm PushLock Anchor	AR- <b>1926P</b>
FastPass Scorpion™ SL Suture Passer	AR- <b>13999MF</b>
SCORPION-multifire Needle	AR- <b>13995N</b>
FiberWire Scissor	AR- <b>11796</b>
Suture Cutter, 4.2 mm, open end, left notch	AR- <b>11794L</b>

#### Literature

Product Description	Item Number
CuffMend™ Rotator Cuff Augmentation System	LT1-000201-en-US
Surgical Technique	

#### Poforoncos

- Ely EE, Figueroa NM, Gilot GJ. Biomechanical analysis of rotator cuff repairs with extracellular matrix graft augmentation. *Orthopedics*. 2014;37(9):608-614. doi:10.3928/01477447-20140825-05
- Smith MJ, Bozynski CC, Kuroki K, Cook CR, Stoker AM, Cook JL. Comparison of biologic scaffolds for augmentation of partial rotator cuff tears in a canine model. J Shoulder Elbow Surg. 2020;29(8):1573-1583. doi:10.1016/j.jse.2019.11.028
- Gilot GJ, Alvarez-Pinzon AM, Barcksdale L, Westerdahl D, Krill M, Peck E. Outcome of large to massive rotator cuff tears repaired with and without extracellular matrix augmentation: a prospective comparative study. *Arthroscopy*. 2015;31(8):1459-1465. doi:10.1016/j.arthro.2015.02.032

# **Superior Capsular Reconstruction (SCR)**



The SCR technique reinforces the superior capsule by attaching ArthroFlex dermal allograft from the glenoid to the greater tuberosity, keeping the humeral head centered on the glenoid.

#### Implant System

Product Description	Item Number
SCR Knotless Implant System	AR- <b>2600SCR</b>
BioComposite SwiveLock® C Implant System w/	
SCORPION-multifire Needle	
Two 4.75 mm SwiveLock C anchors w/ 1	
preloaded FiberTape® Loop (1 blue, 1 white/black)	
for medial row	
Two 4.75 mm SwiveLock C anchors for lateral row	
Disposable punch	
SCORPION-multifire needle	
Two 3.9 mm PEEK Knotless Corkscrew® w/ #5 Suture	
Fishmouth Spear, disposable	
Drill	
Portal Dilator	
17-ga Spinal Needle w/ Stylet	
Guide Pin	
PassPort Cannula Divider	

#### **Bone Preparation**

Product Description	Item Number
PoweRasp™ Instrument, 5.5 mm × 13 cm	AR- <b>8550PR</b>
PowerPick™ Instrument, 45°, 6 mm drill depth	AR- <b>8150PX-45</b>

#### Other

Product Description	Item Number
3 mm ArthroFlex Dermal Allograft w/ 40 mm × 70 mm	AFLEX <b>301</b>
Matracell Decellularized Dermis	
SCR Guide	AR- <b>16950SR</b>
Back Grasper w/ SR Handle	AR- <b>12531SR</b>
PassPort Button™ Cannula, 12 mm ID × 3 cm	AR- <b>6592-12-30</b>
PassPort Button Cannula, 12 mm ID × 4 cm	AR- <b>6592-12-40</b>
PassPort Button Cannula, 12 mm ID × 5 cm	AR- <b>6592-12</b> - <b>50</b>
12 mm PassPort Inserter	AR- <b>6592-12PI</b>
PassPort Divider, 12 mm	AR- <b>6592-12D</b>
SutureTape, 1.3 mm, w/ tapered needle (white/blue)	AR- <b>7500</b>

#### Optional

Product Description	Item Number
Knotless BioComposite Corkscrew® Anchor, 3.9 mm × 11.2 mm, w/ #5 suture	AR- <b>1941BC</b>
PEEK Knotless Corkscrew® Anchor, 3.9 mm × 11.2 mm, w/ #5 suture	AR- <b>1941PSV</b>
Knotless BioComposite SutureTak® Anchor, 3 mm × 12.7 mm, w/ #2 suture	AR- <b>1938BC</b>
Knotless SutureTak Percutaneous Insertion Kit Includes disposable 17-ga spinal needle, 1.1 mm nitinol wire, portal dilator, spear, drills, and cutter	AR- <b>1938PK</b>

Product Description	Item Number
Superior Capsular Reconstruction for Massive	LT <b>1-00020-EN</b>
Irreparable Rotator Cuff Tears Surgical Technique	


# PASTA Bridge\Remplissage



Use this technique for transtendon repair of partial, articular-sided supraspinatus tendon avulsions, providing a secure bridging repair intended to enhance footprint compression and maximize contact between tendon and bone.

Product Description	Item Number
PASTA Bridge Repair Implant System	AR- <b>1934PRK</b>
Two 2.4 BioComposite SutureTak® anchors	
4.75 mm BioComposite SwiveLock® anchor	
Disposable spear	
Disposable punch	
17-ga spinal needle	
1.1 mm nitinol guidewire	
Dilator	

# **Knotless Corkscrew® Suture Anchor**



The partially threaded Knotless Corkscrew anchor provides knotless soft-tissue fixation and has a tensionable suture-locking mechanism. Suture is passed and shuttled into the locking mechanism, allowing users to control the tension of knotless repairs. These anchors can be used for PASTA, remplissage, upper subscapularis, and SCR repairs.

#### 3.9 mm Knotless Corkscrew Anchor


Product Description	Item Number
Biocomposite, 3.9 mm × 11.2 mm, w/ #5 suture (a)	AR- <b>1941BC</b>
PEEK, 3.9 mm × 11.2 mm, w/ #5 suture	AR- <b>1941PSV</b>
Instrumentation	
Drill, sterile	AR- <b>1941D</b>
Slotted Spear w/ dilator	AR- <b>1941DG</b>
Fishmouth Spear w/ dilator	AR- <b>1941DGF</b>
Circumferential Teeth Spear w/ dilator	AR- <b>1941CT</b>
Punch	AR- <b>1941P</b>
Punch/Tap	AR- <b>1941PTB</b>
Disposables	
Disposable Kit Includes fishmouth spear, sharp obturator, and punch	AR- <b>1941DS</b>
TransTendon Percutaneous Instrument Kit Includes 17-ga spinal needle, 1.5 mm nitinol wire, dilator, fishmouth spear, and punch for 3.9 mm Knotless Corkscrew anchor	AR- <b>1941PK</b>

#### 4.75 mm Knotless Corkscrew Anchor

Product Description	Item Number
BioComposite, 4.75 mm × 14 mm, w/ #5 suture <b>(b)</b>	AR- <b>1927KBC</b>
PEEK, 4.75 mm × 14 mm, w/ #5 suture	AR- <b>1927KPS</b>
Instrumentation	
Punch	AR- <b>1927KPB-475</b>
Punch/Tap	AR- <b>1927KTPB-475</b>

Product Description	Item Number
Knotless Corkscrew/PASTA Bridge Surgical	LT1-00094-EN
Technique	

#### 2.6 FiberTak® RC Soft Anchor



2.6 FiberTak RC soft anchors are specifically designed for surgeons who prefer an all-suture anchor for the medial row of a double-row, bridging rotator cuff repair. They are combined with knotless SwiveLock® C anchors for the lateral row. The unique 2.6 FiberTak RC anchor has a 1.7 FiberTape® suture fixed to the sheath so that it cannot slide, making it easy to tension the lateral row for a totally knotless construct. The 2.6 FiberTak RC anchor is available with a tensionable knotless mechanism or a sliding 1.3 mm SutureTape that can be incorporated into the repair, or discarded, for ultimate flexibility.

The self-punching inserter for select FiberTak anchors allows for direct insertion into bone without creating a prepunched or predrilled socket for anchor insertion. The self-punching FiberTak inserter may be used with or without a guide and can be placed directly into bone or used with a transtendon insertion technique.

FiberTak SpeedBridge™ Implant Systems


Product Description	Item Number
With 1.7 mm TigerTape™ Loop (white/black) and 1.3 mm SutureTape (white/blue), self-punching, qty 5 (a)	AR- <b>3652SP</b>
With 1.7 mm FiberTape® Loop (blue) and 1.3 mm SutureTape (white/black), self-punching, qty 5	AR- <b>3652TSP</b>
With 1.7 mm FiberTape Loop (black/blue) and 1.3 mm SutureTape (blue), self-punching, qty 5	AR- <b>3652TTSF</b>
<b>Knotless</b> with 1.7 mm TigerTape Loop (white/black) and #2 suture (blue), self-punching, qty 5	AR- <b>3653SP</b>
Knotless with 1.7 mm FiberTape Loop (blue) and #2 suture (white/black), self-punching, qty 5 (b)	AR- <b>3653TSP</b>
<b>Knotless</b> with 1.7 mm FiberTape Loop (black/blue) and #2 suture (blue/black), self-punching, qty 5 (c)	AR- <b>3653TTSF</b>
Disposables for 2.6 FiberTak Anchors	
Disposable Kit Includes spear, sharp obturator, and drill	AR- <b>3650DS</b>
Instruments for 2.6 and RC FiberTak Anchors	
Angled Spear w/ Circumferential Teeth	AR- <b>3655</b>
Blunt Obturator for AR-3655	AR- <b>3658B</b>
Sharp Obturator for AR-3655	AR- <b>3658T</b>
Circumferential Teeth Spear w/ dilator	AR- <b>1941CT</b>
Fishmouth Spear w/ dilator	AR- <b>1941DGF</b>
Drill, 2.6 mm	AR- <b>3657</b>
2.6 mm Shaver Drill	AR- <b>3657SD</b>
Punch	AR- <b>3656</b>

Product Description	Item Number
FiberTak SpeedBridge Implant System	AR- <b>2600FSB-5</b>
Three <b>2.6 mm</b> FiberTak RC anchors (white/black,	
white/blue, and black/blue)	
Two <b>4.75 mm</b> Knotless SwiveLock anchors for	
lateral row	
SCORPION-multifire needle	
Knotless FiberTak SpeedBridge Implant System	AR- <b>2600FSB-6</b>
Three <b>2.6 mm</b> Knotless FiberTak RC anchors	
(white/black, white/blue, and black/blue)	
Two <b>4.75 mm</b> Knotless SwiveLock anchors	
for lateral row	
SCORPION-multifire needle	

#### Literature

Product Description	Item Number
FiberTak® SpeedBridge™ Rotator Cuff Repair	LT1-000204-en-US
Surgical Technique	


# 2.6 FiberTak® Soft Anchor



The 2.6 FiberTak soft anchor is available both doubleand triple-loaded with sliding 1.3 mm SutureTape sutures. The knotless 2.6 FiberTak anchor includes a tensionable suture-locking mechanism allowing users to control the tension of repairs.

Product Description	Item Number
Knotless, w/ #5 suture, self-punching, qty. 5	AR- <b>3641SP</b>
Knotless, w/ #5 suture, qty. 5 (a)	AR- <b>3641</b>
With Two 1.3 mm SutureTapes (white/blue, white/black), self-punching, qty. 5	AR- <b>3632SP</b>
With Two 1.3 mm SutureTapes (white/blue, white/black), qty. 5 (b)	AR- <b>3632</b>
With Three 1.3 mm SutureTapes (white/blue, black/ white, blue), self-punching, qty. 5	AR- <b>3633SP</b>
With Three 1.3 mm SutureTapes (white, white/blue, white/black), qty. 5	AR- <b>3633</b>
With Two #2 FiberWire CL Sutures (white/blue, white/black), qty 1/box	AR- <b>3630-1</b>
With Three #2 FiberWire CL Sutures (white/blue, white/black, white), qty 1/box	AR- <b>3631-1</b>
Instruments for FiberTak RC and 2.6 FiberTak Anchors	
Angled Spear w/ Circumferential Teeth	AR- <b>3655</b>
Blunt Obturator for AR-3655	AR- <b>3658B</b>
Sharp Obturator for AR-3655	AR- <b>3658T</b>
Circumferential Teeth Spear w/ dilator	AR- <b>1941CT</b>
Fishmouth Spear w/ dilator	AR- <b>1941DGF</b>
Drill, 2.6 mm	AR- <b>3657</b>
2.6 mm Shaver Drill	AR- <b>3657SD</b>
Punch	AR- <b>3656</b>
Disposables for 2.6 FiberTak Anchors	
Disposables Kit	AR- <b>3650DS</b>
Includes spear, sharp obturator, and drill	
TransTendon Percutaneous Instrument Kit Includes 17-ga spinal needle, 1.5 mm nitinol wire, dilator, fishmouth spear, and punch for 3.9 mm Knotless Corkscrew anchor	AR- <b>1941PK</b>

# PushLock® Suture Anchor



The unique knotless design allows tension to be adjusted intraoperatively while helping to ensure precise tissue reduction and fixation.


The self-punching anchor was developed to help speed completion of a SutureBridge™ repair. The titanium tip minimizes the need to prepare a bone socket for the lateral row, where soft tissue can sometimes obscure the view.

Product Description	Item Number
Biocomposite, 3.5 mm × 19.5 mm	AR- <b>1926BC</b>
Biocomposite, 3.5 mm × 19.5 mm, self-punching PEEK eyelet	AR- <b>1926BCSP</b> *
Biocomposite, 4.5 mm × 24 mm (a)	AR- <b>1922BC</b>
Biocomposite, 4.5 mm × 28 mm, self-punching* (c)	AR- <b>1922BCM</b>
PEEK, 3.5 mm × 19.5 mm	AR- <b>1926PS</b>
PEEK, 3.5 mm × 19.5 mm, self-punching PEEK eyelet	AR- <b>1926PSSP</b> *
PEEK, 4.5 mm × 24 mm <b>(b)</b>	AR- <b>1922PS</b>
PEEK, 4.5 mm × 28 mm, self-punching* (d)	AR- <b>1922PSM</b>
Bio, 3.5 mm × 19.5 mm	AR- <b>1926B</b>
*Instrumentation not required for PushLock SP anchor	
Required Instruments	
Punch for 3.5 mm PushLock Anchor	AR- <b>1926P</b>
Punch for 4.5 mm PushLock and 4.5 mm Corkscrew FT Anchors	AR- <b>1922P</b>
Optional Instruments	
Disposable Punch for 3.5 mm PushLock Anchor	AR- <b>1926PBS</b>
Disposable Punch for 4.5 mm PushLock and 4.5 mm Corkscrew FT Anchors	AR- <b>1922PBS</b>

Product Description	Item Number
SutureBridge™ Double Row Rotator Cuff Repair	LT1-0515-EN
Technique	

<sup>\*</sup> Pending FDA clearance

#### **Corkscrew® FT Suture Anchors**



A fully threaded (FT) design over the entire length of the suture anchor provides cortical fixation. When inserting into hard bone, the internal drive mechanism substantially increases resistance to stripping. The recessed FiberWire® suture eyelet is self-aligning and minimizes suture abrasion during knot tying. The Corkscrew FT suture anchors are available in biocomposite (β-TCP and PLLA), PEEK, titanium, and bio materials.

#### Biocomposite

Product Description	Item Number
4.5 mm × 14 mm, w/ two #2 FiberWire sutures <b>(b)</b>	AR- <b>1927BCF-45</b>
4.5 mm × 14 mm, w/ two #2 TigerTail® sutures	AR- <b>1927BCFT-45</b>
4.5 mm × 14 mm, w/ two #2 FiberWire sutures and 4 needles	AR- <b>1927BCNF-45</b>
4.75 mm × 14 mm w/ two 1.3 mm SutureTape (white/black, white/blue)	AR- <b>1927BCT-475</b>
4.75 mm × 14 mm, w/ three #2 TigerTail sutures (c)	AR- <b>1927BCF-475</b>
5.5 mm × 14.7 mm, w/ two 1.3 mm SutureTape (white/black, white/blue) (a)	AR- <b>1927BCT</b>
5.5 mm × 14.7 mm, w/ two #2 FiberWire sutures (d)	AR- <b>1927BCF</b>
5.5 mm × 14.7 mm, w/ two #2 TigerTail sutures	AR- <b>1927BCFT</b>
5.5 mm × 14.7 mm, w/ two #2 FiberWire suture and 4 needles	AR- <b>1927BCNF</b>
5.5 mm × 14.7 mm, w/ three #2 FiberWire sutures	AR- <b>1927BCF-3</b>
6.5 mm × 14.7 mm, w/ two #2 FiberWire sutures (e)	AR- <b>1927BCF-65</b>

#### PEEK

Product Description	Item Number
4.5 mm × 14 mm, w/ two #2 FiberWire sutures (f)	AR- <b>1927PSF-45</b>
4.5 mm × 14 mm, w/ two #2 FiberWire suture and 4 needles	AR- <b>1927PNF-45</b>
4.75 mm × 14 mm, w/ two 1.3 mm SutureTape (white/black, white/blue)	AR- <b>1927PST-475</b>
4.75 × 14 mm, w/ three #2 TigerTail sutures	AR- <b>1927PSF-475</b>
5.5 mm × 14.7 mm, w/ two #2 FiberWire sutures (g)	AR- <b>1927PSF</b>
5.5 mm × 14.7 mm, w/ two #2 FiberWire sutures and 4 needles	AR- <b>1927PNF</b>
5.5 mm × 14.7 mm, w/ three #2 FiberWire sutures	AR- <b>1927PSF-3</b>
6.5 mm × 14.7 mm, w/ two #2 FiberWire sutures (h)	AR- <b>1927PSF-65</b>

#### Titanium (No Instrumentation Required)

Product Description	Item Number
4.5 mm × 14 mm, w/ two #2 FiberWire sutures (i)	AR- <b>1928SF-45</b>
5.5 mm × 16.3 mm, w/ two #2 FiberWire sutures (j)	AR- <b>1928SF-2</b>
5.5 mm × 16.3 mm, w/ two #2 FiberWire sutures and 4 needles	AR- <b>1928SNF-2</b>
5.5 mm × 16.3 mm, w/ two #2 TigerTail sutures	AR- <b>1928SFT-2</b>
5.5 mm × 16.3 mm, w/ three #2 FiberWire sutures	AR- <b>1928SF-3</b>
6.5 mm × 16.3 mm, w/ three #2 FiberWire sutures (k)	AR- <b>1929SF-3</b>

#### Bio

Product Description	Item Number
5.5 mm × 14.7 mm, w/ two #2 FiberWire sutures (I)	AR- <b>1927BF</b>


#### Corkscrew® FT Instrumentation

Product Description	Item Number
4.5 mm Instrumentation	
Punch for 4.5 mm Corkscrew FT Anchors (m)	AR- <b>1922P</b>
Punch/Tap for 4.5 mm Corkscrew FT Anchor	AR- <b>1927PTB-45</b>
Disposable Punch for 4.5 mm Corkscrew FT and 4.5 mm PushLock Anchors	AR- <b>1922PBS</b>
Punch w/ Cortical Tap for 4.5 mm Corkscrew FT Anchor	AR- <b>1927PTB-45-2</b>
4.75 mm Instrumentation	
Punch/Tap for 4.75 mm Corkscrew FT Anchor (required) (n)	AR- <b>1927PTB-475</b>
5.5 mm Instrumentation	
Punch for 5.5 mm Corkscrew FT and 4.75 mm and 5.5 mm SwiveLock® Anchors (o)	AR- <b>1927PB</b>
Punch/Tap for 5.5 mm Corkscrew FT and 5.5 mm SwiveLock Anchors <b>(p)</b>	AR- <b>1927CTB</b>
Disposable Punch for 5.5 mm Corkscrew FT and 4.75 mm and 5.5 mm SwiveLock Anchors	AR- <b>1927PBS</b>
Spade-Tip Drill for 5.5 mm Corkscrew FT Anchor (In hard bone, a drill may be used to prevent bone cracks)	AR- <b>1927D</b>

# Corkscrew® FT Suture Anchors (Cont.)



# **Corkscrew® Suture Anchor**



The titanium Corkscrew anchor design incorporates a cancellous thread with a very small core diameter to maximize pullout strength in cancellous or osteopenic bone.

Product Description	Item Number
3.5 mm × 12 mm, w/ one #2 FiberWire® suture (a)	AR- <b>1915SF</b>
5 mm × 15.5 mm, w/ two #2 FiberWire sutures (2 suture eyelets) <b>(b)</b>	AR- <b>1902SF</b>
5 mm × 15.5 mm, w/ two #2 FiberWire suture (c)	AR- <b>1920SF</b>
5 mm × 15.5 mm, w/ needles and two #2 FiberWire sutures	AR- <b>1920NSF</b>
6.5 mm × 15.5 mm, w/ two #2 FiberWire sutures (d)	AR- <b>1925SF</b>

Note: Instrumentation not required for titanium Corkscrew anchors



# **SLAP** and **Bankart** Repair

Knotless 1.8 FiberTak® Soft Anchor, Gen2	18
Knotless 1.8 FiberTak® Soft Anchor	18
FiberTak® Soft Anchor	19
PushLock® Suture Anchor	20
Labral SwiveLock® Suture Anchor	21
SutureTak® Suture Anchor	22
3 mm Knotless SutureTak® Suture Anchor	23
FASTak™ Suture Anchor	24
Spears	24
Offset Guide	25
Cannulated Guide	25

# Knotless 1.8 FiberTak® Soft Anchor, Gen2



The Knotless 1.8 FiberTak soft anchor, Gen2 is the latest in knotless tensionable technology for instability. This design combines trusted knotless technology with the latest in suture innovation. The updates are aimed to improve implant insertion, improve handling characteristics, and provide premium instrumentation with additional stability.

Product Description	Item Number
Knotless 1.8 FiberTak Soft Anchor, Gen2 w/ #2 suture, qty. 5	AR- <b>3636</b>
Disposables	
1.8 mm Flexible Drill, w/ hub and sharp obturator, sterile	AR- <b>3610ND-2</b>
Curved Disposable Kit, blunt Includes 1.8 mm flexible drill, curved spear, and blunt obturator	AR- <b>3638DC</b>
<b>Tapered Curved Disposable Kit, sharp</b> Includes 1.8 mm flexible drill w/ hub, tapered curved spear, and sharp obturator	AR- <b>3610DC-3</b>
Straight Disposable Kit Includes 1.8 mm rigid drill, straight spear, and blunt obturator	AR- <b>3638DS</b>
Percutaneous Insertion Kit Includes 1.8 mm drill, fishmouth spear, dilator, needle with stylet, and guide pin	AR- <b>3610PK-3</b>
1.8 mm Rigid Drill, w/ sharp obturator, sterile	AR- <b>3600D-2</b>
1.8 mm Flexible ShaverDrill Device, w/ sharp obturator	AR- <b>3610NSD-2</b>
1.9 mm Flexible Drill, w/ hub and sharp obturator, hard bone, sterile	AR- <b>3610ND-4</b>
1.9 mm Rigid Drill, hard bone, sterile	AR- <b>3600D-4</b>
Reusables	
Curved Spear, w/ flexible sharp obturator, reusable	AR- <b>3610CTC</b>
Tight Curved Spear, w/ flexible sharp obturator, reusable	AR- <b>3610CTC-2</b>
Fishmouth Spear, reusable	AR- <b>3610F</b>
Circumferential Teeth Spear, reusable	AR- <b>3610CT</b>
Slotted Spear, reusable	AR- <b>3610ST</b>

#### Knotless 1.8 FiberTak® Soft Anchor



This tensionable knotless suture anchor combines the benefits of soft anchors with knotless soft-tissue fixation. Curved and straight guide delivery systems are available with 1.8 mm drills, making this the smallest knotless anchor on the market.

Product Description	Item Number
<b>Knotless</b> 1.8 FiberTak Soft Anchor w/ #2 Suture, qty. 5	AR- <b>3638</b>
Disposables	
1.8 mm Flexible Drill, w/ sharp obturator, sterile	AR- <b>3600ND-2</b>
Curved Disposable Kit, blunt Includes 1.8 mm flexible drill, curved spear, and blunt obturator	AR- <b>3638DC</b>
1.8 mm Rigid Drill, w/ sharp obturator, sterile	AR- <b>3600D-2</b>
Straight Disposable Kit Includes 1.8 mm rigid drill, straight spear, and blunt obturator	AR- <b>3638DS</b>
Percutaneous Insertion Kit Includes 1.8 mm drill, fishmouth spear, dilator, needle with stylet, and guide pin	AR- <b>3610PK-3</b>
1.8 mm Flexible ShaverDrill™ Device, w/ sharp obturator	AR- <b>3610NSD-2</b>
1.9 mm Rigid Drill, hard bone, sterile	AR- <b>3600D-4</b>
1.9 mm Flexible Drill, w/ sharp obturator, hard bone, sterile	AR- <b>3600ND-4</b>
Reusables	
Curved Spear, w/ flexible sharp obturator, reusable	AR- <b>3610CTC</b>
Tight Curved Spear, w/ flexible sharp obturator, reusable	AR- <b>3610CTC-2</b>
Fishmouth Spear, reusable	AR- <b>3610F</b>
Circumferential Teeth Spear, reusable	AR- <b>3610CT</b>
Slotted Spear, reusable	AR- <b>3610ST</b>


#### 2.6 FiberTak Soft Anchor

Product Description	Item Number
Knotless 2.6 FiberTak Soft Anchor, w/ #5 suture,	AR- <b>3641</b>
qty. 5	

2.6 FiberTak instruments listed on page 14

Product Description	Item Number
Knotless 1.8 FiberTak® Suture Anchor Glenoid	LT1-000002-EN
Labrum Surgical Technique	

# FiberTak® Soft Anchor




The soft anchors are available single- and double-loaded each with multiple innovative suture options. These anchors are complemented with both curved- and straight-guide delivery systems and small drills to minimize bone removal.

Product Description	Item Number
With #2 coreless suture (a)	AR- <b>3600</b>
With two #2 coreless sutures (b)	AR- <b>3600-2</b>
With 1.3 mm SutureTape (c)	AR- <b>3602</b>
With two 1.3 mm SutureTape (d)	AR- <b>3602-2</b>
With #2 TigerTail® suture <b>(e)</b>	AR- <b>3603</b>
With two #2 TigerTail sutures (f)	AR- <b>3603-2</b>
Disposables	
Disposables Kit, straight spear Includes spear w/ circumferential teeth, blunt obturator, and 1.6 mm drill	AR- <b>3600D</b>
Curved Disposables Kit, curved spear Includes spear w/ circumferential teeth, blunt obturator, and 1.6 mm flexible drill	AR- <b>3600DC</b>
Tapered Curved Disposables Kit, curved spear Includes 1.6 mm flexible drill w/ hub, tapered curved spear, and sharp obturator	AR- <b>3610DC-1</b>
<b>Disposables Kit</b> , ShaverDrill™ accessory, flexible Includes curved spear w/ circumferential teeth, blunt obturator, and 1.6 mm flexible ShaverDrill™ accessory	AR- <b>3600NDSR-1</b>
Percutaneous Insertion Kit w/ spear, dilator, needle with stylet, guide pin, and 1.6 mm drill	AR- <b>3610PK-1</b>
1.6 mm Drill for FiberTak Anchor, sterile	AR- <b>3600D-1</b>
1.6 mm Flexible Drill for FiberTak Anchor, w/ sharp obturator, sterile	AR- <b>3600ND-1</b>
1.7 mm Drill for FiberTak Anchor, sterile	AR- <b>3600D-3</b>
1.7 mm Flexible Drill for FiberTak Anchor, w/ sharp obturator, sterile	AR- <b>3600ND-3</b>
1.8 mm Rigid Drill for FiberTak Anchor, sterile	AR- <b>3600D-2</b>
1.8 mm Flexible Drill for FiberTak Anchor, w/ sharp obturator, sterile	AR- <b>3600ND-2</b>
ShaverDrill Accessory, 1.8 mm, w/ flexible obturator	AR- <b>3610NSD-2</b>

Product Description	Item Number
Reusables	
Curved Spear, w/ flexible sharp obturator, reusable	AR- <b>3610CTC</b>
Tight Curved Spear, w/ flexible sharp obturator, reusable	AR- <b>3610CTC-2</b>
Fishmouth Spear, reusable	AR- <b>3610F</b>
Circumferential Teeth Spear, reusable	AR- <b>3610CT</b>
Slotted Spear, reusable	AR- <b>3610ST</b>

Product Description	Item Number
FiberTak® Anchor Glenoid Labrum Repair	LT1-00021-EN
Surgical Technique	

#### PushLock® Suture Anchor



PushLock suture anchors are designed for simple and secure arthroscopic glenohumeral joint instability repair. This knotless technique saves valuable time and eliminates the possibility of knot impingement. The "suture first" technique allows suture to be passed independently through a desired amount of tissue prior to anchor implantation. Multiple suture configurations, including simple, cinch, and mattress stitches, can be accomplished with FiberWire®, FiberLink™, FiberStick™, and LabralTape™ sutures using the Labral Scorpion™ or QuickPass™ SutureLasso™ suture retriever. Tissue tension can be visualized and adjusted, if necessary, prior to final anchor implantation.

#### 2.4 mm PushLock Anchor

Product Description	Item Number
Biocomposite, 2.4 mm × 11.3 mm (a)	AR- <b>2922BC</b>
PEEK, 2.4 mm × 11.3 mm <b>(b)</b>	AR- <b>2922PS</b>
Note: Use with FiberLink SutureTape [AR-7535]	
Required	
Spear and Trocar- and Blunt-Tip Obturators, for 2.4 mm and 2.9 mm PushLock Anchors	AR- <b>1949</b>
Drill for 2.4 mm PushLock Anchor, sterile	AR- <b>2922D-24-2</b>
Drill for 2.4 mm PushLock Anchor, hard bone, sterile	AR- <b>2922D-24-3</b>
Disposable	
Percutaneous Insertion Kit Includes spear, dilator, needle w/ stylet, guide pin, drill, and cannula	AR- <b>2922PK</b>
ShaverDrill™ Accessory	AR- <b>2922DSR-24</b>
ShaverDrill Accessory, hard bone	AR- <b>2922DTSR-24</b>

# Optional Instruments for 2.4 mm and 2.9 mm PushLock Anchors

Product Description	Item Number
Offset Guide for 2.4 mm and 2.9 mm PushLock Anchors	AR- <b>1934R</b>
Spear w/ Circumferential Teeth and Sharp Obturator for 2.4 mm and 2.9 mm PushLock Anchors	AR- <b>1946</b>
Mini Suture Cutter, 3.4 mm, straight Note: May be used w/ metal cannula [AR-1923MCS]	AR- <b>13255</b>
Mini Suture Cutter, 3.4 mm, straight w/ WishBone™ handle Note: May be used w/ metal cannula [AR-1923MCS]	AR- <b>13255W</b>
Mini FiberTape® Retriever w/ SR Handle	AR- <b>12974SR</b>
Mini FiberTape Retriever w/ NR Handle	AR- <b>12974NR</b>
Mini FiberTape Retriever w/ WishBone Handle	AR- <b>12974W</b>

#### 2.9 mm PushLock Anchor

Product Description	Item Number
Biocomposite, 2.9 mm × 15.5 mm (e)	AR- <b>1923BC</b>
Biocomposite, 2.9 mm × 12.5 mm (short) (c)	AR- <b>2923BC</b>
PEEK, 2.9 mm × 15.5 mm <b>(f)</b>	AR- <b>1923PS</b>
PEEK, 2.9 mm × 12.5 mm (short) (d)	AR- <b>2923PS</b>
Implant System	
Short 2.9 mm BioComposite PushLock Implant System 2.9 mm Short BioComposite PushLock Anchor FiberLink SutureTape 2.9 mm Short PushLock Percutaneous Kit (Includes spear, dilator, 17-ga spinal needle, guide pin, drill, and cannula)	AR-2923BCS
Required Instruments	
Spear, Sharp and Blunt-Tip Obturators, for 2.4 mm and 2.9 mm PushLock Anchors	AR- <b>1949</b>
Drill for 2.9 mm PushLock Anchor	AR- <b>1923D</b>
Drill for 2.9 mm PushLock Anchor, sterile	AR- <b>1923D-ST</b>
Drill for 2.9 mm PushLock Anchor, hard bone	AR- <b>1923DT</b>
Drill for 2.9 mm PushLock Anchor, hard bone, sterile	AR- <b>1923DT-ST</b>
Drill for Short 2.9 mm PushLock Anchor	AR- <b>2923D</b>
Drill for Short 2.9 mm PushLock Anchor, sterile	AR- <b>2923D-ST</b>
Drill for Short 2.9 mm PushLock Anchor, hard bone	AR- <b>2923DT</b>
Drill for Short 2.9 mm PushLock Anchor, hard bone, sterile	AR- <b>2923DT-ST</b>
ShaverDrill Accessory for Short Anchor	AR- <b>2923DSR</b>



# PushLock® Suture Anchor (Cont.)

Product Description	Item Number
Disposables	
Disposables Kit, w/ metal spear and drill	AR- <b>1923DS</b>
Disposables Kit for Short Anchor, w/ metal spear, trocar, and drill	AR- <b>2923DS</b>
Percutaneous Insertion Kit Includes disposable 17-ga spinal needle, 1.1 mm nitinol wire, portal dilator, spear, drill, and percutaneous metal cannula	AR- <b>1923PK</b>
ShaverDrill™ Disposables Kit for Short Anchor	AR- <b>2923DSSK</b>
ShaverDrill Disposables Kit for Short Anchor, hard bone, 5/pack	AR- <b>2923DTSK</b>
ShaverDrill for Short Anchor, hard bone, 5/pack	AR- <b>2923DTSR</b>
Optional Instruments	
Metal Cannula Set for 2.9 mm PushLock Anchor	AR- <b>1923MCS</b>
Disposable Silicone Dam for AR-1923MCS	AR- <b>1923MC-03</b>
Spade-Tip Drill for 2.9 mm PushLock Anchor	AR- <b>1923SD</b>


#### 3.5 mm PushLock Anchor

Product Description	Item Number
Biocomposite, 3.5 mm × 19.5 mm (g)	AR- <b>1926BC</b>
PEEK, 3.5 mm × 19.5 mm <b>(h)</b>	AR- <b>1926PS</b>
Bio, 3.5 mm × 19.5 mm (i)	AR- <b>1926B</b>
Required Instruments	
Spear and Sharp Obturator for 3.5 mm PushLock and SwiveLock Anchors	AR- <b>1907</b>
Drill for 3.5 mm PushLock Anchor	AR- <b>1912</b>
Disposables	
Disposables Kit for 3.5 mm PushLock Anchor, w/ metal spear and drill	AR- <b>1926DS</b>
Disposables Kit for 3.5 mm PushLock Anchor, w/ offset guide and drill	AR- <b>1926DS-2</b>
Optional Instruments	
Offset Guide for 3.5 mm PushLock and SwiveLock Anchors	AR- <b>1909R</b>
Spear w/ Circumferential Teeth and Sharp Obturator for 3.5 mm PushLock and SwiveLock Anchors	AR- <b>1906</b>
Spade-Tip Drill for 3.5 mm PushLock Anchor	AR- <b>1911</b>
Metal Cannula for 3.5 mm PushLock Anchor	AR- <b>1926MC</b>

#### Literature

Product Description	Item Number
PushLock® Knotless Instability Repair	LB <b>1-0520-EN</b>

# Labral SwiveLock® Suture Anchor




Screw-in, knotless SwiveLock anchors have been miniaturized to treat shoulder instability. Used like a labral PushLock anchor, this anchor offers all of the same knotless advantages (low-profile, quick, "suturefirst" technique with multiple stitch configuration options) for surgeons who prefer a threaded anchor.

Product Description	Item Number
Biocomposite, 3.5 mm × 15.8 mm (a)	AR- <b>2325BCC</b>
PEEK, 3.5 mm × 15.8 mm <b>(b)</b>	AR- <b>2325PSLC</b>
Required Instruments	
Spear and Sharp Obturator for 3.5 mm PushLock® and SwiveLock Anchors	AR- <b>1907</b>
Drill for 3.5 mm SwiveLock Anchor	AR- <b>2325D</b>
Drill for 3.5 mm SwiveLock Anchor, sterile	AR- <b>2325D-ST</b>
Optional Instruments	
Offset Guide for 3.5 mm PushLock and SwiveLock Anchors	AR- <b>1909R</b>
Spear w/ Circumferential Teeth and Sharp Obturator for 3.5 mm PushLock and SwiveLock Anchors	AR- <b>1906</b>

#### Recommended Suture for Use With PushLock and SwiveLock Anchors

Product Description	Item Number
SutureTape Link, 1.3 mm, w/ loop (white/blue)	AR- <b>7535</b>
SutureTape Link, 1.3 mm, w/ loop (white/black)	AR- <b>7535T</b>
LabralTape™ Suture, 1.5 mm, 36 in tape (white)	AR- <b>7276</b>
LabralTape Suture, 1.5 mm, 36 in tape (white/black)	AR- <b>7276T</b>
#2 FiberLink® Suture, w/ closed loop, 26 in (blue)	AR- <b>7235</b>
#2 TigerLink® Suture, w/ closed loop, 26 in (white/black)	AR- <b>7235T</b>
FiberLink SutureTape, 1.7 mm w/ loop (white/blue)	AR- <b>7538</b>
TigerLink SutureTape, 1.7 mm w/ loop (white/black)	AR- <b>7538T</b>
FiberStick® Suture, #2 FiberWire suture, 50 in (blue), one end stiffened, 12 in	AR- <b>7209</b>
TigerStick® Suture, #2 TigerWire suture, 50 in (white/black), one end stiffened, 12 in	AR- <b>7209T</b>
#1 FiberWire Suture for 2.4 mm PushLock Anchor, 38 in (blue)	AR- <b>7216</b>

#### SutureTak® Suture Anchor



SutureTak anchors are available in a variety of sizes, materials, and suture options. Biocomposite anchor options contain a molded-in suture to reinforce the strength of the anchor and suture eyelet. The nonabsorable PEEK SutureTak anchor has a material eyelet that provides superior abrasion resistance due to PEEK's low coefficient of friction. Anchor insertion and delivery are made simple by drilling through a spear and inserting the anchor through the same spear into the drilled hole.

#### 2 mm SutureTak Anchor

Product Description	Item Number
Biocomposite, 2 mm × 12 mm, w/ #1 FiberWire®	AR- <b>1934BCF-20</b>
suture (a)	
PEEK, 2 mm × 12 mm, w/ #1 FiberWire suture (b)	AR- <b>1934PF-20</b>
Required Instruments	
Spear and Sharp and Blunt Obturators	AR- <b>1986</b>
Drill	AR- <b>1934D-20</b>
Drill, hard bone	AR- <b>1934D-20</b> - <b>1</b>
Disposables	
Percutaneous Insertion Kit	AR- <b>1934PI-20</b>
Includes disposable 17-ga spinal needle, 1.1 mm	
nitinol wire, portal dilator, spear, and drills	
Disposables Kit	AR- <b>1934-20DS</b>
Includes disposable spear and drills	
Curved Insertion Kit	AR- <b>2948D</b>
Includes curved spear, obturator, and flexible drill	

#### 2.4 mm SutureTak

Product Description	Item Number
Biocomposite, 2.4 mm × 12 mm, w/ #2 FiberWire® suture <b>(c)</b>	AR- <b>1934BCF-24</b>
Biocomposite, 2.4 mm × 12 mm, w/ two #2 FiberWire suture	AR- <b>1934BCF-24-2</b>
PEEK, 2.4 mm × 12 mm, w/ #2 FiberWire suture (d)	AR- <b>1934PF-24</b>
Required	
Instrumentation Set Includes	AR- <b>1934-24S</b>
Spear and Sharp and Blunt Obturators	AR- <b>1948</b>
Step Drill	AR- <b>1934D-24</b>
SutureTak Instrumentation Case	AR- <b>1934-24C</b>
Disposables	
Percutaneous Insertion Kit Includes disposable 17-ga spinal needle, 1.1 mm nitinol wire, portal dilator, spear, and drills	AR- <b>1934PI</b>
<b>Disposables Kit</b> Includes AR-1945S and AR-1934D-24-1	AR- <b>1934-24DS</b>
Disposable Spear and Sharp Obturator	AR- <b>1945S</b>

#### Optional

Product Description	Item Number
Drill, hard bone	AR- <b>1934D-24-1</b>
Drill, very hard bone	AR- <b>1934D-24-2</b>
Offset Guide	AR- <b>1948R</b>
Spear w/ Circumferential Teeth and Sharp Obturator	AR- <b>1948CT</b>

Product Description	Item Number
SutureTak® Anchor Bankart and SLAP Repair	LT <b>1-0507-EN</b>
Surgical Technique	

# SutureTak® Suture Anchor (Cont.)

#### 3 mm SutureTak Anchor

Product Description	Item Number
Biocomposite, 3 mm × 14.5 mm w/ 1.3 mm SutureTape (white/blue) (e)	AR- <b>1934BCT</b>
Biocomposite, 3 mm × 14.5 mm, w/ two 1.3 mm SutureTape (blue, black/white) (f)	AR- <b>1934BCT-2</b>
Biocomposite, 3 mm × 14.5 mm, w/ #2 FiberWire® suture	AR- <b>1934BCF</b>
Biocomposite, 3 mm × 14.5 mm, w/ two #2 FiberWire suture	AR- <b>1934BCF-2</b>
Biocomposite, 3 mm × 14.5 mm, w/ #2 TigerTail® suture	AR- <b>1934BCFT</b>
Biocomposite, 3 mm × 14.5 mm, w/ two #2 TigerTail suture	AR- <b>1934BCFT-2</b>
PEEK, 3 mm × 14.5 mm, w/ two 1.3 mm SutureTape (blue, black/white)	AR- <b>1934PST-2</b>
PEEK, 3 mm × 12.4 mm, w/ #2 FiberWire suture (g)	AR- <b>1934PS</b>
PEEK, 3 mm × 12.2 mm, w/ two #2 FiberWire suture	AR- <b>1934PS-2</b>
Bio, 3 mm × 14.5 mm, w/ #2 FiberWire suture	AR- <b>1934BF</b>
Bio, 3 mm × 14.5 mm, w/ two #2 FiberWire Suture	AR- <b>1934BFT-2</b>
Required Instruments	
Step Drill	AR- <b>1250LT</b>
Instrumentation Set Includes	AR-1934S
Spear and Sharp and Blunt Obturators	AR- <b>1949</b>
SutureTak Instrumentation Case	AR- <b>1934C</b>
Disposable Kits	
Disposables Kit Includes disposable spear and AR-1250LT	AR- <b>1934DS-2</b>
Percutaneous Insertion Kit Includes disposable 17-ga spinal needle, 1.1 mm nitinol wire, portal dilator, spear, and drill	AR- <b>1934PI-30</b>
Optional Instruments	
Offset Guide	AR- <b>1934R</b>
Spear w/ Circumferential Teeth and Sharp Obturator	AR- <b>1946</b>
Disposable Spear and Sharp Obturator	AR- <b>1949S</b>
Disposable Offset Guide	AR- <b>1934GS</b>
Disposable ShaverDrill™ Accessory, 5/pack	AR- <b>1934DSSK</b>
ShaverDrill Accessory	AR- <b>1250LTSR</b>
Spade Tip Drill	AR- <b>1257</b>
SutureTak Punch	AR- <b>1934P</b>
Needle for Portal Dilator	AR- <b>6521</b>
For Open Procedures	
Short Spear	AR- <b>1326G</b>
Short Spade-Tip Drill	AR- <b>1256</b>

# 3 mm Knotless SutureTak® Suture Anchor




The knotless Suture Tak  $^{\mbox{\tiny 0}}$  anchor locking mechanism uses a simple and reproducible technique, allowing controlled tensioning of a knotless soft-tissue fixation repair under direct visualization.

Product Description	Item Number
Biocomposite, 3 mm × 12.7 mm, w/ #2 suture	AR- <b>1938BC</b>
PEEK, 3 mm × 12.7 mm, w/ #2 suture	AR- <b>1938PS</b>
Required Instruments	
Spear and Sharp and Blunt Obturators	AR- <b>1949</b>
2.6 mm Drill, hard bone, sterile	AR- <b>1938D</b>
Disposable Kits	
Disposables Kit Includes spear, drill, and cutter	AR- <b>1938DS</b>
Percutaneous Insertion Kit Includes disposable 17-ga spinal needle, 1.1 mm nitinol wire, portal dilator, spear, drills, metal cannula, and cutter	AR- <b>1938PK</b>
Optional Instruments	
Suture Tensioner and Cutter	AR- <b>1938TC</b>
Drill, very hard bone, sterile	AR- <b>1938DL</b>
ShaverDrill Accessory, hard bone	AR- <b>1938DSR</b>
Disposable ShaverDrill Kit, hard bone, 5/pack	AR- <b>1938DSSK</b>
For Open Procedures	
Biocomposite, 3 mm × 12.7 mm, w/ #2 suture	AR- <b>1938BCS</b>
PEEK, 3 mm × 12.7 mm, w/ #2 suture	AR- <b>1938PSS</b>
<b>Disposable Kit</b> Includes step drill and spear	AR- <b>1938DSS</b>

Product Description	Item Number
Knotless SutureTak® Anchor Instability Repair	LT1-0511-EN
Surgical Technique	

# **FASTak**<sup>™</sup> Suture Anchor



Titanium FASTak suture anchors come preloaded with #2 FiberWire® suture. In most cases, the implant can be manually inserted using the handled version. A drill is available for use in hard bone if desired.

Product Description	Item Number
2.8 mm × 11.7 mm, w/ #2 FiberWire suture and handle	AR- <b>1324HF</b>
2.8 mm × 11.7 mm, w/ #2 FiberWire suture	AR- <b>1324SF</b>
Drill for 2.8 mm FASTak II Anchor	AR- <b>1324D</b>

# **Spears**

Spears with removable trocar and V-shaped tips allow precise control and accurate anatomical placement of the suture anchors on the glenoid rim, in one simple step. The small-diameter shaft with trocar facilitates percutaneous anchor placement without using a cannula for SLAP repairs or a direct approach through the subscapularis.

Product Description	Item Number
Spear and Sharp and Blunt Obturators for 2.8 mm FASTak™ II, 3 mm SutureTak®, and 2.4 mm and 2.9 mm PushLock® Anchors	AR- <b>1949</b>
Disposable Spear and Sharp Obturator for 2.8 mm FASTak II, 3 mm SutureTak, 2.4 mm and 2.9 mm PushLock Anchors, single use	AR- <b>1949S</b>
Spear w/ Circumferential Teeth and Sharp Obturator for 2.8 mm FASTak II, 3 mm SutureTak, and 2.4 mm and 2.9 mm PushLock Anchors	AR- <b>1946</b>
Disposable Spear and Sharp Obturator for 2.4 mm FASTak, and 2.4 mm SutureTak Anchors, single use	AR- <b>1945S</b>
Spear and Sharp and Blunt Obturators for FiberTak®, 2.4 mm FASTak, and 2.4 mm SutureTak Anchors	AR- <b>1948</b>
Spear w/ Circumferential Teeth and Sharp Obturator for FiberTak, 2.4 mm FASTak, and 2.4 mm SutureTak Anchors	AR- <b>1948CT</b>
Fishmouth Spear for FiberTak and Knotless FiberTak Anchors	AR- <b>3610F</b>
Circumferential Teeth Spear for FiberTak and Knotless FiberTak Anchors	AR- <b>3610CT</b>
Curved Spear and Flexible Trocar for FiberTak and Knotless FiberTak Anchors	AR- <b>3610CTC</b>
Tight Curved Spear and Flexible Trocar for FiberTak and Knotless FiberTak Anchors (a)	AR- <b>3610CTC-2</b>
Slotted Spear for FiberTak and Knotless FiberTak Anchors <b>(b)</b>	AR- <b>3610ST</b>
Spear and Sharp Obturator for 3.5 mm PushLock and 3.5 mm SwiveLock Anchors <b>(c)</b>	AR- <b>1907</b>
Spear w/ Circumferential Teeth and Sharp Obturator for 3.5 mm PushLock and 3.5 mm SwiveLock Anchors <b>(d)</b>	AR- <b>1906</b>
Spear and Sharp and Blunt Obturators for 2 mm SutureTak Anchors	AR- <b>1986</b>
Slotted Spear w/ Dilator for 3.9 mm Knotless Corkscrew Anchor <b>(e)</b>	AR- <b>1941DG</b>
Fishmouth Spear w/ Dilator for 3.9 mm Knotless Corkscrew Anchor	AR- <b>1941DGF</b>
Circumferential Teeth Spear w/ Dilator for 3.9 mm Knotless Corkscrew Anchor	AR- <b>1941CT</b>
Angled Spear w/ Circumferential Teeth for FiberTak RC and 2.6 Anchors <b>(f)</b>	AR- <b>3655</b>

# **Offset Guide**


The offset guides allow surgeons to accurately position suture anchor implants on the glenoid for anatomic reconstruction of glenohumeral ligament structures during Bankart and SLAP repairs. All offset guides enable surgeons to easily reproduce a 1.5 mm medial offset position relative to the glenoid rim to complete an anatomic reconstruction of the labral tissue.

Product Description	Item Number
Offset Guide for 3.5 mm PushLock® and 3.5 mm SwiveLock® Anchors (g)	AR- <b>1909R</b>
Offset Guide for 2.8 mm FASTak™ II, 3 mm SutureTak®, and 2.4 mm and 2.9 mm PushLock® Anchors	AR- <b>1934R</b>
Offset Guide for FiberTak®, 2.4 mm FASTak, and 2.4 mm SutureTak Anchors	AR- <b>1948R</b>
Disposable Offset Guide for 2.8 mm FASTak II, 3 mm SutureTak, and 2.4 mm and 2.9 mm PushLock Anchors	AR- <b>1934GS</b>

# **Cannulated Guide**

Cannulated guides are designed for inserting anchors during open or arthroscopic Bankart repairs. These guides have a larger wall thickness than the spears to increase instrument strength; the guides also include a larger dovetail tip.

Product Description	Item Number
Cannulated Guide for 2.8 mm FASTak II, 3 mm SutureTak, and 2.4 mm and 2.9 mm PushLock	AR- <b>1317</b>
Anchors	





# FiberWire® Suture

Fiberwire and rigerwire Sulures	28
Collagen-Coated FiberWire Suture	28
SutureTape Suture	29
FiberTape® Suture	29
LabralTape™ Suture	30
FiberLoop® Suture	30
FiberLink™ and TigerLink™ Suture	30
FiberStick™ and TigerStick® Suture	31
FingerShield™ Finger Guard	31
Free Needles	31
FiberSnare® Suture	31
FiberWire® Suture Cart	31

# FiberWire® and TigerWire® Sutures



FiberWire suture is constructed of a multistranded long chain ultra-high—molecular weight polyethylene (UHMWPE) core with a braided jacket of polyester and UHMWPE that gives FiberWire suture superior strength,¹ soft feel, and abrasion resistance² that is unequaled in orthopedic surgery. Suture breakage during knot tying is virtually eliminated, especially critical during arthroscopic procedures.³

Product Description	Item Number
5 FiberWire Suture, 38 in (blue)	AR- <b>7210</b>
#5 FiberWire Suture, 38 in (blue) w/ conventional cutting needle, 48 mm, ½ circle	AR- <b>7211</b>
#5 FiberWire Suture, 38 in (1 blue, 1 white, 1 white/black) w/ conventional cutting needle, 48 mm, ½ circle	AR- <b>7212</b>
#5 FiberWire Suture, 38 in (blue) w/ conventional cutting needle, 48 mm, ½ circle, and tapered needle, 26.5 mm, ½ circle	AR- <b>7213</b>
#5 FiberWire Suture, 38 in (white)	AR- <b>7215</b>
#2 FiberWire Suture, 38 in (blue) w/ tapered needle, 26.5 mm, ½ circle	AR- <b>7200</b>
#2 FiberWire Suture, 38 in (blue) w/ tapered needle, 26.5 mm, ½ circle, collagen-coated	AR- <b>7200B</b>
#2 FiberWire Suture, 38 in (blue) w/ reverse cutting needle, 36.6 mm, ½ circle	AR- <b>7202</b>
#2 FiberWire Suture, 38 in (blue) w/ two tapered needles, 26.5 mm ½ circle	AR- <b>7205</b>
#2 TigerWire Suture, 38 in (white/black) w/ two tapered needles, 26.5 mm, ½ circle	AR- <b>7205T</b>
#2 FiberWire Suture, 38 in (blue) w/ tapered needle, 36.6 mm, ½ circle	AR- <b>7206</b>
#2 FiberWire Suture, 38 in (1 blue, 1 white/black) w/ tapered needle, 26.5 mm, ½ circle	AR- <b>7208</b>
#2 FiberWire Suture, 38 in (3 blue, 1 white, 1 white/ black) w/ tapered needle, 26.5 mm, ½ circle	AR- <b>7214</b>
#2 FiberWire Suture, 38 in (1 blue, 1 white/black) w/ reverse cutting needle, 36.6 mm, ½ circle	AR- <b>7217</b>
#2 FiberWire Suture, 38 in (blue) w/ diamond-point needle, straight	AR- <b>7246</b>
#2 FiberWire Suture, 38 in (blue) w/ two diamond- point needles, straight	AR- <b>7246-02</b>
#2 FiberWire Suture, 38 in (blue)	AR- <b>7233</b>
#2 TigerWire Suture, 38 in (white/black)	AR- <b>7203</b>
#2 FiberWire Suture, 38 in (1 blue, 1 white/black)	AR- <b>7201</b>
#2 FiberWire Suture, 38 in (1 white, 1 blue/black)	AR- <b>7240</b>

Product Description	Item Number
#1 FiberWire Suture, 38 in (blue)	AR- <b>7216</b>
0 FiberWire Suture, 38 in (blue)	AR- <b>7254</b>
0 FiberWire Suture, 38 in (white)	AR- <b>7255</b>
0 FiberWire Suture, 38 in (blue) w/ tapered needle, 22.2 mm, ½ circle	AR- <b>7250</b>
0 FiberWire Suture, 38 in (blue) w/ diamond point needle, 22.2 mm, ½ circle	AR- <b>7251</b>
FiberWire Suture Kit	AR- <b>7219</b>

Includes four #5 FiberWire (blue), four #5 FiberWire (white), four #5 FiberWire (white/black), and six #2 FiberWire (blue) sutures w/ tapered needle and 3 free needles

#### Collagen-Coated FiberWire Suture


Collagen-coated FiberWire suture is coated with Type I bovine collagen, offering a softer coating and improved handling characteristics. These sutures are ideal for knotted and knotless repairs.

Product Description	Item Number
#2 FiberWire Suture, 38 in w/ tapered needle, 26.5 mm, ½ circle, collagen-coated	AR- <b>7200B</b>
#2 FiberLoop Suture w/ Straight Needle, 20 in (blue), 76 mm needle w/ 7 mm loop, collagen-coated	AR- <b>7234B</b>
FiberTape Suture, 2 mm, 7 in (blue) tape w/ each end tapered to #2 FiberWire suture, 30 in, collagen-coated	AR- <b>7237-7B</b>

#### Reference

- Wüst DM, Meyer DC, Favre P, Gerber C. Mechanical and handling properties of braided polyblend polyethylene sutures in comparison to braided polyester and monofilament polydioxanone sutures. *Arthroscopy.* 2006;22(11):1146-1153. doi:10.1016/j.arthro.2006.06.013.
- Lo IK, Burkhart SS, Athanasiou K. Abrasion resistance of two types of nonabsorbable braided suture. *Arthroscopy*. 2004;20(4):407-413. doi:10.1016/j. arthro.2004.01.022.
- Lo IK, Burkhart SS, Chan KC, Athanasiou K. Arthroscopic knots: determining the optimal balance of loop security and knot security. Arthroscopy. 2004;20(5):489-502. doi:10.1016/j.arthro.2004.03.005.

# SutureTape Suture




SutureTape is a flat-braided suture that is similar in strength to #2 FiberWire® suture, but is 21% more resistant to tissue pull-through.¹ It offers improved handling and knot security and smaller comparable knot stacks.

Product Description	Item Number
SutureTape, 1.3 mm, 40 in (white/blue), w/ tapered ends and tapered needle, 26.5 mm, ½ circle <b>(b)</b>	AR- <b>7500</b>
SutureTape, X-pattern, 1.3 mm, 2 each 40 in strands (1 white/blue, 1 white/black) (a)	AR- <b>7501</b>
SutureTape, 1.3 mm, 40 in (white/blue), w/ reverse cutting needle, 36.6 mm, ½ circle	AR- <b>7502</b>
SutureTape, 1.3 mm, 40 in (blue), w/ tapered needle, 36.6 mm, ½ circle <b>(d)</b>	AR- <b>7506</b>
SutureTape, 1.3 mm, 40 in (black/white), w/ tapered needle, 36.6 mm, ½ circle <b>(e)</b>	AR- <b>7506T</b>
SutureTape, 1.7 mm, 38 in (white/blue), w/ conventional cutting needle, 48 mm, ½ circle	AR- <b>7511</b>
SutureTape, 0.9 mm, 38 in (white/blue)	AR- <b>7521</b>
FiberLoop® SutureTape, 1.3 mm, 20 in loop (white/blue) w/ 76 mm straight needle	AR- <b>7534</b>
TigerLoop™ SutureTape, 1.3 mm, 20 in loop (white/black) w/ 76 mm straight needle (c)	AR- <b>7534T</b>
FiberLink™ SutureTape, 1.3 mm, w/ loop (white/blue)	AR- <b>7535</b>
TigerLink™ SutureTape , 1.3 mm, w/ loop (white/black)	AR- <b>7535T</b>
FiberLink SutureTape, 1.7 mm w/ loop (white/blue)	AR- <b>7538</b>
TigerLink SutureTape, 1.7 mm w/ loop (white/black)	AR- <b>7538T</b>

#### Reference

- 1. Arthrex, Inc. LA1-00038-EN\_B. Naples, FL; 2017.
- 2. Arthrex, Inc. LA1-0209-EN\_A. Naples, FL; 2012.

# FiberTape® Suture



Ultra-high—strength 2 mm and 1.7 mm FiberTape sutures have a similar long-chain polyethylene structure as FiberWire suture. In addition to high-demand applications, like AC joint reconstruction, the broad footprint of FiberTape suture is ideal for repairs where tissue pull-through may be a concern.

Product Description	Item Number
FiberTape Suture, 2 mm, 36 in (blue), each end tapered to #2 FiberWire suture	AR- <b>7237</b>
FiberTape Suture, 2 mm, 7 in (blue), each end tapered to #2 FiberWire suture (d)	AR- <b>7237-7</b>
FiberTape Suture, 2 mm, 7 in (blue), each end tapered to #2 FiberWire suture, collagen-coated	AR- <b>7237-7B</b>
FiberTape Suture, 2 mm, 17 in (blue), each end tapered to #2 FiberWire suture w/ tapered needle 26.5 mm, ½ circle	AR- <b>7237-17N</b>
TigerTape™ Suture, 2 mm, 7 in (white/black), each end tapered to #2 FiberWire suture <b>(b)</b>	AR- <b>7237-7T</b>
FiberTape Suture, 1.7 mm, 36 in (blue), each end tapered to 0 FiberWire suture	AR- <b>7273</b>
TigerTape Suture, 1.7 mm, 36 in (white/black), each end tapered to 0 FiberWire suture	AR- <b>7273T</b>
FiberTape Suture, 1.7 mm, 8 in working length, 30 in overall (blue), each end tapered to 0 FiberWire suture <b>(c)</b>	AR-7273-8
TigerTape Suture, 1.7 mm, 8 in working length, 30 in overall (white/black), each end tapered to 0 FiberWire suture (a)	AR- <b>7273-8T</b>
FiberTape Suture, 1.7 mm, 17 in working length, 34 in overall (blue), each end tapered to 0 FiberWire w/ tapered needle 36.6 mm, ½ circle	AR- <b>7273-17N</b>
TigerTape Suture, 1.7 mm. 17 in working length, 34 in overall (white/black), each end tapered to 0 FiberWire w/ tapered needle 36.6 mm, ½ circle	AR- <b>7273-17TN</b>
FiberTape Loop, 2 mm, 8 in (blue), tapered to #2 FiberWire suture	AR- <b>7275</b>
TigerTape Loop, 2 mm, 8 in (white/black), tapered to #2 TigerWire suture	AR- <b>7275T</b>


# **LabralTape**<sup>™</sup> **Suture**



This smooth, low-profile 1.5 mm specialty tape made from polyethylene, provides a wider footprint, and is 37% more resistant to tissue pull-through compared to a #2 suture.<sup>2</sup> LabralTape suture is ideal for the restoration of labral height in instability repairs.

Product Description	Item Number
LabralTape Suture, 1.5 mm, 36 in (white)	AR- <b>7276</b>
LabralTape Suture, 1.5 mm, 36 in (white/black)	AR- <b>7276T</b>

# FiberLink™ and TigerLink™ Suture



FiberLink suture is constructed from blue #2 suture and transitions from a single strand to an extended loop. This design is intended to allow 2 single strands of suture within a "cinch" stitch to gain purchase around tissue, while only managing one strand through the PushLock® anchor.

Product Description	Item Number
FiberLink Suture, #2 FiberWire suture w/ loop (blue) (a)	AR- <b>7235</b>
TigerLink Suture, #2 TigerWire suture w/ loop (white/black)	AR- <b>7235T</b>
FiberLink SutureTape, 1.3 mm, w/ loop (white/blue) (b)	AR- <b>7535</b>
TigerLink SutureTape, 1.3 mm, w/ loop (white/black)	AR- <b>7535T</b>
FiberLink SutureTape, 1.7 mm w/ loop (white/blue)	AR- <b>7538</b>
TigerLink SutureTape, 1.7 mm w/ loop (white/black)	AR- <b>7538T</b>

# FiberLoop® Suture



FiberLoop suture is a continuous loop of FiberWire suture with multiple needle options. The needles are easy to handle and move freely on the suture to recenter themselves after passing through tissue, facilitating even tension.

Product Description	Item Number
#2 FiberLoop® Suture, w/ straight needle, 20 in (blue), 76 mm needle w/ 7 mm loop (a)	AR- <b>7234</b>
#2 FiberLoop Suture, w/ straight needle, 20 in (blue), 76 mm needle, w/ 7 mm loop, collagen- coated	AR- <b>7234B</b>
#2 FiberLoop Suture, w/ straight needle, 20 in (white), 76 mm needle, w/ 7 mm loop	AR- <b>7234-01</b>
#2 TigerLoop™ Suture, w/ straight needle, 20 in w/ TigerWire suture (white/green), 76 mm needle, w/ 7 mm loop	AR- <b>7234T</b>
#2 FiberLoop Suture, w/ curved needle, 20 in (blue), ½ circle	AR- <b>7234C</b>
FiberLoop SutureTape, 1.3 mm, 20 in loop (white/ blue) w/ 76 mm straight needle	AR- <b>7534</b>
TigerLoop SutureTape, 1.3 mm, 20 in loop (white/ black) w/ 76 mm straight needle	AR- <b>7534T</b>
#2 FiberLoop Suture w/ FiberTag® Suture (blue), w/ 20 in FiberTape suture w/ straight needle	AR- <b>7266</b>
#2 FiberLoop Suture, w/ straight needle, 20 in (blue), 65 mm needle w/ 7 mm loop	AR- <b>7284</b>
0 FiberLoop Suture, w/ straight needle, 20 in (blue), 76 mm needle, w/ 7 mm loop	AR- <b>7253</b>
O TigerLoop Suture, w/ straight needle, 20 in (white/green), 76 mm needle w/ 7 mm loop	AR- <b>7253T</b>

# FiberStick™ and TigerStick® Suture



The 12-in stiff "waxed" section of FiberStick suture allows convenient and easy advancement through most cannulated instruments, alleviating the need for a monofilament suture or wire suture shuttle. FiberStick sutures come with a thin plastic tube that helps protect the stiffened suture until use.

Product Description	Item Number
FiberStick Suture, #2 FiberWire® suture, 50 in (blue), one end stiffened, 12 in	AR- <b>7209</b>
TigerStick Suture, #2 TigerWire® suture, 50 in (white/black), one end stiffened, 12 in	AR- <b>7209T</b>
2-0 FiberStick Suture, 2-0 FiberWire suture, 50 in (blue), one end stiffened, 12 in	AR- <b>7222</b>

# FingerShield™ Finger Guard




Suture slides easily over the finger guard, a woven polyester sleeve with an embedded radiopaque blue marker. The finger guard will stand up to repetitive hand tying during a case without constraining the fingers.

Product Description	Item Number
FingerShield Finger Guard, 2/pk	AR- <b>7199</b>

#### Free Needles

Product Description	Item Number
Reverse Cutting Needle w/ Nitinol Loop, C-13, 36.6 mm, ½ circle	AR- <b>7280</b>
Tapered Needle w/ Nitinol Loop, T-5, 26.5 mm, ½ circle	AR- <b>7281</b>
Spring Eye Needle, 60 mm	AR- <b>7283</b>

#### FiberSnare® Suture



FiberSnare suture provides an easy one-step approach to creating a FiberWire loop on the tip of the tenodesis driver. FiberSnare suture can also be used as a suture shuttle for passage of traction sutures through bone tunnels.

Product Description	Item Number
#2 FiberSnare Suture, #2 FiberWire suture, 26 in	AR- <b>7209SN</b>
(green) w/ ¾ in closed loop, 12 in stiffened	

# FiberWire® Suture Cart



The cart is a great way to store and organize sutures in one convenient location, offers additional storage for miscellaneous items and is on wheels making it portable and easy to move around the facility.

Product Description	Item Number
FiberWire Suture Cart, cart only	AR- <b>7200CART</b>





# **Cannulas**

PassPort Button™ Cannula	34
Gemini™* SR8 Cannula	35
Expanula™ Cannula	35
Shoehorn Cannula	35
Triple-Dam Twist-In™ Cannulas	36
Twist-In™ Cannulas	36
Crystal Cannula® Cannulas	37
Low-Profile 5 mm Cannula	37

\*Gemini is a trademark of Frantz Medical Development Ltd.

#### PassPort Button™ Cannula





They are easily introduced using the PassPort inserter or by grasping the inside flange with a curved hemostat and inserting into the incision. PassPort Button cannulas can be used for the shoulder, knee, hip, and elbow. Each cannula is supplied with a 5 mm spacer to ensure accurate length.



Product Description	Item Number
6 mm l.D. × 2 cm	AR- <b>6592-06-20</b>
6 mm I.D. × 3 cm	AR- <b>6592-06-30</b>
6 mm l.D. × 4 cm	AR- <b>6592-06-40</b>
6 mm I.D. × 5 cm	AR- <b>6592-06-50</b>
8 mm l.D. × 2 cm	AR- <b>6592-08-20</b>
8 mm l.D. × 3 cm	AR- <b>6592-08-30</b>
8 mm I.D. × 3 cm, w/ auxiliary lumen, 1/box	AR- <b>6592-08-30A</b>
8 mm l.D. × 4 cm	AR- <b>6592-08-40</b>
8 mm I.D. × 4 cm, w/ auxillary lumen, 1/box	AR- <b>6592-08-40A</b>
8 mm I.D. × 5 cm	AR- <b>6592-08-50</b>
8 mm I.D. × 5 cm, w/ auxillary lumen, 1/box	AR- <b>6592-08-50A</b>
8 mm I.D. × 6 cm	AR- <b>6592-08-60</b>
10 mm l.D. × 2 cm	AR- <b>6592-10-20</b>
10 mm I.D. × 3 cm	AR- <b>6592-10-30</b>
10 mm I.D. × 4 cm	AR- <b>6592-10-40</b>
10 mm I.D. × 5 cm	AR- <b>6592-10-50</b>
12 mm I.D. × 3 cm, qty 1/box	AR- <b>6592-12-30</b>
12 mm I.D. × 4 cm, qty 1/box	AR- <b>6592-12-40</b>
12 mm I.D. × 5 cm, qty 1/box	AR- <b>6592-12-50</b>
Divider, 12 mm, 1/box (a)	AR- <b>6592-12D</b>
PassPort Hemostat	AR- <b>6592</b>
PassPort Selection Guide	AR- <b>6592M</b>
8 mm PassPort Inserter	AR- <b>6592-08PI</b>
10 mm PassPort Inserter <b>(b)</b>	AR- <b>6592-10PI</b>
12 mm PassPort Inserter	AR- <b>6592-12PI</b>







#### Gemini™\* SR8 Cannula



Gemini SR8 cannulas incorporate a deployable lowprofile wing to help prevent cannula "fallout" while inserting and removing instruments during Bankart, SLAP, and rotator cuff repairs. Additionally, the cannula's inner sleeve can telescope relative to the outer portion of the cannula, providing surgeons a clear, unobstructed channel to the pathology. A disposable cannulated obturator is included for easy insertion over a 2.6 mm switching stick.

Product Description	Item Number
Gemini Cannula, 8.25 mm × 9 cm	AR- <b>6572</b>
Switching Stick, 2.6 mm × 305 mm	AR- <b>6572S</b>

\*Gemini is a trademark of Frantz Medical Development Ltd.


# Expanula™ Cannula



Arthroscopic rotator cuff repair is easier with the Expanula cannula, which expands the workspace and view. Upon insertion, rotate its outer sheath to expand the distal end of the cannula beneath the deltoid. This design creates an extremely stable portal for inserting and removing instruments while preventing cannula loss. Each cannula is supplied with a "no-squirt" cap and disposable obturator.

Product Description	Item Number
Expanula Cannula, 8.25 mm I.D. × 7.5 cm	AR- <b>6569</b>


#### **Shoehorn Cannula**



The Shoehorn Cannula has a longitudinal slot on top of the cannula for introducing oversized instruments. Each cannula is supplied with a disposable obturator.

-	Product Description	Item Number
	Shoehorn Cannula, 6 mm I.D. × 9 cm	AR- <b>6565</b>

# **Triple-Dam Twist-In™ Cannulas**




This cannula's unique, 3-dam design allows instrumentation and implants to be passed arthroscopically. Additionally, it maintains pressurization for a clear visual fluid environment while minimizing squirting. The side port offers a luer lock connection and a valve switch for manual adjustment of fluid outflow and inflow.

Product Description	Item Number
Triple-Dam Twist-In Cannula, 8.25 mm I.D. × 7 cm	AR- <b>6530TD</b>
Triple-Dam Twist-In Cannula, 7 mm I.D. × 7 cm (a)	AR- <b>6570TD</b>
Triple-Dam Twist-In Cannula, 7 mm I.D. × 7 cm, no valve <b>(b)</b>	AR- <b>6570TDNV</b>
Triple-Dam Instrument Cannula, 7 mm I.D. × 7 cm (c)	AR- <b>6550TD</b>
Triple-Dam Twist-In Cannula, 6 mm I.D. × 7 cm	AR- <b>6535TD</b>

#### Cannula Accessories

Pro	duct Description	Item Number
	Reusable Obturator for AR-6530, AR-6530N, AR-6566 Twist-In Cannula	AR- <b>6531</b>
	Reusable Obturator for AR-6535 Twist-In Cannula	AR- <b>6536</b>
	Reusable Obturator for AR-6540, AR-6575-09 Twist-In Cannula	AR- <b>6541</b>
	Reusable Obturator for AR-6545 Twist-In Cannula	AR- <b>6546</b>
	Reusable Obturator for AR-6550, AR-6567, AR-6570, AR-6570F Twist-In Cannula	AR- <b>6549</b>
	Reusable Obturator for AR-6560, AR-6562, AR-6564, AR-6560F Instrument Cannula	AR- <b>6563</b>
Wiss	singer Rod, 4 mm × 12.7 in	AR- <b>3025</b>
Extra Long Switching Stick, 4 mm × 12 in		AR- <b>3026</b>
Swit	ching Stick Inserter	AR- <b>3027</b>
Port	al Dilation Set (4 mm, 6 mm, and 8 mm Dilators)	AR- <b>6520</b>
1.5	mm Pins for AR-6520, qty. 5	AR- <b>6521</b>

# Twist-In<sup>™</sup> Cannulas



The translucent Twist-In cannula allows direct arthroscopic visualization of instruments and suture passing through the cannula. A flexible option easily conforms to large or curved instruments. Each cannula is supplied with a "no-squirt" cap and disposable obturator.

Product Description	Item Number
Twist-In Cannula, 8.25 mm I.D. × 7 cm, notched	AR- <b>6530N</b>
Twist-In Cannula, 8.25 mm I.D. × 7 cm	AR- <b>6530</b>
Twist-In Cannula, 8.25 mm I.D. × 9 cm	AR- <b>6540</b>
Twist-In Cannula, 7 mm I.D. × 7 cm (a)	AR- <b>6570</b>
Twist-In Cannula, 7 mm I.D. × 7 cm, flexible	AR- <b>6570F</b>
Twist-In Cannula, 6 mm I.D. × 7 cm	AR- <b>6535</b>
Twist-In Cannula, 6 mm I.D. × 9 cm	AR- <b>6545</b>
Partially Threaded Cannula, 8.25 mm I.D. × 7 cm	AR- <b>6566</b>
Partially Threaded Cannula, 8.25 mm I.D. × 9 cm	AR- <b>6575-09</b>
Partially Threaded Cannula, 8.25 mm I.D. × 11 cm	AR- <b>6575-11</b>
Partially Threaded Cannula, 7 mm I.D. × 7 cm <b>(b)</b>	AR- <b>6567</b>
Instrument Cannula, 5.5 mm I.D. × 9 cm	AR- <b>6532</b>
Instrument Cannula, 7 mm I.D. × 7 cm (c)	AR- <b>6550</b>

# Crystal Cannula® Cannulas



The Crystal Cannula® cannula offers a unique barrelshaped retention bowl that pools fluid to eliminate cannula "squirt." Three atraumatic distal retaining options help to prevent cannula "fallout." A flexible option easily conforms to large or curved instruments. Each cannula is supplied with a disposable orange obturator.

Product Description	Item Number
5.75 mm I.D. × 7 cm, distal ring	AR- <b>6560</b>
5.75 mm I.D. × 7 cm, smooth	AR- <b>6562</b>
5.75 mm I.D. × 7 cm, partially threaded	AR- <b>6564</b>
5.75 mm l.D. × 7 cm, flexible, distal ring	AR- <b>6560F</b>
5.75 mm I.D. × 5 cm, partially threaded, short	AR- <b>6568</b>

## Low-Profile 5 mm Cannula



This 5 mm cannula is the lowest profile cannula on the market that allows for direct visualization of instruments and suture passing. The proximal portion of the cannula is similar to the Crystal Cannula cannula. Each cannula is supplied with a disposable blue obturator.


Product Description	Item Number
5 mm I.D. × 7 cm	AR- <b>6548</b>



# **Instruments**

SutureLasso™ Suture Passers	40
Rotation Lasso Suture Passer	41
Transosseous Suture Passer	41
SutureLasso™ Suture Passer	41
Micro SutureLasso™ Suture Passer	41
FastPass Scorpion™ SL Suture Passer	42
SCORPION-multifire Suture Passer	42
Scorpion™ Suture Passer	43
Labral Scorpion Suture Passer	43
BirdBeak® Suture Passer	44
Rhino Suture Passers	44
Penetrator™ Suture Retriever	45
Suture Retriever	45
FiberTape® Retriever	46
KingFisher® Retriever/Grasper	46
Rotator Cuff Grasper	47
FiberWire® Grasper	47
Back Grasper	48
Crochet Hook	48
SCR Guide	49
Suture Cutter	49
CrabClaw™ Knot Pusher/Suture Retriever	50
Knot Pusher	50
6th Finger™ Knot Pusher	50
Probes	51
Curettes	51
Modular Soft-Tissue Retractor	51
Tissue Elevator and Bone Preparation System	52
Shoulder Repair Set	53


## **SutureLasso™ Suture Passers**




The SutureLasso SD suture passers feature a thumb pad and the QuickPass SutureLasso suture passers use thumbwheels to quickly and easily advance the supplied nitinol wire loop, a #2 FiberStick™ suture, or a monofilament (PDS) suture. The small, 1.8 mm-diameter tip provides atraumatic suture passage and is sterile for single-patient use, which ensures a sharp instrument every time.

ReelPass SutureLasso suture passers contain 10 yd of blue #1 nonabsorbable monofilament to provide a continuous supply without the need to reload. The ergonomic handle and thumbwheels were designed to easily advance the monofilament. This single-use device has a 1.5 mm-diameter tip that is the smallest on the market and is always sharp.

	QuickPass™	SD	ReelPass
Product Description	Item Number	Item Number	Item Number
30° Straight	AR- <b>6068-30</b>	AR- <b>4068-30</b>	N/A
90° Straight	AR- <b>6068-90</b>	AR- <b>4068-90</b>	AR- <b>6069-90 (e)</b>
25° Tight Curve, left	AR- <b>6068-25TL (a)</b>	AR- <b>4068-25TL</b>	N/A
25° Tight Curve, right	AR-6068-25TR (b)	AR- <b>4068-25TR</b>	N/A
45° Curve, left	AR- <b>6068-45L</b>	AR- <b>4068-45L (c)</b>	AR- <b>6069-45L</b>
45° Curve, right	AR- <b>6068-45R</b>	AR- <b>4068-45R (d)</b>	AR- <b>6069-45R</b>
90° Curve, left	AR- <b>6068-90L</b>	AR- <b>4068-90L</b>	N/A
90° Curve, right	AR- <b>6068-90R</b>	AR- <b>4068-90R</b>	N/A
90° Tight Curve	AR- <b>6068-90T</b>	N/A	N/A
Crescent	AR- <b>6068C</b>	AR- <b>4068C</b>	N/A
25° Tight Curve, w/ FiberStick suture, left	N/A	AR- <b>4068-25TLF</b>	N/A
25° Tight Curve, w/ FiberStick suture, right	N/A	AR- <b>4068-25TRF</b>	N/A
Wire Loop, 5/box	AR- <b>6068-01</b>	AR- <b>4068-05SD</b>	N/A




#### **Rotation Lasso Suture Passer**



The Rotation Lasso suture passer features a rotating and steerable loop for arthroscopic and open soft-tissue repair. The simplicity of the design helps reduce procedural steps, prevents twists and tangles inside cannulas, and eliminates the need for outside suture shuttling.

Product Description	Item Number
Rotation Lasso Suture Passer, 90°	AR- <b>6065-90</b>


#### **Transosseous Suture Passer**



The transosseous suture passer comes sterile and features a 6-inch malleable shaft, a durable nitinol capture loop, and a comfortable handle. Applications for this instrument include any passing of grafts or suture through bony sockets and tunnels.

Pı	roduct Description	Item Number
Tr	ansosseous Suture Passer	AR- <b>1000</b>


## **SutureLasso™ Suture Passer**



These passers have various curved-tip configurations for arthroscopic Bankart, SLAP, and rotator cuff repairs. Each suture passer has a 2.3 mm outer diameter tip and comes preloaded with a nitinol loop to simplify shuttling and passing suture through tissue. The Banana SutureLasso® suture passer is designed for passing sutures through the rotator cuff via a superior, percutaneous approach (modified Neviaser portal) or along the acromial border.

Item Number
AR- <b>4065B</b>
AR- <b>4065W</b>
AR- <b>4065-90W</b>
AR- <b>4065-45L</b>
AR- <b>4065-45R</b>
AR- <b>4065S</b>
AR- <b>4065-90S</b>

## Micro Suture Lasso™ Suture Passer



These 1.25 mm-diameter instruments work well for percutaneous suture passing during rotator cuff and glenoid labrum repairs.

Product Description	Item Number
Minor Bend (b)	AR- <b>8701</b>
Major Bend <b>(a)</b>	AR- <b>8702</b>
Straight <b>(c)</b>	AR- <b>8703</b>
Micro SutureLasso Retriever (d)	AR- <b>8701SR</b>

## FastPass Scorpion™ SL Suture Passer



The FastPass Scorpion SL suture passer simplifies antegrade suture passing by loading the suture from the side, preventing suture and soft tissue interference during suture passing. The low-profile design fits down a 6 mm cannula and the top jaw mechanism helps pass and retrieve FiberWire® sutures in one step.

Product Description	Item Number
FastPass Scorpion SL Suture Passer	AR- <b>13999MF</b>
SCORPION-multifire Needle	AR- <b>13995N</b>


## **SCORPION-multifire Suture Passer**



With the FastPass SCORPION-multifire suture passer, surgeons can load 2 sutures outside and independently pass 2 sutures inside. The low-profile designs of the humpback and straight suture passers fit down 7 mm and 6 mm cannulas, respectively. The FastPass upper jaw helps pass and retrieve FiberWire suture in one step.

Product Description	Item Number
FastPass SCORPION-multifire Suture Passer (a)	AR- <b>13997MF</b>
SCORPION-multifire Suture Passer, humpback (b)	AR- <b>13995</b>
SCORPION-multifire Suture Passer, straight (c)	AR- <b>13996</b>
SCORPION-multifire Needle	AR- <b>13995N</b>

## **Scorpion**<sup>™</sup> **Suture Passer**



The FastPass Scorpion™ suture passer grasps cuff tissue then directly passes and retrieves FiberWire suture. Scorpion suture passers grasp 16 mm of tissue and fit through a 6 mm cannula. A "humpback" version is available for use in thicker rotator cuff tissue and requires a 7 mm cannula.

Product Description	Item Number
FastPass Scorpion Suture Passer (a)	AR- <b>13997SF</b>
Scorpion Suture Passer <b>(b)</b>	AR- <b>13990</b>
Scorpion Suture Passer, humpback (c)	AR- <b>13993</b>
Scorpion Needle	AR- <b>13990N</b>
SureFire® Scorpion Needle	AR- <b>13991N</b>

## **Labral Scorpion Suture Passer**



Pass and retrieve #2 FiberWire suture in the labrum using the Labral Scorpion QL suture passer. Its quickloading bottom jaw and suture-retrieving top jaw are designed for simplicity and easy use, supporting more successful suture passes. The Labral Scorpion suture passer's streamlined, low-profile jaws are designed to maneuver around the glenohumeral space and fit through a 6 mm cannula. Use the Labral Scorpion suture passer through a single portal to self-retrieve sutures with the upper jaw's capturing mechanism.


Product Description	Item Number
Labral Scorpion QL Suture Passer	AR- <b>13998QL</b>
SCORPION-multifire Needle	AR- <b>13995N</b>

The Labral Scorpion QL suture passer is ONLY compatible with the SCORPION-multifire needle.

Product Description	Item Number
Labral Scorpion Suture Passer	AR- <b>13998</b>
SureFire Scorpion Needle	AR- <b>13991N</b>

The Labral Scorpion suture passer is ONLY compatible with the SureFire Scorpion needle.

## BirdBeak® Suture Passer




BirdBeak suture passers have an extremely sharp tip to penetrate soft tissue easily and a stiff shaft that resists bending during tissue-shifting procedures. BirdBeak suture retriever devices are an essential tool for arthroscopic labral, SLAP, and rotator cuff repairs. The BirdBeak Evolution suture passer has a uniquely designed handle that allows for easy operation from virtually any hand position.

Product Description	Item Number
BirdBeak Suture Passer, 45° up tip <b>(d)</b>	AR- <b>11800</b>
BirdBeak Suture Passer, 22° up tip <b>(c)</b>	AR- <b>11890</b>
BirdBeak Suture Passer, straight (b)	AR- <b>11880</b>
BirdBeak Suture Passer, straight, w/ 45° handle, left	AR- <b>11887</b>
BirdBeak Suture Passer, straight, w/ 45° handle, right	AR- <b>11886</b>
BirdBeak Evolution Suture Passer, 45° up tip	AR- <b>11800E</b>
BirdBeak Evolution Suture Passer, 22° up tip	AR- <b>11890E</b>
BirdBeak Evolution Suture Passer, straight	AR- <b>11880E</b>
BirdBeak Evolution Suture Passer, 15° up curve (a)	AR- <b>11881E</b>
Banana BirdBeak Evolution Suture Passer, 22° up tip	AR- <b>11892E</b>
Grasping BirdBeak Suture Passer, 22° up curve w/ SR handle <b>(f)</b>	AR- <b>11810SR</b>

#### Inverted BirdBeaks

Product Description	Item Number
BirdBeak Suture Passer, 45° up tip, inverted jaw w/ WishBone™ handle <b>(e)</b>	AR- <b>11805W</b>
BirdBeak Suture Passer, 22° up tip, inverted jaw w/ WishBone handle	AR- <b>11895W</b>


# Rhino Suture Passers



Rhino suture passers have an extremely sharp, small-diameter upturned tip that will easily penetrate soft tissue. The ridged 3.4 mm shaft resists bending and flexing during tissue-shifting procedures. The novel bottom opening jaw design is conveniently positioned to capture the suture from an anchor, eliminating the need to rotate the instrument.

Product Description	Item Number
Straight <b>(a)</b>	AR- <b>11850SR</b>
Left Curve (c)	AR- <b>11852SR</b>
Right Curve <b>(b)</b>	AR- <b>11851SR</b>
Straight, w/ WishBone handle	AR- <b>11850W</b>
Left Curve, w/ WishBone handle	AR- <b>11852W</b>
Right Curve, w/ WishBone handle	AR- <b>11851W</b>


## **Penetrator**<sup>™</sup> **Suture Retriever**



This unique instrument combines a small penetrating tip with a suture grasper to allow suture delivery or extraction in one step. The 2.7 mm-diameter tip slides easily through the tissue with the suture either sliding or grasped within the self-ratcheting mechanism. This device is ideal for instability and rotator cuff repairs.

Product Description	Item Number
Penetrator Suture Retriever, 15° up curved	AR- <b>2167-2</b>
Penetrator Suture Retriever, straight (a)	AR- <b>2167ST-2</b>
Penetrator FiberTape® Suture Retriever, 15° up curved	AR- <b>2167-3</b>
Penetrator FiberTape Suture Retriever, straight <b>(b)</b>	AR- <b>2167ST-3</b>
Penetrator FiberTape Suture Retriever, 15° up curved w/ WishBone™ handle	AR- <b>2167W-3</b>
Penetrator FiberTape Suture Retriever, straight w/ WishBone handle	AR- <b>2167STW-3</b>


## **Suture Retriever**



The suture retriever is designed for atraumatic suture retrieval and manipulation during arthroscopic procedures. The jaws create a closed loop that allows suture to slide freely during suture extraction. The uniquely designed tip is made to spread parallel strands of suture and facilitate retrieval. Its small diameter and low profile allow access into the tightest joint spaces. The tip angle on the 45° suture retriever allows access to suture strands in deep, hard-to-reach spaces.

Product Description	Item Number
Suture Retriever, 3.4 mm, straight (a)	AR- <b>12540</b>
Suture Retriever, 3.4 mm, 15° up	AR- <b>12550</b>
Suture Retriever, 3.4 mm, 45° right <b>(b)</b>	AR- <b>12580</b>
Suture Retriever, 3.4 mm, 45° left	AR- <b>12590</b>
Suture Retriever w/ WishBone™ Handle, 3.4 mm, straight	AR- <b>12540W</b>
Suture Retriever w/ WishBone Handle, 3.4 mm, 15° up	AR- <b>12550W</b>
Suture Retriever w/ WishBone Handle, 3.4 mm, 45° left	AR- <b>12590W</b>
Suture Retriever w/ WishBone Handle, 3.4 mm, 45° right	AR- <b>12580W</b>

# FiberTape® Retriever




The FiberTape Retriever has a wide jaw specifically designed for easy FiberTape suture management during a SpeedBridge $^{\text{m}}$  or SpeedFix $^{\text{m}}$  repairs. The serrated tip also allows the grasper to be used to securely grab sutures.

Product Description	Item Number
FiberTape Retriever w/ SR Handle (a)	AR- <b>13974SR</b>
FiberTape Retriever w/ NR Handle	AR- <b>13974NR</b>
FiberTape Retriever w/ WishBone™ Handle	AR- <b>13974W</b>

Product Description	Item Number
Mini FiberTape Retriever w/ SR Handle (b)	AR- <b>12974SR</b>
Mini FiberTape Retriever w/ NR Handle	AR- <b>12974NR</b>
Mini FiberTape Retriever w/ WishBone Handle	AR- <b>12974W</b>

The Mini FiberTape Retriever is designed for use with LabralTape  $^{\mathtt{M}}$  suture.

# KingFisher® Retriever/Grasper



Perform multiple tasks and improve procedural speed and efficiency with KingFisher suture retriever and tissue grasper. The 4.2 mm tip design is optimal for arthroscopic tissue grasping/reduction, foreign body removal, and suture retrieval/management.

Product Description	Item Number
KingFisher Retriever/Grasper w/ SR Handle (a)	AR- <b>13970SR</b>
KingFisher Retriever/Grasper w/ NR Handle	AR- <b>13970NR</b>
KingFisher Retriever/Grasper w/ WishBone™ Handle	AR- <b>13970W</b>
KingFisher FiberTape Retriever/Grasper w/ SR Handle <b>(b)</b>	AR- <b>13971SR</b>
KingFisher FiberTape Retriever/Grasper w/ NR Handle	AR- <b>13971NR</b>
KingFisher FiberTape Retriever/Grasper w/ WishBone Handle	AR- <b>13971W</b>


# **Rotator Cuff Grasper**



The low-profile 4 mm tip was specifically designed to securely grasp the tendon and pull it into the proper anatomic position. This instrument also features an ergonomic ring handle with a tip-locking mechanism.

Product Description	Item Number
Rotator Cuff Grasper w/ SR Handle	AR- <b>13960SR</b>
Rotator Cuff Grasper w/ NR Handle	AR- <b>13960NR</b>
Rotator Cuff Grasper w/ WishBone Handle	AR- <b>13960W</b>


# FiberWire® Grasper



The FiberWire grasper is designed to grasp and retrieve multiple strands of FiberWire suture. This fully toothed design and long jaw assembly provides a substantial working range for easily grabbing suture within the glenohumeral or subacromial joint space.

Product Description	Item Number
FiberWire Grasper w/ NR Handle	AR- <b>13975NR</b>
FiberWire Grasper w/ SR Handle	AR- <b>13975SR</b>
FiberWire Grasper w/ WishBone™ Handle	AR- <b>13975W</b>


## **Back Grasper**



The back grasper is a simple but effective tool to aide introducing grafts, implants, and instruments into the body.

Product Description	Item Number
Back Grasper w/ NR Handle	AR- <b>12531NR</b>
Back Grasper w/ SR Handle	AR- <b>12531SR</b>
Back Grasper w/ WishBone Handle	AR- <b>12531W</b>

# **Crochet Hook**



The crochet hook is a simple tool that performs well in tight spaces to retrieve suture loops during arthroscopic Bankart, SLAP, and rotator cuff repairs, or any suturing procedure. The smooth tip prevents abrasion of suture strands and the ergonomic, knurled handle facilitates instrument manipulation in the wet arthroscopic environment. The push/pull crochet hook was designed to push suture knots and/or retrieve suture with the same instrument.

Product Description	Item Number
Crochet Hook (a)	AR- <b>5008H</b>
Push/Pull Crochet Hook <b>(b)</b>	AR- <b>5009H</b>
Suture Hook (c)	AR- <b>5007H</b>

## **SCR Guide**



The SCR Guide helps simply and reproducibly estimate the distances between suture anchors during Superior Capsular Reconstruction (SCR). This reusable hand instrument's suture-retrieving jaw is designed for both suture and FiberTape suture. The highlighted black sleeve clearly shows graduations for distances referenced off of sutures.

Product Description	Item Number
SCR Guide	AR- <b>16950SR</b>


## **Suture Cutters**



The suture cutter was designed to facilitate arthroscopic cutting of FiberWire® and braided sutures. The uniquely designed cutting jaws remain sharp throughout repeated use. The suture cutter is available in a closed and open end, left notch version. The closed-end suture cutter allows the surgeon to leave a 3 mm suture tail without the possibility of cutting the knot. The open end, left notch version facilitates suture cutting inside the joint without having to top load the cutter. The FiberTape® cutter was designed to allow for flush cutting of 2 FiberTape sutures.

Product Description	Item Number
Suture Cutter, 4.2 mm, straight (used w/ #2 and #5 suture) (a)	AR- <b>12250</b>
Suture Cutter, 4.2 mm, closed-end w/ WishBone™ Handle, straight	AR- <b>12250W</b>
Suture Cutter, 4.2 mm, open end, left notch (used w/ all suture) <b>(b)</b>	AR- <b>11794L</b>
Suture Cutter, 4.2 mm, w/ WishBone Handle, open end, left notch (used w/ all suture)	AR- <b>11794LW</b>
Mini Suture Cutter, 3.4 mm, straight (used w/ #2 FiberWire and LabralTape sutures)	AR- <b>13255</b>
Mini Suture Cutter, 3.4 mm, straight w/ WishBone Handle (used w/ #2 FiberWire and LabralTape sutures)	AR- <b>13255W</b>
FiberWire Scissor (for open procedures) (c)	AR- <b>11796</b>
FiberTape Cutter	AR- <b>13250</b>
FiberTape Cutter w/ WishBone Handle	AR- <b>13250W</b>

#### **CrabClaw™ Knot Pusher/Suture Retriever**



The opening rotary jaw of the CrabClaw instrument makes it an effective suture retriever and knot pusher. It allows for intra-articular capture of suture, which dramatically simplifies arthroscopic knot tying. Suture posts are alternated simply by opening the jaws and engaging the parallel suture limb outside the cannula or in the joint. When used as a knot pusher, the ratcheting handle secures the jaw in a closed position to allow for smooth knot advancement.

Product Description	Item Number
CrabClaw Knot Pusher/Suture Retriever	AR- <b>12960</b>


# **6th Finger™ Knot Pusher**



The unique double-tube design allows surgeons to apply and maintain tension to the first throw, while advancing subsequent throws with the sliding plastic outer tube. The inner tube allows subsequent "past pointing" to apply opposite suture tension to the knot similar to open knot tying techniques. A wire loop is incorporated inside the disposable, sterile 6th Finger knot pusher for easy suture loading.

Product Description	Item Number
6th Finger Knot Pusher w/ Suture Passer, sterile,	AR- <b>1930S</b>
5/box	


## **Knot Pusher**



The single-hole knot pusher provides a simple method for advancing sliding knots and half-hitches. The closed-end knot pusher has a modified handle that provides an ergonomic feel. The distal tip has also been modified for easier advancement of slip knots and half-hitches.

Product Description	Item Number
Knot Pusher, closed end (a)	AR- <b>1305</b>
Single-Hole Knot Pusher	AR- <b>1299</b>

#### **Probes**



With the articulating probe, surgeons can easily insert an instrument through a small stab incision in soft tissue with the tip in a straight position. The tip of the probe can then be changed to a locked 90° position to test the strength of a soft tissue repair or to probe defects.

Product Description	Item Number
Articulating Probe (a)	AR- <b>10100</b>
Hook Probe, 5.4 mm (b)	AR- <b>10000</b>
Hook Probe, 3.4 mm (c)	AR- <b>10010</b>

### **Curettes**



Ring curettes are available with one or both sides cut. D-curettes feature a D-shaped, dual-sided cutting ring designed to prepare the articular margin prior to anchor insertion during rotator cuff repair. D-curettes are also an excellent choice for cartilage removal, particularly prior to glenoid placement in total shoulder arthroplasty procedures.

Product Description	Item Number
D-curette, 5.4 mm × 150 mm, both sides cut (a)	AR- <b>22020</b>
D-curette, 3.4 mm × 150 mm, both sides cut	AR- <b>23020</b>
Curette, 5.4 mm ring, one side cut <b>(b)</b>	AR- <b>20010</b>
Curette, 5.4 mm ring, both sides cut	AR- <b>20020</b>

## **Modular Soft-Tissue Retractor**



The modular soft-tissue retractor is a versatile adjunct to muscle-splitting approaches about the shoulder, including mini-open rotator cuff repair. It has a self-locking and self-retaining design with modular paddles that allow firm, yet safe, exposure. Its self-locking design allows the shoulder to be moved throughout a range of motion without the retractor becoming dislodged.


Product Description	Item Number
Modular Soft-Tissue Retractor Body	AR- <b>8170</b>
Modular Soft-Tissue Retractor Set	AR- <b>8170S</b>
Modular Soft-Tissue Retractor Atraumatic Set	AR- <b>8170DS</b>
Modular Soft-Tissue Retractor Atraumatic Paddle Set, 75 mm	AR- <b>8170-75DS</b>
Replacement paddles are available for all sets	

Product Description	Item Number
Modular Retractor Paddles - Atraumatic	
50 mm, left	AR- <b>8170-50DL</b>
50 mm, right	AR- <b>8170-50DR</b>
75 mm, left	AR- <b>8170-75DL</b>
75 mm, right	AR- <b>8170-75DR</b>


## **Tissue Elevator and Bone Preparation System**

The Tissue Elevator and Bone Preparation System combines new tip designs and a modular handle to give you the ultimate selection of tools for work in the glenohumeral joint and subacromial space. A variety of rasps, curettes, tissue elevators, and a chondro pick are provided in one convenient system. The shaft length of each tip is long enough to effectively span the distance from an anterior working portal to the posterior rim of the glenoid, allowing the best possible angle of approach to work with ease and efficiency in this area.

Product Description	Item Number
Tissue Elevator Instrument Set includes	AR- <b>1344S</b>
Quick Connect Handle, 1/4 sq. nonratcheting	AR- <b>2003NR</b>
Tissue Elevator Instrument Case	AR- <b>1344C</b>
Attachment Options	
Tissue Elevator, 15° down (a)	AR- <b>1344-15</b>
Tissue Elevator, 15° down, 30° left <b>(b)</b>	AR- <b>1344-1530L</b>
Tissue Elevator, 15° down, 30° right <b>(c)</b>	AR- <b>1344-1530R</b>
Tissue Elevator, 30° down <b>(d)</b>	AR- <b>1344-30</b>
Debridement Rasp (e)	AR- <b>1344-DR</b>
D-curette, 5.4 mm (f)	AR- <b>1344-LC</b>
Ball-Tip Rasp, 40° (g)	AR- <b>1344-MR</b>
Chondro Pick, angled <b>(h)</b>	AR- <b>1344-P</b>
Elevator, standard design, 15° (i)	AR- <b>1344SE-15</b>
Elevator, standard design, 30° (j)	AR- <b>1344SE-30</b>
Curette, round, double-sided, 5.4 mm (k)	AR- <b>1344-RC</b>



# **Shoulder Repair Set**





The Shoulder Repair Set, which contains the most popular instruments as determined by leading upper extremity surgeons, is a comprehensive selection of specialty instruments for facilitating arthroscopic shoulder repairs. Efficiently manage most anatomical variations with an array of arthroscopic suturing instruments. Ease portal dilation and cannula insertion with cannulated obturators. The autoclavable, anodized aluminum case also includes a custom, removable rack for suturing instruments and cannulated obturators.

Product Description	Item Number
Shoulder Repair Set (a) includes	AR- <b>8402S</b>
Hook Probe, 5.4 mm	AR- <b>10000</b>
BirdBeak Suture Passer, 45° up tip, 2.75 mm	AR- <b>11800</b>
BirdBeak Suture Passer, 22° up tip, 2.75 mm	AR- <b>11890</b>
Suture Retriever, 3.4 mm, straight	AR- <b>12540</b>
Shoulder Debridement Rasp, 30° angle	AR- <b>1282L</b>
Knot Pusher, closed end	AR- <b>1305</b>
SLAP Rasp, 15° tip	AR- <b>1309</b>
Glenoid Rasp, 20° tip	AR- <b>1312</b>
Bankart Rasp, 90° tip	AR- <b>1312-90</b>
Shoulder Tissue Elevator, 15°	AR- <b>1342-15</b>
Shoulder Tissue Elevator, 30°	AR- <b>1342-30</b>
Rotator Cuff Grasper	AR- <b>13960SR</b>
KingFisher® Suture Retriever/Tissue Grasper	AR- <b>13970SR</b>
FiberWire® Grasper w/ SR Handle	AR- <b>13975SR</b>
Ring Curette, 5.4 mm ring, both sides cut	AR- <b>20020</b>
Penetrator™ Suture Retriever, 15° up	AR- <b>2167-2</b>
Extra-Long Switching Stick	AR- <b>3026</b>
Suture Hook	AR- <b>5007H</b>
Reusable Obturator for AR-6530, AR-6530N, and AR-6566 Twist-In™ Cannula	AR- <b>6531</b>
Reusable Obturator for AR-6535 Twist-In Cannula	AR- <b>6536</b>
Reusable Obturator for AR-6540 and AR-6575-09 Twist-In Cannula	AR- <b>6541</b>
Reusable Obturator for AR-6550, AR-6567, AR-6570, and AR-6570F Twist-In Cannula	AR- <b>6549</b>
Reusable Obturator for AR-6560, AR-6562, AR-6564, and AR-6560F Instrument Cannula	AR- <b>6563</b>
Shoulder Repair Set Instrumentation Case	AR- <b>8402C</b>

Product Description	Item Number
Master Shoulder Repair Set (b) includes products listed in AR-8402S plus the following products	AR- <b>8402MS</b>
Suture Cutter, open-ended, left notch	AR- <b>11794L</b>
Suture Cutter, 4.2 mm, straight, closed end	AR- <b>12250</b>
FiberTape® Cutter	AR- <b>13250</b>
FiberTape Retriever w/ SR handle	AR- <b>13974SR</b>
NeedlePunch® II Suture Passer, 16 mm	AR- <b>13982S</b>
FastPass Scorpion™ SL Suture Passer	AR- <b>13999MF</b>
Punch for 4.5 mm PushLock® Anchor	AR- <b>1922P</b>
Punch for 3.5 mm PushLock Anchor	AR- <b>1926P</b>
Bio-Corkscrew® FT Punch	AR- <b>1927PB</b>
PassPort Curved Hemostat	AR- <b>6592</b>
PassPort Selection Guide	AR- <b>6592M</b>



# **Biceps and Pectoralis Repair**

Loop 'N' Tack™ Biceps Tenodesis	56
2.6 FiberTak® Button	56
FiberTak® Biceps Implant System	57
Knotless TensionTight™ Implant System	57
Distal and Subpectoral Biceps Repair	58
Proximal Tenodesis Button	58
Two-Incision Distal Biceps Implant System	59
Birmingham Biceps™ Implant System	59
Pec Button	59
SwiveLock® Tenodesis Implants	60
Tenodesis Screw System	61

## **Loop 'N' Tack™ Biceps Tenodesis**



The Loop 'N' Tack technique is a simple approach to arthroscopic biceps tenodesis. The technique allows for suture to be passed and retrieved under direct visualization through the biceps tendon while still attached to the superior labrum. The biceps can be fixated to the tuberosity or incorporated into a rotator cuff repair.

Product Description	Item Number
4.75 Knotless BC Loop 'N' Tack Tenodesis	AR-1665KBCSL
Implant System	
Includes 4.75 mm × 19.1 mm BioComposite Knotless	
SwiveLock® anchor, punch, Loop 'N' Tack SwiftStitch™	
passer, and FiberLink™ SutureTape	
4.75 BC Loop 'N' Tack Tenodesis Implant System	AR-1665BCSL
Includes 4.75 mm × 19.1 mm BioComposite	
SwiveLock anchor, punch, Loop 'N' Tack SwiftStitch	
passer, and FiberLink SutureTape	
3.9 BC Loop 'N' Tack Tenodesis Implant System	AR-1665BCSL-39
Includes 3.9 mm × 17.9 mm BioComposite	
SwiveLock anchor, punch, Loop 'N' Tack SwiftStitch	
passer, and FiberLink SutureTape	
2.9 BC Loop 'N' Tack Tenodesis Implant System	AR- <b>1665BCPL</b>
Includes 2.9 mm × 12.5 mm BioComposite Short	
PushLock® anchor, spear, trocar, drill, Loop 'N' Tack	
SwiftStitch passer, and FiberLink SutureTape	
4.75 Knotless PEEK Loop 'N' Tack Tenodesis	AR- <b>1665KPSL</b>
Implant System	
Includes 4.75 mm × 19.1 mm Knotless PEEK	
SwiveLock anchor, punch, Loop 'N' Tack SwiftStitch	
passer, and FiberLink SutureTape	
4.75 PEEK Loop 'N' Tack Tenodesis Implant	AR- <b>1665PSL</b>
System	
Includes 4.75 mm × 19.1 mm PEEK SwiveLock	
anchor, punch, Loop 'N' Tack SwiftStitch passer, and	
FiberLink SutureTape	
3.9 PEEK Loop 'N' Tack Tenodesis Implant System	AR- <b>1665PSL-39</b>
Includes 3.9 mm × 17.9 mm PEEK SwiveLock	
anchor, punch, Loop 'N' Tack SwiftStitch passer, and	
FiberLink SutureTape	
2.9 PEEK Loop 'N' Tack Tenodesis Implant System	AR- <b>1665PPL</b>
Includes 2.9 mm × 12.5 mm PEEK Short PushLock	
anchor, spear, trocar, drill, Loop 'N' Tack SwiftStitch	
passer, and FiberLink SutureTape	
Loop 'N' Tack SwiftStitch Passer	AR- <b>4068LNT</b>
200pdek offittedten i dooel	10 JOEHI

Instruments	
Suture Cutter, 4.2 mm, open end, left notch	AR- <b>11794L</b>

#### Literature

Product Description	Item Number
Loop 'N' Tack™ Biceps Tenodesis Surgical Technique	LT1-00136-EN

# 2.6 FiberTak® Button




The FiberTak button is an all-suture button that can be used for both bicortical and unicortical tension slide tenodesis techniques. The button is a reinforced 2.6 mm diameter sheath preloaded with two 2-0 FiberLinks that are used to shuttle the whipstitch limbs through the sheath.

Product Description	Item Number
2.6 FiberTak Button Implant System	AR- <b>3680</b>
Includes FiberTak button w/ inserter and double	
loaded FiberLink, 2.6 mm spade tip drill, drill guide,	
#2 FiberLoop® suture, and free needle	
2.6 FiberTak Button	AR- <b>3681</b>
2.6 mm Spade-Tip Drill, sterile	AR- <b>3682</b>
Drill Guide for FiberTak Button, reusable	AR- <b>3683</b>

#### Literature

Product Description	Item Number
Subpectoral Biceps Tenodesis Using the FiberTak®	LT1-000166-en-US
Button	

# FiberTak® Biceps Implant System




The FiberTak biceps implant system delivers an allsuture anchor designed for use in open, onlay-tissue fixation procedures, particularly proximal and distal biceps repairs.

Product Description	Item Number
FiberTak Biceps Implant System Includes FiberTak biceps implant w/ 4 needles, slotted drill guide, 1.9 mm drill, and free curved needle	AR- <b>3670</b>
FiberTak Biceps Implant, double-loaded w/ white/blue and white/black SutureTape and 4 needles	AR- <b>3671</b>
FiberTak Biceps Disposables Kit Includes slotted drill guide and 1.9 mm drill	AR- <b>3671DS</b>
1.9 mm Drill for FiberTak Biceps Implant	AR- <b>3672</b>
Drill Guide for FiberTak Biceps Implant, reusable	AR- <b>3673</b>

#### Literature

Product Description	Item Number
FiberTak® Biceps Implant System Biceps Tenodesis	LT1-000046-EN
Surgical Technique	

## **Knotless TensionTight™ Implant System**



The TensionTight button is used to perform a knotless onlay biceps tenodesis, using either an arthroscopic suprapectoral or open subpectoral approach. A locking jaw in the button allows for a knotless biceps tenodesis. Securing the biceps tendon repair with a Loop 'N' Tack™ stitch enables an all-arthroscopic suprapec onlay tenodesis.

Product Description	Item Number
Knotless TensionTight Button Implant System	AR- <b>2350</b>
Includes Knotless TensionTight Button with inserter,	
two #5 FiberLink sutures, 3.7 mm drill pin, curved	
needle with nitinol loop, and shoehorn cannula	
Loop 'N' Tack SwiftStitch™ Suture Passer	AR- <b>4068LNT</b>

#### Literature

Product Description	Item Number
Suprapectoral Biceps Tenodesis with the	LT1-000232-en-US
TensionTight™ Locking Button Surgical Technique	

## **Distal and Subpectoral Biceps Repair**





The tension-slide technique with the  $BicepsButton^{\mathsf{TM}}$ implant system provides surgeons a simple, reproducible, and biomechanically stable distal and proximal biceps repair. This "tensioning" technique draws the tendon against the distal cortex of the bone socket. A a tenodesis screw can be added to augment the repair and place the tendon in a more anatomic position.

Product Description	Item Number
Distal Biceps Repair Implant Kit Includes BicepsButton implant, button inserter, FiberLoop® suture, 7 mm × 10 mm PEEK tenodesis screw, and BicepsButton drill pin	AR- <b>2260</b>
BioComposite Distal Biceps Implant Kit Includes BicepsButton implant, button inserter, FiberLoop suture, 7 mm × 10 mm biocomposite tenodesis screw, disposable tenodesis driver, BicepsButton drill pin, suture passing wire, and free needle	AR- <b>2260BC</b>
BicepsButton Implant, 2.6 mm × 12 mm	AR- <b>2261</b>
Knotless Distal Biceps Implant Kit Includes Knotless BicepsButton implant, button inserter, BicepsButton drill pin, FiberTape® Loop, FiberLoop suture, and curved free needle	AR- <b>2280</b>
Knotless BicepsButton Implant, 2.6 mm × 12 mm	AR- <b>2281</b>
FiberTape Loop, 2 mm, (blue)	AR- <b>7275</b>
#2 FiberLoop® Suture w/ Straight Needle	AR- <b>7234</b>
PEEK Tenodesis Screw, 7 mm × 10 mm	AR- <b>1670PS</b>
Required Instruments	
Tenodesis Screw System includes	AR- <b>1675S</b>
Driver for Tenodesis Screws	AR- <b>1670DB</b>
Tear Drop Handle w/ Suture Cleat	AR- <b>2001BT</b>
Headed Reamer, 8 mm, cannulated	AR- <b>1408</b>
Required Disposables	
Button Inserter	AR- <b>2262</b>
BicepsButton Drill Pin, 3.2 mm, sterile	AR- <b>2263</b>
Tapered Needle w/ Nitinol Loop, 26.5 mm, ½ circle	AR- <b>7281</b>
Nitinol Suture-Passing Wire	AR- <b>1255-18</b>
Optional Disposables	
Low-Profile Reamer, 8 mm	AR- <b>1408LP</b>

#### Literature

Product Description	Item Number
Distal Biceps Repair Surgical Technique	LT <b>1-0592-EN</b>
Subpectoral Biceps Tenodesis Surgical Technique	LT <b>1-0591-EN</b>


## **Proximal Tenodesis Button**



The proximal tenodesis button has an angled face to promote a toggle effect when the button contacts the far cortex, making it ideal for unicortical biceps tenodesis.

Product Description	Item Number
Proximal Tenodesis Implant Kit Includes Proximal BicepsButton implant, button inserter, FiberLoop suture, free needles, drill pin, and a shoehorn cannula	AR- <b>2290</b>
Proximal Tenodesis Button, 2.6 mm × 8.5 mm, w/ inserter	AR- <b>2291</b>
#2 FiberLoop® Suture (blue) w/ Straight Needle	AR- <b>7234</b>
Tapered Needle w/ Nitinol Loop, 26.5 mm, ½ circle	AR- <b>7281</b>
Drill Pin, 3.2 mm, sterile	AR- <b>2263</b>
Shoehorn Cannula	AR- <b>6565</b>

# Two-Incision Distal Biceps Implant System



The Two-Incision Distal Biceps Implant System provides everything required to perform a distal biceps repair from a posterior approach using two 7 mm unicortical buttons.

Product Description	Item Number
Two-Incision Distal Biceps implant System	AR- <b>2295</b>
Includes two 2.6 mm × 7 mm buttons w/ inserters,	
two #2 FiberWire® w/ needles (1 blue/white,	
1 black/white) 3.2 mm drill pin, flexible obturator,	
and curved obturator w/ nitinol wire	
Two-Incision Tenodesis Button, 2.6 mm × 7 mm	AR- <b>2296</b>
Curved Obturator, cannulated, 3 mm	AR- <b>2294</b>

## Birmingham Biceps™ Implant System



The Birmingham Biceps implant system for subpectoral tenodesis was designed to minimize the potential for postoperative humeral fractures by placing a small 5.5 mm PEEK SwiveLock® tenodesis implant near the top of the pectoralis at a newly defined anatomical landmark, the pallium pectoralis. The implant system includes everything needed for the procedure, making it very convenient for surgeon and staff.

Product Description	Item Number
Birmingham Biceps Implant Kit	AR- <b>1662S-1</b>
Includes 5.5 mm PEEK SwiveLock anchor, FiberLink $^{\!\scriptscriptstyle{\text{\tiny M}}}$	
Plus suture, free needle, 5.5 mm pilot-headed	
reamer, and 5.8 mm tap	


## **Pec Button**



The pec button and large pec button have an angled face to promote a toggle effect when the button contacts the opposite cortex, making these buttons ideally suited for unicortical repairs, particularly pectoralis major injuries. The large pec button features larger eyelets to accommodate FiberTape® and #5 FiberWire sutures.

Product Description	Item Number
Pec Button Implant Repair Kit Includes 3 pec buttons w/ FiberWire suture and needles, button inserter, and 3.2 mm drill pin	AR- <b>2268</b>
Pec Button, 2.6 mm × 10.9 mm (a)	AR- <b>2266</b>
Button Inserter	AR- <b>2262</b>
3.2 mm Drill, sterile	AR- <b>2263</b>
Spear w/ Circumferential Teeth w/ Obturator	AR- <b>1906</b>
#2 FiberWire Suture, 38 in (1 blue, 1 black/white)	AR- <b>7201</b>
Pec Button, Larger Eyelet Repair Kit Includes 3 large pec buttons w/ attached inserter, three 17 in FiberTape sutures w/ needles, three 38 in #5 FiberWire suture w/ needles, and 3.7 mm drill pin	AR- <b>2269</b>
Large Pec Button w/ Inserter, 3.2 mm × 10.9 mm, larger eyelets <b>(b)</b>	AR- <b>2267</b>
3.7 mm Drill	AR- <b>2272</b>
FiberTape Suture, 2 mm, 17 in (blue), each end tapered to #2 FiberWire suture w/ tapered needle, 26.5 mm, ½ circle	AR- <b>7237-17N</b>

# **SwiveLock® Tenodesis Implants**



The family of SwiveLock tenodesis implants has been designed to support a multitude of proximal biceps tenodesis techniques and maximize OR efficiency. Implants are available with suture eyelets or closed eyelets for surgeons who prefer a whipstitching technique, and forked eyelet versions are offered for an all-arthroscopic approach.

Product Description	Item Number
Suture Eyelet Implant System Options Implant systems include screw, reamer, #2 Fi and free needle	berLoop® suture,
Biocomposite, 7 mm × 10 mm	AR-1662BCS-710S
Biocomposite, 7 mm × 23 mm	AR-1662BCS-723S
Biocomposite, 8 mm × 12 mm	AR-1662BCS-812S
Biocomposite, 8 mm × 23 mm	AR-1662BCS-823S
Biocomposite, 9 mm × 23 mm	AR- <b>1662BCS-923S</b>
PEEK, 7 mm × 10 mm	AR- <b>1662PSL-710S</b>
PEEK, 7 mm × 23 mm	AR- <b>1662PSL-723S</b>
PEEK, 8 mm × 12 mm	AR- <b>1662PSL-812S</b>
PEEK, 8 mm × 23 mm	AR- <b>1662PSL-823S</b>
PEEK, 9 mm × 23 mm	AR- <b>1662PSL-923S</b>
Suture Eyelet Implant Options	
Biocomposite, 7 mm × 10 mm	AR- <b>1662BCS-710</b>
Biocomposite, 7 mm × 23 mm	AR- <b>1662BCS-723</b>
Biocomposite, 8 mm × 12 mm	AR- <b>1662BCS-812</b>
Biocomposite, 8 mm × 23 mm (c)	AR- <b>1662BCS-823</b>
Biocomposite, 9 mm × 23 mm	AR- <b>1662BCS-923</b>
PEEK, 7 mm × 10 mm	AR- <b>1662PSL-710</b>
PEEK, 7 mm × 23 mm	AR- <b>1662PSL-723</b>
PEEK, 8 mm × 12 mm	AR- <b>1662PSL-812</b>
PEEK, 8 mm × 23 mm	AR- <b>1662PSL-823</b>
PEEK, 9 mm × 23 mm	AR- <b>1662PSL-923</b>

Product Description	Item Number
Forked Eyelet Implant Options	
Biocomposite, 7 mm × 19.5 mm	AR- <b>1662BC-7</b>
Biocomposite, 8 mm × 19.5 mm (a)	AR- <b>1662BC-8</b>
Biocomposite, 9 mm × 19.5 mm	AR- <b>1662BC-9</b>
PEEK, 4.75 mm × 14 mm	AR- <b>7324PSL</b>
PEEK, 7 mm × 19.5 mm	AR- <b>1662PSL-7</b>
PEEK, 8 mm × 19.5 mm	AR- <b>1662PSL-8</b>
PEEK, 9 mm × 19.5 mm	AR- <b>1662PSL-9</b>
Closed Eyelet Implant Options	
Biocomposite, 6.25 mm × 19.1 mm	AR- <b>1662BC</b>
Biocomposite, 7 mm × 19.1 mm	AR- <b>1662BCC-</b> 7
Biocomposite, 8 mm × 19.1 mm <b>(b)</b>	AR- <b>1662BCC-</b>
Biocomposite, 9 mm × 19.1 mm	AR-1662BCC-9

## Pilot-Headed Reamers (Supplied Sterile)

Product Description	Item Number
6 mm	AR- <b>1450</b>
6.5 mm	AR- <b>1451</b>
7 mm	AR- <b>1452</b>
7.5 mm	AR- <b>1453</b>
8 mm <b>(d)</b>	AR- <b>1454</b>
8.5 mm	AR- <b>1455</b>
9 mm	AR- <b>1456</b>
9.5 mm	AR- <b>1457</b>
10 mm	AR- <b>1458</b>

#### SwiveLock Tenodesis Sizers

Product Description	Item Number
SwiveLock Tenodesis Sizer, 7 m	AR- <b>1662T-7</b>
SwiveLock Tenodesis Sizer, 8 mm (e)	AR- <b>1662T-8</b>
SwiveLock Tenodesis Sizer, 9 mm	AR- <b>1662T-9</b>

#### Literature

Product Description	Item Number
Biceps Tenodesis SwiveLock® System Surgical	LT <b>1-0595-EN</b>
Technique	

## **Tenodesis Screw System**



The Tenodesis Screw System was designed specifically for reattaching both ligament and tendon to bone, making it ideal for the reattachment of soft tissue to bone in upper extremity procedures including rotator cuff repairs, proximal/distal biceps tenodesis, and acromioclavicular joint reconstruction.

Product Description	Item Number
Tenodesis Master Set includes	AR- <b>1675S</b>
Cannulated Drill, 4 mm	AR- <b>1204L</b>
Cannulated Drill, 4.5 mm	AR- <b>1204.5L</b>
Cannulated Headed Reamers Sizes: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, and 10 mm	AR- <b>1405</b> - AR- <b>1410</b>
Tear Drop Handle w/ Suture Cleat	AR- <b>2001BT</b>
Driver for 10 mm Tenodesis Screws (AR-1540BC)	AR- <b>1540DB</b>
Driver for 10 mm and 12 mm Tenodesis Screws (AR-1670BC, AR-1680BC)	AR- <b>1670DB</b>
Driver for 15 mm Tenodesis Screws (AR-1547BC, AR-1555BC, AR-1562BC, AR-1655PS, AR-1655PS-10, and AR-1655PS-12)	AR- <b>1350D</b>
Driver for 23 mm Tenodesis Screws (AR-1570BC, AR-1580BC, and AR-1590BC)	AR- <b>1570DB</b>
Tenodesis Screw Instrumentation Case	AR- <b>1675C</b>
Optional Accessories	
Tenodesis Tap, 4 mm × 10 mm	AR- <b>1540T</b>
Tenodesis Tap, 4.75 mm × 15 mm	AR- <b>1547T</b>
Tenodesis Tap, 5.5 mm × 15 mm	AR- <b>1555T</b>
Tenodesis Tap, 6.25 mm × 15 mm	AR- <b>1562T</b>
Tenodesis Tap, 7 mm × 10 mm	AR- <b>1670T</b>
Tenodesis Tap, 7 mm × 23 mm	AR- <b>1570T</b>
Tenodesis Tap, 8 mm × 12 mm	AR- <b>1680T</b>
Driver Shaft for 10 mm Tenodesis Screw	AR- <b>1540DB-01</b>
Driver Shaft for 12 mm Tenodesis Screw	AR- <b>1670DB-01</b>
Driver Shaft for 15 mm Tenodesis Screw	AR- <b>1350D-01</b>
Driver Shaft for 23 mm Tenodesis Screw	AR- <b>1570DB-01</b>
Tear Drop Handle (Required for Starter Awl)	AR- <b>2001</b>


Product Description	Item Number
Implants	
BioComposite Tenodesis Screw w/ Handled Inserter, 3 mm × 8 mm	AR- <b>1530BC</b>
BioComposite Tenodesis Screw, 4 mm × 10 mm	AR- <b>1540BC</b>
Disposable Tenodesis Driver w/ 4 mm × 10 mm BioComposite Screw and #2 FiberWire® Suture	AR- <b>1540CDS</b>
BioComposite Tenodesis Screw, 4.75 mm × 15 mm	AR- <b>1547BC</b>
Disposable Tenodesis Driver w/ 4.75 mm × 15 mm BioComposite Screw and #2 FiberWire Suture	AR- <b>1547CDS</b>
BioComposite Tenodesis Screw, 5.5 mm × 15 mm	AR- <b>1555BC</b>
Disposable Tenodesis Driver w/ 5.5 mm × 15 mm BioComposite Screw and #2 FiberWire Suture	AR- <b>1555CDS</b>
BioComposite Tenodesis Screw, 6.25 mm × 15 mm	AR- <b>1562BC</b>
Disposable Tenodesis Driver w/ 6.25 mm × 15 mm BioComposite Screw and #2 FiberWire Suture	AR- <b>1562CDS</b>
BioComposite Tenodesis Screw, 7 mm × 10 mm	AR- <b>1670BC</b>
BioComposite Tenodesis Screw, 7 mm × 23 mm	AR- <b>1570BC</b>
BioComposite Tenodesis Screw, 8 mm × 12 mm	AR- <b>1680BC</b>
BioComposite Tenodesis Screw, 8 mm × 23 mm	AR- <b>1580BC</b>
BioComposite Tenodesis Screw, 9 mm × 23 mm	AR- <b>1590BC</b>
PEEK Tenodesis Screw w/ Handled Inserter, 3 mm × 8 mm	AR- <b>1530PS</b>
PEEK Tenodesis Screw, 4 mm × 10 mm	AR- <b>1540PS</b>
PEEK Tenodesis Screw, 4.75 mm × 15 mm	AR- <b>1547PS</b>
PEEK Tenodesis Screw, 5.5 mm × 8 mm	AR- <b>1655PS</b>
PEEK Tenodesis Screw, 5.5 mm × 15 mm	AR- <b>1555PS</b>
PEEK Tenodesis Screw, 6.25 mm × 15 mm	AR- <b>1562PS</b>
PEEK Tenodesis Screw, 7 mm × 10 mm	AR- <b>1670PS</b>
PEEK Tenodesis Screw, 7 mm × 23 mm	AR- <b>1570PS</b>
PEEK Tenodesis Screw, 8 mm × 12 mm	AR- <b>1680PS</b>
PEEK Tenodesis Screw, 8 mm × 23 mm	AR- <b>1580PS</b>
PEEK Tenodesis Screw, 9 mm × 23 mm	AR- <b>1590PS</b>
Disposables	
Tenodesis Disposables Kit Includes 2.4 mm short guide pin, suture passing wire, #2 FiberWire suture w/ needle, 2-0 FiberWire suture w/ needle, #2 FiberWire suture, 2-0 FiberWire suture, #2 FiberLoop® suture w/ straight needle, skin marking pen, and ruler	AR- <b>1676DS</b>
<b>Tenodesis Disposables Kit</b> for 3.0 mm × 8 mm Screw	AR- <b>1530DS</b>
#2 FiberSnare® Suture, #2 FiberWire suture, 26 in w/ closed loop, one end stiffened, 12 in	AR- <b>7209SN</b>
#2 FiberLoop Suture w/ Straight Needle	AR- <b>7234</b>
Short Guide Pin, 2.4 mm, qty. 6	AR- <b>1250SB</b>
Suture-Passing Wire	AR- <b>1255-18</b>
Guidewire, 0.86 mm w/ laser line, SS	AR- <b>8737-21</b>



# **Elbow Arthroscopy**

Elbow Arthroscopy Set	64
Flhow Ulnar Collateral Ligament (UCL) Reconstruction Set	65

## **Elbow Arthroscopy Set**



The Elbow Arthroscopy Instrument Set is the first and only comprehensive set of instruments available for elbow arthroscopy. Precision manufactured to the highest-quality standards and thoughtfully designed around the feedback of leading elbow arthroscopists, the set enables improved portal placement and includes unique instruments designed for tissue retraction/ elevation, microfracture, precise soft-tissue resection with arthroscopic scissors and punches, loose body graspers, osteotomes, and curettes. The previously unreachable and unfixable can now be addressed, opening up new horizons in patient care for elbow pathology.

Product Description	Item Number
Elbow Arthroscopy Set includes	AR- <b>8650S</b>
Osteotome, angled up (a)	AR- <b>1770</b>
Osteotome, straight	AR- <b>1771</b>
Extra Long Switching Stick, 4 mm	AR- <b>3026</b>
Graduated Black Probe, 2.5 mm Tip	AR- <b>5007</b>
Portal Dilating Set	AR- <b>8620</b>
Articulating Paddle Elevator	AR- <b>8630</b>
Articulating Hook Elevator	AR- <b>8631</b>
Howard Elevator	AR- <b>8650-06</b>
Cup Curette, 45°	AR- <b>8650-07</b>
Osteotome, 5.5 mm, angled up	AR- <b>8650-08</b>
Osteotome, 5.5 mm, straight	AR- <b>8650-09</b>
Ring Curette, reverse angled	AR- <b>8655-04</b>
Chondral Pick, 30°	AR- <b>8655-05</b>
Chondral Pick, 60°	AR- <b>8655-06</b>
Osteotome, curved	AR- <b>8655-09</b>
Ring Curette, angled <b>(c)</b>	AR- <b>8655-15</b>
Probe (b)	AR- <b>8655-16</b>
Cup Curette, 100 mm long, curved shaft	AR- <b>8660</b>
Cup Curette, 100 mm long, straight shaft (d)	AR- <b>8661</b>
Chondro Pick, 40°, straight	AR- <b>8670</b>
Obturator	AR- <b>8680</b>
Hook Probe, 5.4 mm, tip w/ 5 mm markings	AR- <b>10000</b>

Product Description	Item Number
Articulating Probe	AR- <b>10100</b>
Grasper, mini straight tip, ø2.75 mm, straight shaft w/ SR handle	AR- <b>11900SR</b>
Scissor, serrated tooth, straight tip, ø3.4 mm, straight shaft	AR- <b>12140</b>
Scissor, ø3.4 mm, straight shaft, right curved tip (e)	AR- <b>12150</b>
Scissor, ø3.4 mm, straight shaft, left curved tip	AR- <b>12160</b>
Punch, 3.4 mm, capsular, inverted scoop tip	AR- <b>12170</b>
WideBiter™ Punch, 3.4 mm, capsular, inverted scoop tip	AR- <b>12180</b>
Punch, 3.4 mm, straight shaft, large straight tip	AR- <b>12200</b>
Punch, 3.4 mm, 15° up curved shaft, large straight tip	AR- <b>12210</b>
Suture Retriever, 3.4 mm, straight	AR- <b>12540</b>
Graft Passing Forceps w/ SR handle	AR- <b>13400SR</b>
Grasper, ø4.2 mm, straight shaft w/ SR handle, blunt straight tip	AR- <b>13500SR</b>
Grasper, ø4.2 mm, straight shaft w/ SR handle, alligator hook tip	AR- <b>13600SR</b>
KingFisher® Suture Retriever (f)	AR- <b>13970SR</b>
Elbow Instrument Case	AR- <b>8650C</b>
Required Disposables	
1.5 mm Pins for AR-6520, qty. 5	AR- <b>6521</b>
Blunt Needle for Portal Dilation Set, qty. 5	AR- <b>6523</b>

## Elbow Ulnar Collateral Ligament (UCL) Reconstruction Set


This set includes all the instrumentation needed to perform elbow UCL reconstructions and accommodates the modified Jobe, docking, and DANE TJ techniques in addition to techniques using tenodesis screws or button fixation. This set's guided instruments, drills, and reamers allows precise placement of bone tunnels and sockets in the ulna and humeral epicondyle. The recommended disposable kits provide novel instruments to easily pass sutures through the prepared bone tunnels and sockets, making graft passage quick and easy.

Product Description	Item Number
Elbow UCL Reconstruction Set (a) includes	AR- <b>7700S</b>
Drill, 4.5 mm, cannulated	AR- <b>1204.5L</b>
Drill, 4 mm, cannulated	AR- <b>1204L</b>
Drill, 5 mm, cannulated	AR- <b>1205L</b>
UCL Humeral Tunnel Guide Sleeve, 5 mm × 15 mm <b>(b)</b>	AR- <b>7710</b>
UCL Humeral Tunnel Drill Bit, 4.5 mm	AR- <b>7710-4.5</b>
UCL Humeral Tunnel Drill Bit, 5.0 mm	AR- <b>7710-5.0</b>
UCL Humeral Socket Drill Guide, 4.5 mm × 15 mm	AR- <b>7711</b>
Adjustable Humeral Guide, 4.5 mm (c)	AR- <b>7720</b>
Humeral Drill, 2.0 mm	AR- <b>7720-2.0</b>
Humeral Drill, 3.5 mm	AR- <b>7720-3.5</b>
Humeral Drill 4.0 mm (h)	AR- <b>7720-4.0</b>
UCL Graft Sizing Block (f)	AR- <b>7730</b>
V-guide Drill, 3.5 mm	AR- <b>7750-3.5</b>
Ulna V-guide, 55° <b>(d)</b>	AR- <b>7750-55</b>
Ulna Partial V-guide Drill, 55°	AR- <b>7750-55M</b>
Intersecting V-guide Obturator	AR- <b>7751</b>
Drill Guide, 3.5 mm	AR- <b>7752</b>
Ulna Offset Guide, 7.0 mm (e)	AR- <b>7755</b>
#2 Curette, 7 in long, 45° tip	AR- <b>7799-2</b>
#3-0 Curette, 7 in long, 45° tip	AR- <b>7799-3-0</b>
#4 Curette, 7 in long, 45° tip (g)	AR- <b>7799-4-0</b>
Elbow UCL Reconstruction Case	AR- <b>7700C</b>

Product Description	Item Number
UCL Suture Passing Disposables Kit (i) Includes #2 TigerLoop™ suture, #2 FiberLoop® suture, curved Micro SutureLasso™ suture passer w/ wire loop, 4.5 mm wire skid, chamfer tool, 2 suture-passing wires, suture passer, blunt curved needle w/ nitinol loop, and 6-in ruler	AR- <b>7715-4.5</b>
UCL InternalBrace Ligament Augmentation Kit (j) Includes two 3.5 mm PEEK SwiveLock® anchors, 8-in collagen-coated FiberTape® suture (blue), 0 FiberWire® suture (white), 2.7 mm drill, drill guide, 3.8 mm punch/tap (gray), 4.2 mm tap (red), and free needle (½ circle, tapered)	AR- <b>7715</b>

#### Literature

Product Description	Item Number
Elbow UCL Repair With the UCL <i>Internal</i> Brace™	LT1-000230-en-US
System	





# **AC Reconstruction Systems**

Low-Profile AC Implant	68
Dog Bone™ Button	68
AC TightRope® Implant	69
AC <i>Internal</i> Brace™ Ligament Augmentation Repair	69
Twin Tail TightRope® Implant	69
Adjustable AC Guides	70
Coracoid Passing Instruments	70
AC Joint Master Set	71
Open Chronic AC Joint Reconstruction	71

## **Low-Profile AC Implant**



The Low-Profile AC implant and Dog Bone™ button combine to form a strong, low-profile device optimized for the stabilization of acute AC joint separations. This dual construct features two independent tensionable TightRope sutures preassembled into a clavicle insert and a Dog Bone button that attaches separately to the suture loops after they are passed antegrade through the 3 mm bone tunnels.

Product Description	Item Number
Low-Profile AC Implant Kit	AR- <b>2371</b>
Includes knotless AC implant, Dog Bone button,	
3 mm drill, SutureLasso™ SD wire loop, and 5.1 mm	
cannulated reamer	
Knotless AC Implant	AR- <b>2370</b>
5.1 mm Cannulated Reamer w/ Stop	AR- <b>2374</b>
Required Instruments and Disposables	
Acromioclavicular Joint Master Set	AR- <b>2255MS</b>
SutureLasso SD Wire Loop, 5/box	AR- <b>4068-05SD</b>
Cannulated Drill for AC Repair, 3 mm <b>or</b>	AR- <b>2257D-30</b>
Cannulated Drill for AC Repair, 2.4 mm	AR- <b>2257D-24</b>

## Literature

Product Description	Item Number
Low-Profile AC Repair System	LT <b>1-00059-EN</b>

## **Dog Bone**<sup>™</sup> **Button**




The precontoured, titanium Dog Bone button allows the use of knotless TightRope® technology or multiple FiberTape® sutures for AC joint reduction. The buttons are attached to the Knotless TightRope® implant or FiberTape sutures independently, only suture material will be passed through the clavicle and coracoid tunnels, allowing the repair to be completed through smaller tunnels.

Product Description	Item Number
Acute AC Repair Kit	AR- <b>2271</b>
Includes Dog Bone button preloaded onto FiberTape	
and TigerTape™ Loops, free Dog Bone button, 3 mm	
cannulated drill, and nitinol suture-passing wire	
Dog Bone Button	AR- <b>2270</b>
FiberTape Loop	AR- <b>7275</b>
TigerTape Loop	AR- <b>7275T</b>
Required Instruments and Disposables	
Acromioclavicular Joint Master Set	AR- <b>2255MS</b>
SutureLasso SD Wire Loop, 5/box	AR- <b>4068-05SD</b>
Cannulated Drill for AC Repair, 3 mm <b>or</b>	AR- <b>2257D-30</b>
Cannulated Drill for AC Repair, 2.4 mm	AR- <b>2257D-24</b>
Optional	
Clavicle Button	AR- <b>2257-01</b>
Coracoid Button	AR- <b>2257-02</b>
Clavicle Washer	AR- <b>2258-03</b>

#### Literature

Product Description	Item Number
AC Repair - Dog Bone Button Surgical Technique	LT <b>1-0531-EN</b>

## **AC TightRope® Implant**



This implant allows surgeons to easily reconstruct acute AC joint separations in a minimally invasive manner, either open or arthroscopic, using a 4-strand continuous loop of #5 FiberWire® suture interlaced between 2 titanium buttons.

Product Description	Item Number
AC TightRope Repair Kit Includes AC TightRope implant, suture-passing wire, and knot pusher	AR- <b>2257</b>
Required Instruments	
AC Joint Reconstruction Master Set	AR- <b>2255MS</b>
Required Disposables	
2.4 mm Drill-Tip Guide Pin	AR- <b>1250L</b>
Optional Disposables	
SutureLasso™ SD Wire Loop, 5/box	AR- <b>4068-05SD</b>
Button Inserter	AR- <b>2262</b>

## AC InternalBrace™ Ligament **Augmentation Repair**



Internal Brace ligament augmentation repair combined with CC ligament fixation may help limit posterior displacement of the clavicle. A 5 mm offset guide can help drill the acromion and clavicle anteriorly. The guide accepts both the existing 3.5 mm and 4.75 mm SwiveLock® drills.

Product Description	Item Number
5 mm Offset Guide for AC <i>Internal</i> Brace Ligament Augmentation Repair <b>(a)</b>	AR- <b>2276-05</b>
Twist Drill for 4.75 mm SwiveLock Anchor (b)	AR- <b>2276D</b>
Drill for 3.5 mm SwiveLock Anchor, sterile	AR- <b>2325D-ST</b>
BioComposite SwiveLock C Anchor, 4.75 mm × 19.1 mm	AR- <b>2324BCC</b>
BioComposite SwiveLock Anchor, 3.5 mm × 15.8 mm	AR- <b>2325BCC</b>
FiberTape® Suture, 2 mm, 7 in (blue), each end tapered to #2 FiberWire® suture	AR- <b>7237-7</b>

The Internal Brace surgical technique is intended only to augment the primary repair/  $reconstruction \ by \ expanding \ the \ area \ of \ tissue \ approximation \ during \ the \ healing$ period and is not intended as a replacement for the native ligament. The Internal Brace technique is for use during soft tissue-to-bone fixation procedures and is not cleared for bone-to-bone fixation.


# Twin Tail TightRope® Implant



This implant features 2 independent clavicle button tails and is designed to help reduce and stabilize the AC joint for open, acute AC injuries.

Product Description	Item Number
Twin Tail TightRope	AR- <b>2264</b>
Required Instruments	
Drill-Tip Guide Pin, 2.4 mm	AR- <b>1250L</b>
Cannulated Drill, 4.5 mm	AR- <b>1204.5L</b>
Cannulated Long Drill, 4 mm	AR- <b>1204LX</b>
Button Inserter	AR- <b>2262</b>
SutureLasso SD Suture Passer, crescent <b>or</b>	AR- <b>4068C</b>
Micro SutureLasso™ Suture Passer, minor bend	AR- <b>8701</b>
Optional Instruments	
Guide Pin Sleeve	AR- <b>2255CG-02</b>


## **Adjustable AC Guides**



The adjustable AC guides give surgeons the ability to arthroscopically hook or rest the tip of the guide on the medial side of the coracoid, as well as independently adjust the guide medially and laterally on the clavicle.

Product Description	Item Number
AC Target Guide, left	AR- <b>2253L</b>
AC Target Guide, right	AR- <b>2253R</b>
AC Drill Guide Assembly	AR- <b>2273</b>
ACL Guide Frame Handle Assembly	AR- <b>1510H</b>
Drill Sleeve, 3 mm	AR- <b>2255CG-05</b>

## **Coracoid Passing Instruments**



The AC wire passer and flexible obturator allow surgeons to arthroscopically pass a graft around the coracoid to address chronic AC injuries. This system is intended to be used in conjunction with mechanical reduction and fixation of the CC ligaments, particularly with Dog Bone™ buttons and FiberTape® sutures. The coracoid passer is designed to fit through a small incision on the clavicle and curve around the coracoid, allowing the surgeon to pass a FiberStick™ suture through the cannulation and retrieve it on the lateral side of the coracoid. The flexible obturator is designed to shuttle around the coracoid and dilate the soft tissue prior to passing an allograft or autograft.

Product Description	Item Number
AC Wire Passer	AR- <b>2252</b>
Flexible Obturator	AR- <b>2275</b>

## **AC Joint Master Set**



The Acromioclavicular Joint Reconstruction System contains the instrumentation necessary to complete the acute and chronic AC joint repair techniques.

Product Description	Item Number
AC Joint Reconstruction System includes	AR-2255MS
Cannulated Drill, 4 mm	AR- <b>1204L</b>
Cannulated Drill, 4.5 mm	AR- <b>1204.5L</b>
Cannulated Headed Reamer, 5 mm	AR- <b>1405</b>
Cannulated Headed Reamer, 5.5 mm	AR- <b>1405.5</b>
Cannulated Headed Reamer, 6 mm	AR- <b>1406</b>
Cannulated Headed Reamer, 6.5 mm	AR- <b>1406.5</b>
ACL Guide Frame Handle Assembly	AR- <b>1510H</b>
AC Guide, left	AR- <b>2254L</b>
AC Guide, right	AR- <b>2254R</b>
Guide Pin Sleeve, 2.4 mm	AR- <b>2255CG-02</b>
Clavicle Drill Positioner	AR- <b>2255CG-03</b>
Drill Stop	AR- <b>2255CG-04</b>
Drill Sleeve, 3 mm	AR- <b>2255CG-05</b>
AC Tenodesis Screw Driver	AR- <b>2255D</b>
Coracoid Graft Passer, left	AR- <b>2256L</b>
Coracoid Graft Passer, right	AR- <b>2256R</b>
AC GraftRope Graft Sizer	AR- <b>2265</b>
Forked Probe	AR- <b>6002</b>
AC Joint Instrumentation Case	AR- <b>2255MC</b>
Optional	*
Guide Arm, left	AR- <b>2253L</b>
Guide Arm, right	AR- <b>2253R</b>
AC Drill Guide Assembly	AR- <b>2273</b>

## **Open Chronic AC Joint Reconstruction**

This system enables surgeons to reconstruct chronic AC joint separations anatomically using a tendon graft with backup mechanical fixation. The technique uses  $5.5 \text{ mm} \times 8 \text{ mm}$  PEEK tenodesis screws to achieve strong graft fixation in the clavicle and allows surgeons to recreate the conoid and trapezoid coracoclavicular ligament bundles. The graft is protected during the healing process by using a strand of FiberWire® suture as backup mechanical fixation.


Product Description	Item Number
PEEK Tenodesis Screw, 5.5 mm × 8 mm	AR- <b>1655PS</b>
Required	
AC Joint Reconstruction Master Set	AR- <b>2255MS</b>
Disposables	
SutureLasso™ SD Wire Loop, 5/box	AR- <b>4068-05SD</b>
#2 FiberWire Suture, 38 in w/ tapered needle	AR- <b>7200</b>
#2 FiberWire Suture, 38 in	AR- <b>7233</b>
Optional	
Bio-Tenodesis Tap, 5.5 mm × 15 mm	AR- <b>1555T</b>
Tear-Drop Handle (required w/ tap)	AR- <b>2001</b>
Nitinol Guide Pin, 1.1 mm, 6/box	AR- <b>1249</b>
Bio-Tenodesis Disposible Kit, sterile, 5/box	AR- <b>1676DS</b>



## **Glenoid Bone Loss**

Glenoid Bone Loss Set	74
Distal Tibia Allograft Workstation	75

#### **Glenoid Bone Loss Set**



The Glenoid Bone Loss Set helps surgeons address the complexity of shoulder instability caused by bony pathology such as anterior glenoid bone loss, bony Bankart lessions, glenoid fractures, and engaging Hill-Sachs lesions.

#### 3.75 mm Cannulated Titanium Screws

- Partially and fully threaded options
- Self-drilling and self-tapping
- Cannulated shaft accepts 1.6 mm guide pins
- Lengths in 2 mm increments (26 mm to 42 mm)
- Low-profile head
- Standard 2.5 mm hexagonal drive
- Cancellous thread profile

#### **Open Latarjet Instruments**

This unique instrumentation helps make the Latarjet technique more consistent and reproducible.

- Osteotome blade with blade shield for coracoid graft retrieval
- Retractors to ease exposure
- Coracoid-grasping drill guide helps control and prepare graft
- Glenoid offset guide holds graft in position on the glenoid, while firmly fixed in place

#### **Bony Bankart/Glenoid Fracture Instruments**

These instruments have been designed to allow placement of the partially threaded 3.75 mm cannulated screws, either percutaneously or through a standard arthroscopic cannula.

- Long nesting guide sleeves
- Long, 2.75 mm cannulated drill
- Long, 2.5 mm hexagonal driver

#### Instruments

Product Description	Item Number
Glenoid Bone Loss Set includes	AR- <b>7000S</b>
Osteotome Blade Shield	AR- <b>7000-02</b>
Parallel Drill Guide, 4 mm offset	AR- <b>7000-03</b>
Parallel Drill Guide, 6 mm offset	AR- <b>7000-04</b>
Parallel Drill Guide, 8 mm offset	AR- <b>7000-05</b>
Screw Length Sizer	AR- <b>7000-06</b>
Coracoid Drill Guide	AR- <b>7000-07</b>
Fukuda Retractor, small	AR- <b>7000-08</b>
Kolbel Glenoid Retractor	AR- <b>7000-09</b>
Nesting Guide Sleeves	AR- <b>7000-12</b>
Cannulated Hex Driver, 2.5 mm	AR- <b>7000-13</b>
Cannulated Drill, 2.75 mm	AR- <b>7000-14</b>
"No Offset" Parallel Drill Guide	AR- <b>7000-16</b>
Drill, 4 mm	AR- <b>1204D</b>
Osteotome Handle	AR- <b>2961</b>
Drill Guide Handle	AR- <b>9215-1</b> - <b>01</b>
Cannulated Driver Handle w/ AO Connection	AR- <b>13221AOC</b>
Gelpi Subscapularis Retractor	AR- <b>8104</b>
Glenoid Bone Loss Instrument Case	AR- <b>7000C</b>
Screw Caddy, 3.75 mm, fully threaded screw	AR- <b>7000SC-1</b>
Screw Caddy, 3.75 mm, partially threaded screw	AR- <b>7000SC-2</b>
Optional Instruments	
Angled Saw Blade	AR- <b>300-450S</b>
Coracoid Drill Guide, shallow jaw	AR- <b>7000-17</b>
Bony Bankart Drill Guide	AR- <b>7050</b>
Modular Soft Tissue Retractor Body	AR- <b>8170</b>
20° Soft Tissue Atraumatic Paddle, 50 mm, left	AR- <b>8171-50DL</b>
20° Soft Tissue Atraumatic Paddle, 50 mm, right	AR- <b>8171-50DR</b>
20° Soft Tissue Atraumatic Paddle, 75 mm, left	AR- <b>8171-75DL</b>
20° Soft Tissue Atraumatic Paddle, 75 mm, right	AR- <b>8171-75DR</b>
Mini-Open Shoulder Retractor	AR- <b>8100-21</b>

### **Glenoid Bone Loss Set (Cont.)**

#### Implants and Disposables

Product Description	Item Number
Osteotome Blade Latarjet	AR- <b>7000-01</b>
Guidewires	
0.062 in (1.6 mm), 6 in long	AR- <b>8941-6</b>
0.062 in (1.6 mm), 7 in long	AR- <b>8941-7</b>
0.062 in (1.6 mm), 12 in long	AR- <b>8941-12</b>
3.75 mm Partially Threaded Cannulated Screws	
26 mm	AR- <b>7000-26</b>
28 mm	AR- <b>7000-28</b>
30 mm	AR- <b>7000-30</b>
32 mm	AR- <b>7000-32</b>
34 mm	AR- <b>7000-34</b>
36 mm	AR- <b>7000-36</b>
38 mm	AR- <b>7000-38</b>
40 mm	AR- <b>7000-40</b>
42 mm	AR- <b>7000-42</b>
3.75 mm Fully Threaded Cannulated Screws	
26 mm	AR- <b>7000-26FT</b>
28 mm	AR- <b>7000-28FT</b>
30 mm	AR- <b>7000-30FT</b>
32 mm	AR- <b>7000-32FT</b>
34 mm	AR- <b>7000-34FT</b>
36 mm	AR- <b>7000-36FT</b>
38 mm	AR- <b>7000-38FT</b>
40 mm	AR- <b>7000-40FT</b>
42 mm	AR- <b>7000-42FT</b>
Product Description	Item Number
Titanium Washer for 3.75 mm Screw	AR- <b>7000-15</b>
Wedged Profile Plate	AR- <b>8111</b>
Titanium Suture Washer, w/ #2 FiberWire® suture and curved needle	AR- <b>7000-18T</b>

#### Literature

Product Description	Item Number
Congruent-Arc Latarjet Surgical Technique	LT <b>1-0556-EN</b>

## **Distal Tibia Allograft Workstation**



The workstation facilitates preparation of fresh osteochondral distal tibia allograft to help address the complex issue of shoulder instability caused by bony pathology in conjunction with the Glenoid Bone Loss Set. This set is designed to allow for customizable, consistent, reproducible allograft preparation. Available as a loaner set only.

Product Description	Item Number
Distal Tibia Allograft Workstation includes	AR- <b>7001S</b>
Cannulated Drill, 4 mm	AR- <b>7000D</b>
Sizing Template, 7 mm × 5°	AR- <b>7000-7-5</b>
Sizing Template, 7 mm × 10°	AR- <b>7000-7</b> -10
Sizing Template, 7 mm × 15°	AR-7000-7-15
Sizing Template, 10 mm × 5°	AR- <b>7000-10-5</b>
Sizing Template, 10 mm × 10°	AR- <b>7000-10-10</b>
Sizing Template, 10 mm × 15°	AR- <b>7000-10-15</b>
Allograft Workstation	AR- <b>7001</b>
Cutting Block Assembly, 7 mm × 5°	AR- <b>7001-7-5</b>
Cutting Block Assembly, 7 mm × 10°	AR- <b>7001-7</b> -10
Cutting Block Assembly, 7 mm × 15°	AR- <b>7001-7</b> - <b>15</b>
Cutting Block Assembly, 10 mm × 5°	AR- <b>7001-10-5</b>
Cutting Block Assembly, 10 mm × 10°	AR- <b>7001-10</b> -10
Cutting Block Assembly, 10 mm × 15°	AR- <b>7001-10</b> - <b>15</b>
Holding Post Assembly	AR- <b>7002</b>
Cutting Block Base Assembly	AR- <b>7003</b>
Cutting Block Assembly, graft thickness	AR- <b>7004</b>
Graft Post Assembly	AR- <b>7006</b>
Parallel Drill Guide Assembly, w/ extensions	AR- <b>7007</b>
Parallel Drill Guide Assembly, w/o extensions	AR- <b>7008</b>
Cutter Stop	AR- <b>7009</b>
Cutting Block Assembly, length	AR- <b>7010</b>
Guidewire, 0.090 in × 4 in	AR- <b>7011</b>
Glenoid Drill Guide Handle, long	AR- <b>9215-1-02</b>
Distal Tibia Allograft Workstation Case	AR- <b>7001C</b>

#### Literature

Product Description	Item Number
Distal Tibia Allograft Workstation for Glenoid Bone	LT <b>1-00062-EN</b>
Loss Surgical Technique	



# Fracture Management

FiberTape® Cerclage System	78
FiberTape® Sternal Closure	79
Clavicle Plate and Screw System	80



The FiberTape cerclage system consists of specially designed FiberTape sutures, passing needles, passing hooks, and a tensioner. The system is designed to replace standard cable and wire systems commonly used in upper and lower extremity trauma, arthroplasty, and sternal closure indications.

- 100% radiolucent no radiographic interference from cerclage
- No concerns of metal mismatch with adjacent implants
- No sharp ends or broken wires to potentially harm the patient or medical staff
- No metal debris migration or concerns of metallosis

Product Description	Item Number
FiberTape Cerclage (blue), w/ TigerLink suture shuttle and loader	AR- <b>7268</b>
TigerTape™ Cerclage (white/black), w/ FiberLink™ suture shuttle and loader	AR- <b>7268T</b>
FiberTape Cerclage Modular Instrument Set includes	AR- <b>7830S</b>
Tensioner, reusable	AR- <b>7800</b>
Tensioner w/ Ratcheting Handle, reusable	AR- <b>7801</b>
Quick Connect Handle, 1/4 in square, Nonratcheting Handle, reusable	AR- <b>2003NR</b>
Straight Medium Passing Hook, reusable	AR- <b>7831</b>
Straight Large Passing Hook, reusable	AR- <b>7832</b>
Trochanteric Passing Hook, reusable	AR- <b>7833</b>
Left Offset Passing Hook, reusable	AR- <b>7834L</b>
Right Offset Passing Hook, reusable	AR- <b>7834R</b>
Curved Passing Hook, reusable	AR- <b>7835</b>
Blunt Medium Passing Hook, reusable	AR- <b>7836</b>
Blunt Large Passing Hook, reusable	AR- <b>7837</b>
Cerclage Modular Instrument Case	AR- <b>7830C</b>
Disposables	
Cerclage Passing Needle, medium, disposable, qty 5	AR- <b>7816</b>
FiberTape Cerclage Disposable Tensioner (a)	AR- <b>7820</b>
FiberTape Cerclage Straight Passer, medium,	AR- <b>7821</b>

iberTape Cerclage Straight Passer, large, lisposable (black) <b>(c)</b>	AR- <b>7822</b>
FiberTape Cerclage Trochanter Passer, disposable yellow) (b)	AR- <b>7823</b>
FiberTape Cerclage Offset Passer, right, disposable red) (f)	AR- <b>7824R</b>
FiberTape Cerclage Offset Passer, left, disposable (green) (g)	AR- <b>7824L</b>
FiberTape Cerclage Straight Passer, small, disposable (blue) <b>(e)</b>	AR- <b>7825</b>

#### Literature

Product Description	Item Number
FiberTape Cerclage System Surgical Technique	LT1-00130-EN



## FiberTape® Sternal Closure



The FiberTape sternal closure system is a 100% nonmetallic, suture-based alternative to metal wires traditionally used to close the sternum after cardiac surgery. The FiberTape sternal closure implant, which is implanted similarly to metal wires, provides strong, reproducible compression<sup>1</sup> that helps support sternal approximation and stabilization.

Product Description	Item Number
FiberTape Sternal Closure (white/blue), w/ cutting needle	AR- <b>7288</b>
FiberTape Sternal Closure (white/black), w/ cutting needle	AR- <b>7288T</b>
FiberTape Sternal Closure (white/blue), w/ blunt needle	AR- <b>7289</b>
FiberTape Sternal Closure (white/black), w/ blunt needle	AR- <b>7289T</b>
Disposables	
Cerclage Passing Needle, medium, disposable, qty 5	AR- <b>7816</b>
FiberTape Cerclage Disposable Tensioner	AR- <b>7820</b>
Reverse Cutting Spring-Eye Needle, 60 mm	AR- <b>7283</b>
Instrumentation	
FiberTape Cerclage Tensioner, reusable	AR- <b>7800</b>
FiberTape Cerclage Tensioner Handle, reusable	AR- <b>7801</b>
Sternal Needle Driver	AR- <b>5050-04</b>
FiberWire Scissor	AR- <b>11796</b>
FiberTape Cerclage Tray	AR- <b>7800C</b>


#### Literature

Product Description	Item Number
FiberTape® Sternal Closure Syste	m Technique LT <b>1-000193-EN</b>




#### Reference

1. Arthrex, Inc. Data on file (APT 5056). Naples, FL; 2021.



## **Clavicle Plate and Screw System**



This system is a comprehensive set of plates, screws, and instrumentation designed to treat central third and distal clavicle fractures. The low-profile, precontoured, stainless steel plates combine locking and nonlocking options.

Product Description	Item Number	
Clavicle Plate Set includes	AR- <b>2650S</b>	
Cannulated Driver Handle	AR- <b>13221AOC</b>	
BB-Tak	AR- <b>13226</b>	
Distal Clavicle Plate Positioning Handle	AR- <b>2659</b>	
Plate Bending Pliers	AR- <b>2660</b>	
Distal Clavicle Screw and Drill Guide, left	AR- <b>2664L</b>	
Distal Clavicle Screw and Drill Guide, right	AR- <b>2664R</b>	
Verbrugge Forceps w/ Pivoting Jaw	AR- <b>2662</b>	
K-wire, 0.062 in, 3 in	AR- <b>2663</b>	
T10 Hexalobe Driver	AR- <b>2665-T10</b>	
T15 Hexalobe Drive Shaft, long	AR- <b>2666-T15</b>	
Drill/Screw Guide Sleeve	AR- <b>2668</b>	
Drill 2 mm	AR- <b>2669</b>	
Screw Depth Indicator, 2.7 mm	AR- <b>2670</b>	
Step Drill for 2.5 mm Fragment Screw	AR- <b>2752</b>	
T8 Hexalobe Driver	AR- <b>8916-22</b>	
T15 Hexalobe Driver	AR- <b>8941DH</b>	
Drill Guide, 2.6 mm/1.35 mm	AR- <b>8943-03</b>	
Bone Reduction Forceps	AR- <b>8943-07</b>	
Screwdriver, T10 Hexalobe	AR- <b>8943-08</b>	
Screwdriver, T15 Hexalobe	AR- <b>8943-10</b>	
Screw Holding Sleeve	AR- <b>8943-11</b>	
Drill Bit, 2.5 mm	AR- <b>8943-13</b>	
Drill Guide, 3.5 mm/2.5 mm	AR- <b>8943-14</b>	
Depth Device	AR- <b>8943-15</b>	
Drill Bit, 2 mm	AR- <b>8943-16</b>	
Drill Guide, 2.7 mm, threaded	AR- <b>8943-17</b>	
Plate Bending Iron	AR- <b>8943-18</b>	
Freer Elevator	AR- <b>8943-19</b>	
Periosteal Elevator, 6 mm curved blade	AR- <b>8943-20</b>	
Sharp Hook	AR- <b>8943-21</b>	
Hohmann Retractor, 15 mm	AR- <b>8943-22</b>	

Lobster Claw Forceps	AR- <b>8943-23</b>
Drill Guide, 3.5 mm, threaded	AR- <b>8943-26</b>
Locking Bending Guide, 3.5 mm	AR- <b>8954-07</b>
Clavicle Plating System Instrument Case	AR- <b>2650C</b>
Additional Instruments	
Cannulated Drill, 3 mm	AR- <b>2257D-30</b>
Cannulated Drill, 2.4 mm	AR- <b>2257D-24</b>
Drill Pin, 3.7 mm for AR-2658TR	AR- <b>2272</b>
AC Guide, left	AR- <b>2254L</b>
AC Guide, right	AR- <b>2254R</b>
ACL Guide Frame Handle Assembly	AR- <b>1510H</b>
Drill Sleeve, 3 mm	AR- <b>2255CG-05</b>
T8 Hexalobe Driver	AR- <b>2665-T8</b>
Lobster Claw, slotted	AR- <b>2671</b>
	<del></del>

#### Clavicle Plate Sizing Template for

Product Description	Item Number
AR-2650CL/CR	AR- <b>2650CT</b>
AR-2651CL/CR	AR- <b>2651CT</b>
AR-2652CL/CR	AR- <b>2652CT</b>
AR-2653CL/CR	AR- <b>2653CT</b>
AR-2654CL/CR	AR- <b>2654CT</b>
AR-2655CL/CR	AR- <b>2655CT</b>
AR-2656DL/DR	AR- <b>2656DT</b>
AR-2657DL/DR	AR- <b>2657DT</b>
AR-2685DL/DR-10	AR- <b>2685DT-10</b>
AR-2622DL/DR	AR- <b>2622DT</b>
AR-2680ST	AR- <b>2680STT</b>


#### Low-Profile Screws (2 mm increments)

Product Description	Item Number
3.5 mm Nonlocking Screw, cortical, 8 mm - 30 mm	AR- <b>8835-08</b> to - <b>30</b>
3.5 mm Locking Screw, 8 mm - 24 mm	AR- <b>8835L-08</b> to - <b>24</b>
2.7 mm Nonlocking Screw, cortical, 10 mm - 24 mm	AR- <b>8827-10</b> to - <b>24</b>
2.7 mm Locking Screw, 8 mm - 24 mm	AR- <b>8827L-08</b> to - <b>24</b>
2.7 mm Screw Caddy	AR- <b>8827C-10</b>
4 mm Nonlocking screw, cancellous, 10 mm - 24 mm	AR- <b>8840-10</b> to - <b>24</b>
3 mm Nonlocking screw, cancellous, 10 mm - 24 mm	AR- <b>8830-10</b> to - <b>24</b>

#### Fragment Screws (2 mm increments)

Product Description	Item Number
2.5 mm Fragment Screw, 10 mm - 24 mm	AR-2665-10H to -24H
Required Instruments for Fragment Screw	
Step Drill	AR- <b>2752</b>
T8 Hexalobe Driver	AR- <b>2665-T8</b>

## Clavicle Plate and Screw System (Cont.)



#### Clavicle Fracture Plates, SS, sterile

Product Description	Item Number
Central Third, left (a)	AR- <b>2650CL</b>
Central Third, right (g)	AR- <b>2650CR</b>
Central Third, left <b>(b)</b>	AR- <b>2651CL</b>
Central Third, right <b>(h)</b>	AR- <b>2651CR</b>
Central Third, left (c)	AR- <b>2652CL</b>
Central Third, right (i)	AR- <b>2652CR</b>
Central Third, left (d)	AR- <b>2653CL</b>
Central Third, right (j)	AR- <b>2653CR</b>
Central Third, left (e)	AR- <b>2654CL</b>
Central Third, right (k)	AR- <b>2654CR</b>
Central Third, left (f)	AR- <b>2655CL</b>
Central Third, right (I)	AR- <b>2655CR</b>
Central Third, 7 hole, straight* (m)	AR- <b>2680ST</b>

#### Distal Clavicle Fracture Plates, SS, sterile

Product Description	Item Number
Short, left (p)	AR- <b>2656DL</b>
Short, right (q)	AR- <b>2656DR</b>
Long, left (r)	AR- <b>2657DL</b>
Long, right (s)	AR- <b>2657DR</b>
10 hole, left* <b>(t)</b>	AR- <b>2685DL-10</b>
10 hole, right* <b>(u)</b>	AR- <b>2685DR-10</b>
22°, left* <b>(n)</b>	AR- <b>2622DL</b>
22°, right* <b>(o)</b>	AR- <b>2622DR</b>

#### Implants

Product Description	Item Number
Knotless Distal Clavicle Plate Button TightRope® Implant (Knotless distal clavicle plate button attached to large pec button preloaded on inserter)	AR- <b>2658TR</b>
Knotless Distal Clavicle Plate Button (Knotless TightRope suture preloaded on clavicle button for use w/ Dog Bone button)	AR- <b>2658T</b>
Distal Clavicle Plate Button	AR- <b>2658</b>
Dog Bone Button	AR- <b>2270</b>
FiberTape® Loop	AR- <b>7275</b>
TigerTape™ Loop	AR- <b>7275T</b>

### Literature

Product Description	Item Number
Clavicle Plate and Screw System Surgical Technique	LT <b>1-0255-EN</b>
Inventory Control Form	LF <b>1-0255-EN</b>

<sup>\*</sup>Plates are sterile packaged.



# **Shoulder-Positioning Devices**

TRIMANO® FORTIS Support Arm	84
Beach Chair Positioner	85
Shoulder Suspension System (S3)	86
3-Point Shoulder Distraction System	87
Arm Sleeves	87
Lateral Decubitus Shoulder Traction Tower	87
Accessory Items for Limb Positioners	87

TRIMANO is a registered trademark of Maquet GmbH.

### **TRIMANO® FORTIS Support Arm**

The TRIMANO FORTIS support arm acts as the surgical team's "third hand" by securely and safely holding the patient's arm in any desired position during arthroscopic or open shoulder surgery performed in the beach chair position. The compact and lightweight device is easily attached to any OR table Clark rail and is ready for immediate use. No additional power or air connections are required. The patient's arm can be moved in any direction by simply pressing the support arm handle. Releasing the handle locks it into the desired position. The convenient TRIMANO Beach Chair Kit includes a sterile drape for the support arm, an ergonomically designed foam arm holder and Coban™ self-adherent wrap, and allows for quick and easy patient preparation, while gently protecting the operative arm.

Product Description	Item Number
TRIMANO FORTIS Support Arm (a)	AR- <b>1740</b>
TRIMANO FORTIS Adapter (b)	AR- <b>1741</b>
TRIMANO Beach Chair Kit, 6/box (c)	AR- <b>1644</b>
TRIMANO Elbow Kit, 6/box (d)	AR- <b>1646</b>
TRIMANO Drape, 10/box	AR- <b>1648</b>
TRIMANO Wrist Positioner	AR- <b>1647</b>
TRIMANO FORTIS Leg Holder, reusable	AR- <b>1747-B</b>
TRIMANO FORTIS Knee Kit, 6/box	AR- <b>1747</b>

<sup>\*</sup>TRIMANO FORTIS is a registered trademark of Maquet GmbH. Coban is a registered trademark of 3M.



#### **Beach Chair Positioner**


The "Lift-Assist" Beach Chair Positioner System allows unobstructed posterior access and makes repositioning the patient quick and easy. The free-sliding head positioner feature protects the patient's neck when raising and lowering the table and the fold-away shoulder wings remove completely for unobstructed shear-free access to the operative shoulder. The liftassist design enables nearly effortless positioning as the piston supports most of the patient's weight.

Product Description	Item Number
"Lift-Assist" Beach Chair Positioner Includes reusable pad set, intubation pad and plate, beach chair clamps (2), and reusable security strap (a)	AR- <b>1627</b>
Required	
LPS Arm Support, required (d)	AR- <b>1627-01</b>
Counter Traction Strap, required (e)	AR- <b>1627-03</b>
Easy Lock Socket, 2 required (d)	AR- <b>1627-12</b>
Universal Head Positioner w/ Handles, required	AR- <b>1627-05</b>
Universal Head Positioner w/o Handles <b>(b)</b>	AR- <b>1627-20</b>
Head Positioner Disposable Kit, 10/box, required <b>(c)</b>	AR- <b>1627-06</b>
Beach Chair Cart, recommended	AR- <b>1627-13</b>
Replacement	
Reusable Pad Set (Replacement)	AR- <b>1627-09</b>
Intubation Pad and Plate (Replacement)	AR- <b>1627-10</b>
Beach Chair Rail Clamp US Replacement, qty 1	AR- <b>1627-11</b>
Reusable Security Strap for AR-1627-01 (Replacement)	AR- <b>1627-15</b>
UHP Velcro Strap (Replacement), qty 1	AR- <b>1627-17</b>
	<del>-</del>









## **Shoulder Suspension System (S3)**

The Arthrex Shoulder Suspension System for lateral decubitus position combines simple and intuitive functionality, providing the surgeon with optimum arthroscopic visualization for all shoulder pathology. The tower is lightweight and folds into a small vertical footprint for easy storage and setup by the clinical staff. Intraoperative control of abduction, internal/ external rotation, and lateral distraction can be easily performed in a sterile fashion, allowing for the utmost in direct control.

Product Description	Item Number
Shoulder Suspension System (S3)	AR- <b>1650S</b>
Shoulder Suspension Tower (a)	AR- <b>1650-01</b>
Arm Sleeve Connector, S3 (b)	AR- <b>1650-02</b>
Lateral Traction Sling Connector, S3 (c)	AR- <b>1650-03</b>
Weight Hanger, 10 lb (4.5 kg), S3 <b>(f)</b>	AR- <b>1650-04</b>
Weight, 2.5 lb (1.1 kg) (g)	AR- <b>1650-05</b>
Storage Cart, S3 (h)	AR- <b>1650-06</b>
US Clamp, S3	AR- <b>1650-07</b>
Arm Sleeve Disposable, S3, qty 6 (d)	AR- <b>1651</b>
Lateral Traction Sling Disposable, S3, qty 6 (e)	AR- <b>1652</b>







### **3-Point Shoulder Distraction System**



This versatile system provides safe, effective, and easy positioning of the shoulder during all types of arthroscopic or open shoulder surgery performed in the lateral decubitus position.

Product Description	Item Number
3-Point Shoulder Distraction System	AR- <b>1600M</b>

#### **Arm Sleeves**



The lateral traction arm sleeve provides a simple, economical "roll-down" solution for traction in the lateral decubitus position.

The STaR Sleeve™ arm holder is a soft foam traction boot designed to gently cradle the arm, forearm, and wrist during distal distraction in any desired position of abduction.

Product Description	Item Number
Lateral Traction Arm Sleeve, sterile, qty 5 (a)	AR- <b>1635</b>
STaR Sleeve, compact, Coban, sterile, qty 6 <b>(b)</b>	AR- <b>1606C</b>
STaR Sleeve, Coban, sterile, qty 6	AR- <b>1606</b>
STaR Sleeve, velcro, sterile, qty 6	AR- <b>1606V</b>
STaR Sleeve, velcro, extra long, sterile, qty 6	AR- <b>1606LV</b>
STaR Sleeve, velcro, small, sterile, qty 6	AR- <b>1606SV</b>
Cushioned Lateral Traction Sling for Instability, qty 6	AR- <b>1603</b>
Atraumatic Hand Holder Traction Attachment	AR- <b>1602D</b>


#### **Lateral Decubitus Shoulder Traction Tower**



This traction tower features a single boom arm that allows for abduction, forward flexion, and traction during open and arthroscopic procedures.

Product Description	Item Number
Lateral Decubitus Shoulder Traction Tower	AR- <b>1630</b>

## **Accessory Items for Limb Positioners**



Product Description	Item Number
Optional Accessories	
Traction Scale Attachment (a)	AR- <b>1604</b>
Weight Hanger, 10 lb (4.5 kg) <b>(b)</b>	AR- <b>1650-04</b>
Weight, 2.5 lb (1.1 kg) (c)	AR- <b>1650-05</b>
Storage Hook and Wall Mount	AR- <b>1605S</b>
Storage Stand for Limb Positioners (d)	AR- <b>1600SS</b>
Replacement Parts	
White Plastic Pulley Wheel	AR- <b>16000602</b>
Pulley Post Assembly for AR-16000602	AR- <b>16000510</b>
Lateral Traction Hub and Handle for AR-1600M	AR- <b>16001400</b>
Handle for AR-1600M Lateral Traction Hub	AR- <b>16001408</b>
Extension Arm Elevation Shaft Cap	AR- <b>16001607</b>
Small Black Knob for AR-1600M	AR- <b>1600A-01</b>
Base and Small Knobs Assembly for AR-1600M	AR- <b>16001500</b>
Base Assembly 5/16-18 Screw for AR-16001500	AR- <b>16110407</b>
Large Black Knob	AR- <b>1600A-02</b>
Swivel Lock Base for Large Knob Assembly for AR-1600M	AR- <b>16001200</b>



# **Anchor Charts**

Rotator Cuff Anchor Chart	90
Instability Anchor Chart	94
Knotless Tensionable Instability Anchor Chart	96
Soft Anchors	98

## **Rotator Cuff Anchor Chart**

	Dimensions	Anchor	Material	Suture	Item Number
The same the	3.9 mm × 11.2 mm	Knotless Corkscrew	β-ТСР	w/ #5 FiberWire® CL	AR- <b>1941BC</b>
	3.9 mm × 11.2 mm	Knotless Corkscrew	PEEK	w/ #5 FiberWire CL	AR- <b>1941PSV</b>
=	3.9 mm × 17.9 mm	SwiveLock C	β-TCP/PEEK	Closed Eyelet	AR- <b>2326BCC</b>
	3.9 mm × 17.9 mm	SwiveLock C	PEEK	Closed Eyelet	AR-2326PSLC
	4.5 mm × 14 mm	Corkscrew® FT	β-ТСР	w/ two #2 FiberWire	AR- <b>1927BCF-45</b>
	4.5 mm × 14 mm	Corkscrew FT	β-ТСР	w/ two #2 TigerTail®	AR- <b>1927BCFT-45</b>
	4.5 mm × 14 mm	Corkscrew FT	β-ТСР	w/ two #2 FiberWire and 4 needles	AR- <b>1927BCNF-45</b>
Third block	4.5 mm × 14 mm	Corkscrew FT	PEEK	w/ two #2 FiberWire and 4 needles	AR- <b>1927PNF-45</b>
Heleban	4.5 mm × 14 mm	Corkscrew FT	PEEK	w/ two #2 FiberWire	AR- <b>1927PSF-45</b>
	4.5 mm × 14 mm	Corkscrew FT	Titanium	w/ two #2 FiberWire	AR- <b>1928SF-45</b>
w(000000000	4.75 mm × 14 mm	Corkscrew FT	β-ТСР	w/ three #2 TigerTail	AR- <b>1927BCF-475</b>
1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	4.75 mm × 14 mm	Corkscrew FT	β-ТСР	w/ two 1.3 mm SutureTapes (wht/blk, wht/blu)	AR- <b>1927BCT-475</b>
	4.75 mm × 14 mm	Corkscrew FT	PEEK	w/ three #2 TigerTail	AR- <b>1927PSF-475</b>
	4.75 mm × 14 mm	Corkscrew FT	PEEK	w/ two 1.3 mm SutureTapes (wht/blk, wht/blu)	AR- <b>1927PST-475</b>
2-8 k	4.75 mm × 14 mm	Knotless Corkscrew	B-TCP	w/ #5 Suture	AR- <b>1927KBC</b>
	4.75 mm × 14 mm	Knotless Corkscrew	PEEK	w/ #5 Suture	AR- <b>1927KPS</b>
<b>+</b> ()))))))	4.5 mm × 24 mm	PushLock®	β-TCP/PEEK	Closed Eyelet	AR- <b>1922BC</b>
+11111111111	4.5 mm × 24 mm	PushLock	PEEK	Closed Eyelet	AR- <b>1922PS</b>
	4.5 mm × 28 mm	PushLock SP	β-TCP/Titanium	Self-Punching	AR- <b>1922BCM</b>
	4.5 mm × 28 mm	PushLock SP	PEEK/Titanium	Self-Punching	AR- <b>1922PSM</b>
	4.75 mm × 19.1 mm	Knotless SwiveLock C	β-TCP/PEEK	w/ #2 suture (blu) and SutureTape Link (wht/blk)	AR- <b>2324KBCC</b>
	4.75 mm × 19.1 mm	Knotless SwiveLock C	β-TCP/PEEK	w/ FiberTape Loop (blu), #2 suture (wht/blk), and SutureTape Link (wht/blu)	AR- <b>2324KBCCT</b>
	4.75 mm × 19.1 mm	Knotless SwiveLock C	β-TCP/PEEK	w/ TigerTape Loop (wht/blk), #2 suture (blu), and SutureTape Link (wht/blk)	AR-2324KBCCTT
	4.75 mm × 19.1 mm	SwiveLock C	β-TCP/PEEK	Closed Eyelet	AR- <b>2324BCC</b>
	4.75 mm × 19.1 mm	SwiveLock C	β-TCP/PEEK	Closed Eyelet w/ FiberTape® Loop (blu)	AR- <b>2324BCCT</b>
	4.75 mm × 19.1 mm	SwiveLock C	β-TCP/PEEK	Closed Eyelet w/ TigerTape™ Loop (wht/blk)	AR-2324BCCTT
	4.75 mm × 22 mm	SwiveLock C	β-TCP/PEEK	Closed Eyelet w/ two #2 TigerWire CL	AR- <b>2324BCC-2</b>
	4.75 mm × 22 mm	SwiveLock C	β-TCP/PEEK	Closed Eyelet w/ two #2 TigerTail (wht/blk, blu/blk)	AR- <b>2324BCT-2</b>
	4.75 mm × 19.1 mm	Knotless SwiveLock C	PEEK	w/ #2 suture (blu) and SutureTape Link (wht/blk)	AR- <b>2324KPSLC</b>
	4.75 mm × 19.1 mm	Knotless SwiveLock C	PEEK	w/ FiberTape Loop (blu), #2 suture (wht), SutureTape Link (wht/blu)	AR- <b>2324KPCT</b>
	4.75 mm × 19.1 mm	Knotless SwiveLock C	PEEK	w/ TigerTape Loop (wht/blk), #2 suture (blu), SutureTape Link (wht/blk)	AR- <b>2324KPCTT</b>

	Punch (required)	Punch/Tap (for hard bone)	Drill	Other
	AR- <b>1941P (a)</b>	AR- <b>1941PTB</b>	AR- <b>1941D</b>	AR-1941DG (b) AR-1941DS AR-1941PK
	AR- <b>2326P (c)</b>	AR- <b>2326PTB</b>	AR- <b>2326D</b>	N/A
	AR-1922P (d) or AR-1927PBS (disposable)	AR- <b>1927PTB-45 (e)</b> or AR- <b>1927PTB-45-2</b>	N/A	N/A
	Metal anchors do no	ot require instrumentation	1	
		AR- <b>1927PTB-475</b> (required)	N/A	N/A
18	AR- <b>1927KPB-475</b>	AR- <b>1927KTPB-475</b>	N/A	N/A
	AR-1922P (f) or AR-1922PBS (disposable)	N/A	N/A	N/A
	Self-punching PushL	ock anchors do not requ	ire instrumentat	ion
	AR-1927PB (g) or AR-1927PBS (disposable)	AR- <b>2324PB</b>	AR- <b>1927D</b>	N/A

## **Rotator Cuff Anchor Chart (Cont.)**

	Dimensions	Anchor	Material	Suture	Item Number
	4.75 mm × 19.1 mm	SwiveLock C	PEEK	Closed Eyelet	AR-2324PSLC
	4.75 mm × 19.1 mm	SwiveLock C	PEEK	Closed Eyelet w/ FiberTape Loop (blu)	AR- <b>2324PCT</b>
	4.75 mm × 19.1 mm	SwiveLock C	PEEK	Closed Eyelet w/ TigerTape Loop (wht/blk)	AR- <b>2324PCTT</b>
	4.75 mm × 22 mm	SwiveLock C	PEEK	Closed Eyelet w/ two #2 TigerTail (wht/blk, blu/blk)	AR-2324PSLC-2
orererer 🕒	4.75 mm × 19.1 mm	SwiveLock C	PLLA/PEEK	Closed Eyelet	AR- <b>2324BSLC</b>
))))))))	4.75 mm × 24.5 mm	SwiveLock SP	β-TCP/Titanium	Self-Punching	AR-2324BCM
	4.75 mm 24.5 mm	SwiveLock SP	PEEK/Titanium	Self-Punching	AR- <b>2324PSLM</b>
	4.75 mm × 24.5 mm	SwiveLock SP	Titanium	Self-Punching	AR- <b>2324SLM</b>
	5.5 mm × 14.7 mm	Corkscrew® FT	β-ТСР	w/ two 1.3 mm SutureTapes (wht/blk, wht/blu)	AR- <b>1927BCT</b>
	5.5 mm × 14.7 mm	Corkscrew FT	β-ТСР	w/ two #2 FiberWire®	AR- <b>1927BCF</b>
	5.5 mm × 14.7 mm	Corkscrew FT	β-ТСР	w/ three #2 FiberWire	AR- <b>1927BCF-3</b>
	5.5 mm × 14.7 mm	Corkscrew FT	β-ТСР	w/ two #2 TigerTail®	AR- <b>1927BCFT</b>
	5.5 mm × 14.7 mm	Corkscrew FT	β-ТСР	w/ two #2 FiberWire and 4 needles	AR- <b>1927BCNF</b>
	5.5 mm × 14.7 mm	Corkscrew FT	PEEK	w/ two #2 FiberWire and 4 needles	AR- <b>1927PNF</b>
Tilkikkinio	5.5 mm × 14.7 mm	Corkscrew FT	PEEK	w/ two #2 FiberWire	AR- <b>1927PSF</b>
	5.5 mm × 14.7 mm	Corkscrew FT	PEEK	w/ three #2 FiberWire	AR- <b>1927PSF-3</b>
	5.5 mm × 14.7 mm	Corkscrew FT	PLLA	w/ two #2 FiberWire	AR- <b>1927BF</b>
	5.5 mm × 16.3 mm	Corkscrew FT	Titanium	w/ two #2 FiberWire	AR- <b>1928SF-2</b>
at the last below.	5.5 mm × 16.3 mm	Corkscrew FT	Titanium	w/ three #2 FiberWire	AR- <b>1928SF-3</b>
All and	5.5 mm × 16.3 mm	Corkscrew FT	Titanium	w/ two #2 TigerTail	AR- <b>1928SFT-2</b>
	5.5 mm × 16.3 mm	Corkscrew FT	Titanium	w/ two #2 FiberWire and 4 needles	AR-1928SNF-2
	5.5 mm × 19.1 mm	Knotless SwiveLock	β-TCP/PEEK	w/ #2 suture (blu) and SutureTape Link (wht/blk)	AR- <b>2323KBCC</b>
· · · · · · · · · · · · · · · · · · ·	5.5 mm × 19.1 mm	SwiveLock® C	β-TCP/PEEK	Closed Eyelet	AR-2323BCC
	5.5 mm × 22 mm	SwiveLock C	β-TCP/PEEK	w/ two #2 TigerTail (wht/blk, blu/blk)	AR- <b>2323BCT-2</b>
	5.5 mm × 19.1 mm	Knotless SwiveLock	PEEK	w/ #2 suture (blu) and SutureTape Link (wht/blk)	AR-2323KPSLC
	5.5 mm × 19.1 mm	SwiveLock C	PEEK	Closed Eyelet	AR- <b>2323PSLC</b>
	5.5 mm × 22 mm	SwiveLock C	PEEK	w/ two #2 TigerTail (wht/blk, blu/blk)	AR-2323PSLC-2
	5.5 mm × 24.5 mm	SwiveLock SP	β-TCP/Titanium	Self-Punching	AR- <b>2323BCM</b>
KIIIIIKA -	5.5 mm × 24.5 mm	SwiveLock SP	PEEK/Titanium	Self-Punching	AR- <b>2323PSLM</b>
	5.5 mm × 24.5 mm	SwiveLock SP	Titanium	Self-Punching	AR- <b>2323SLM</b>
	6.5 mm × 14.7 mm	Corkscrew FT	β-ТСР	w/ two #2 FiberWire	AR- <b>1927BCF-65</b>
- Abbbb.	6.5 mm × 14.7 mm	Corkscrew FT	PEEK	w/ two #2 FiberWire	AR- <b>1927PSF-65</b>
	6.5 mm × 16.3 mm	Corkscrew FT	Titanium	w/ three #2 FiberWire	AR- <b>1929SF-3</b>

The 6.5 mm anchors are intended for backup; no instrumentation required.

Punch (required)	Punch/Tap (for hard bone)	Drill	Other
AR-1927PB (a) or AR-1927PBS (disposable)	AR- <b>2324PB</b>	AR- <b>1927D</b>	N/A
Self-punching Swive	eLock anchors do not re	equire instrumen	tation
AR-1927PB or AR-1927PBS (disposable)	AR- <b>1927CTB (b)</b>	AR- <b>1927D</b>	N/A
Titanium Corkscrew	/ FT anchors do not req	uire instrumenta	tion
AR-1927PB or AR-1927PBS (disposable)	AR- <b>1927CTB</b>	AR- <b>1927D</b>	N/A
Self-punching Swive	eLock anchors do not re	equire instrumen	tation
The 6.5 anchors are	e intended for backup, I	no instrumentatio	on required.

## **Instability Anchor Chart**

	Dimensions	Anchor	Material	Suture	Item Number
	2.0 mm × 12 mm	SutureTak®	β-ТСР	w/ #1 FiberWire®	AR- <b>1934BCF-20</b>
	2.0 mm × 12 mm	SutureTak	PEEK	w/ #1 FiberWire	AR- <b>1934PF-20</b>
	2.4 mm × 12 mm	SutureTak	β-ТСР	w/ #2 FiberWire	AR- <b>1934BCF-24</b>
	2.4 mm × 12 mm	SutureTak	β-ТСР	w/ two #2 FiberWire	AR- <b>1934BCF-24-2</b>
	2.4 mm × 12 mm	SutureTak	PEEK	w/ #2 FiberWire	AR- <b>1934PF-24</b>
	2.4 mm × 11.3 mm	PushLock®	β-ТСР	Use w/ #1 FiberWire, #2 FiberLink™ or 1.3 mm SutureTape	AR- <b>2922BC</b>
	2.4 mm × 11.3 mm	PushLock	PEEK	Use w/ #1 FiberWire, #2 FiberLink, or 1.3 mm SutureTape	AR- <b>2922PS</b>
	2.9 mm × 12.5 mm	PushLock (short)	β-ТСР		AR-2923BC
<b></b>	2.9 mm × 12.5 mm	PushLock (short)	PEEK		AR- <b>2923PS</b>
=:::::::===	2.9 mm × 15.5 mm	PushLock	β-ТСР		AR- <b>1923BC</b>
-	2.9 mm × 15.5 mm	PushLock	PEEK		AR- <b>1923PS</b>
	3 mm × 12.7 mm	Knotless SutureTak	β-ТСР	w/ #2 FiberWire CL suture	AR-1938BC
	3 mm × 12.7 mm	Knotless SutureTak	PEEK	w/ #2 FiberWire	AR-1938PS
	3 mm × 14.5 mm	SutureTak	β-ТСР	w/ 1.3 mm SutureTape (wht/blu)	AR- <b>1934BCT</b>
	3 mm x 14.5 mm	SutureTak	β-ТСР	w/ two 1.3 mm SutureTape (blu, blk/wht)	AR- <b>1934BCT-2</b>
	3 mm × 14.5 mm	SutureTak	β-ТСР	w/ #2 FiberWire	AR- <b>1934BCF</b>
	3 mm × 14.5 mm	SutureTak	β-ТСР	w/ two #2 FiberWire	AR- <b>1934BCF-2</b>
	3 mm × 14.5 mm	SutureTak	β-ТСР	w/ #2 TigerTail®	AR- <b>1934BCFT</b>
	3 mm × 14.5 mm	SutureTak	β-ТСР	w/ two #2 TigerTail	AR- <b>1934BCFT-2</b>
	3 mm x 14.5 mm	SutureTak	PEEK	w/ two 1.3 mm SutureTape (blu, blk/wht)	AR- <b>1934PST-2</b>
	3 mm × 12.4 mm	SutureTak	PEEK	w/ #2 FiberWire	AR- <b>1934PS</b>
	3 mm × 12.2 mm	SutureTak	PEEK	w/ two #2 FiberWire	AR- <b>1934PS-2</b>
	3 mm × 14.5 mm	SutureTak	PLDLA	w/ #2 FiberWire	AR- <b>1934BF</b>
	3.5 mm × 15.8 mm	SwiveLock® C	β-ТСР		AR- <b>2325BCC</b>
	3.5 mm × 15.8 mm	SwiveLock C	PEEK		AR-2325PSLC
	3.5 mm × 19.5 mm	PushLock	β-ТСР		AR- <b>1926BC</b>
	3.5 mm × 19.5 mm	PushLock	PEEK		AR- <b>1926PS</b>
	3.5 mm × 19.5 mm	PushLock	PLLA		AR- <b>1926B</b>
Commo Marco	3.9 mm x 11.2 mm	Knotless Corkscrew	β-ТСР	w/ #5 suture	AR- <b>1941BC</b>
	3.9 mm x 11.2 mm	Knotless Corkscrew	PEEK	w/ #5 suture	AR- <b>1941PSV</b>

	AR- <b>1941D</b>	AR-1906  AR-1941DG (e)  AR-1941DGF	AR- <b>1941DS</b>	AR- <b>1941PK</b>	N/A	
	AR- <b>1912</b>	AR- <b>1907</b> AR- <b>1909R</b>	AR- <b>1926DS</b> AR- <b>1926DS-2</b>	N/A	N/A	
	AR- <b>2325D</b> AR- <b>2325D-ST</b> (sterile)	AR- <b>1907 (d)</b> AR- <b>1909R</b> AR- <b>1906</b>	N/A	N/A	N/A	
						(e)
	AR- <b>1250LT</b> AR- <b>1257</b> (spade tip)	AR- <b>1949</b> AR- <b>1934R</b> AR- <b>1946</b> AR- <b>1317</b>	AR-1934DS-2 AR-1949S AR-1934GS	AR- <b>1934PI-30</b>	AR-1934DSSK AR-1250LTSR	(d)
	AR-1938D AR-1938DL (very hard bone, sterile)	AR- <b>1949</b>	AR- <b>1938DS</b> AR- <b>1949S</b>	AR- <b>1938PK</b>	AR- <b>1938DSR</b> AR- <b>1938DSSK</b>	
-	AR-1923D AR-1923D-ST (sterile) AR-1923DT (hard bone) AR-1923DT-ST (hard bone, sterile)					(c)
	AR-2923D AR-2923D-ST (sterile) AR-2923DT (hard bone) AR-2923DT-ST (hard bone, sterile)	AR-1949 AR-1946 AR-1317 AR-1949	AR-2923DS AR-1949S AR-1934GS AR-1923DS AR-1949S	AR- <b>1923PK</b> AR- <b>1923PK</b>	AR- <b>2923DSR</b> AR- <b>2923DSR</b>	(b)
•	AR-2922D-24-2 (sterile) AR-2922D-24-3 (hard bone, sterile)	AR-1949 (c) AR-1934R AR-1946 AR-1317	AR- <b>1949S</b>	AR- <b>2922PK</b>	AR- <b>2922DSR-24</b> AR- <b>2922DTSR-24</b>	
	AR-1934D-24 AR-1934D-24-1 (hard bone) AR-1934D-24-2 (very hard bone)	AR-1948 (b) AR-1948R AR-1948CT	AR-1934-24DS AR-1945S AR-1934GS	AR- <b>1934PI</b>	N/A	(a)
	AR- <b>1934D-20 or</b> AR- <b>1934D-20-1</b> (hard bone)	AR- <b>1986 (a)</b>	AR- <b>1934-20DS</b> AR- <b>2948D</b>	AR- <b>1934PI-20</b>	N/A	
	Drill Options	Spear/Guide Options (see page 24)	Disposable Options	Perc Kits	Shaver Drill	

## **Knotless Tensionable Anchor Chart**

Knotless FiberTak®	Dimensions	Anchor	Material	Suture	Item Number
	N/A	Knotless 1.8 FiberTak Gen2	Suture	#2 suture	AR- <b>3636</b>
	N/A	Knotless 1.8 FiberTak	Suture	#2 suture	AR- <b>3638</b>
	N/A	Knotless 2.6 FiberTak	Suture	#5 suture	AR- <b>3641</b>
	N/A	Self-Punching Knotless 2.6 FiberTak	Suture	w/ #5 suture	AR- <b>3641SP</b>
	N/A	Self-Punching Knotless 2.6 FiberTak RC	Suture	w/ 1.7 mm TigerTape™ Loop (wht/blk) and #2 suture (blu)	AR- <b>3653SP</b>
	N/A	Self-Punching Knotless 2.6 FiberTak RC	Suture	w/ 1.7 mm FiberTape® Loop (blu) and #2 suture (wht/blk)	AR- <b>3653TSP</b>
	N/A	Self-Punching Knotless 2.6 FiberTak RC	Suture	w/ 1.7 mm FiberTape Loop (blk/blu) and #2 suture (blu/blk)	AR- <b>3653-TTSP</b>
Knotless SutureTak®	Dimensions	Anchor	Material	Suture	Item Number
	3 mm × 12.7 mm	Knotless SutureTak	β-ТСР	w/ #2 suture	AR- <b>1938BC</b>
	3 mm × 12.7 mm	Knotless SutureTak	PEEK	w/ #2 suture	AR- <b>1938PS</b>
Knotless Corkscrew®	Dimensions	Anchor	Material	Suture	Item Number
	3.9 mm × 11.2 mm	Knotless Corkscrew	β-ТСР	w/ #5 FiberWire® CL	AR- <b>1941BC</b>
	3.9 mm × 11.2 mm	Knotless Corkscrew	PEEK	w/ #5 FiberWire CL	AR- <b>1941PSV</b>
	4.75 mm × 14 mm	Knotless Corkscrew	β-ТСР	w/ #5 Suture	AR- <b>1927KBC</b>
	4.75 mm × 14 mm	Knotless Corkscrew	PEEK	w/ #5 Suture	AR- <b>1927KPS</b>
Knotless SwiveLock®	Dimensions	Anchor	Material	Suture	Item Number
	4.75 mm × 19.1 mm	Knotless SwiveLock C	β-ТСР	w/ #2 suture (blu) and SutureTape Link (wht/blu)	AR- <b>2324KBCC</b>
	4.75 mm × 19.1 mm	Knotless SwiveLock C	β-ТСР	w/ FiberTape Loop (blu), #2 suture (wht/blk), SutureTape Link (wht/blu)	AR-2324KBCCT
Total Paris	4.75 mm × 19.1 mm	Knotless SwiveLock C	β-ТСР	w/ TigerTape Loop (wht/blk), #2 suture (blu), and SutureTape Link (wht/blk)	AR- <b>2324KBCCTT</b>
	4.75 mm × 19.1 mm	Knotless SwiveLock C	PEEK	w/ #2 suture (blu) and SutureTape Link (wht/blk)	AR-2324KPSLC
	4.75 mm × 19.1 mm	Knotless SwiveLock C	PEEK	w/ FiberTape Loop (blu), #2 suture (wht), SutureTape Link (wht/blu)	AR- <b>2324KPCT</b>
	4.75 mm × 19.1 mm	Knotless SwiveLock C	PEEK	w/ TigerTape Loop (wht/blk), #2 suture (blu), and SutureTape Link (wht/blk)	AR-2324KPCTT
	5.5 mm × 19.1 mm	Knotless SwiveLock C	β-ТСР	w/ #2 suture (blu) and SutureTape Link (wht/blu)	AR- <b>2323KBCC</b>
	5.5 mm × 19.1 mm	Knotless SwiveLock C	PEEK	w/ #2 suture (blu) and SutureTape Link (wht/blk)	AR-2323KPSLC

Punch/Tap	Drill Options	Spear/Guide Options (see page 24)	Disposable Options	Perc Kits	ShaverDrill	
N/A	AR-3610ND-2 (1.8 mm, flexible w/ hub, sterile) AR-3600ND-2 (1.8 mm, flexible, sterile) AR-3600D-2 (1.8 mm, rigid, sterile) AR-3600D-4 (1.9 mm, rigid, sterile) AR-3610ND-4 (1.9 mm, flexible w/ hub, sterile) AR-3600ND-4 (1.9, flexible, sterile)	AR-3610F AR-3610CT (a) AR-3610ST AR-3610CTC AR-3610CTC-2	AR-3638DC AR-3638DS AR-3610DC-3	AR- <b>3610PK-3</b>	AR-3610NSD-2	(a)
AR- <b>3656</b>	AR- <b>3657</b>	AR- <b>3655 (b)</b> AR- <b>1906</b> AR- <b>1907</b>	AR- <b>3650DS</b>	N/A	AR- <b>3657SD</b>	(b)
Punch/Tap	Drill Options	Spear/Guide Options (see page 24)	Disposable Options	Perc Kits	ShaverDrill	
N/A	AR- <b>1938D</b> (sterile) AR- <b>1938DL</b> (very hard bone, sterile)	AR- <b>1949 (c)</b>	AR- <b>1938DS</b>	AR- <b>1938PK</b>	AR-1938DSR AR-1938DSSK	(c)
Punch/Tap	Drill Options	Spear/Guide Options (see page 24)	Disposable Options	Perc Kits	ShaverDrill	
AR- <b>1941P</b> AR- <b>1941PTB</b>	AR- <b>1941D</b> (sterile)	AR-1941DG AR-1941DGF (d) AR-1941CT	AR- <b>1941DS</b>	AR- <b>1941PK</b>	N/A	
AR- <b>1927KPB-475</b>	AR- <b>1927KTPB-475</b>	N/A	N/A	N/A	N/A	
Punch/Tap	Drill Options	Spear/Guide Options (see page 24)	Disposable Options	Perc Kits	ShaverDrill	(d)
AR-1927PB (e) AR-2324PTB	AR- <b>1927D</b>	N/A	AR- <b>1927PBS</b>	N/A	N/A	(e)
AR- <b>1927P</b> AR- <b>1927CTB</b>	AR- <b>1927D</b>	N/A	AR- <b>1927PBS</b>	N/A	N/A	

Arth

## **Soft Anchors**

For Glenoid Repair	Anchor	Suture	Item Number
	FiberTak®	w/ #2 suture	AR- <b>3600</b>
	FiberTak	w/ two #2 sutures	AR- <b>3600-2</b>
	FiberTak	w/ 1.3 mm SutureTape	AR- <b>3602</b>
	FiberTak	w/ two 1.3 mm SutureTape	AR- <b>3602-2</b>
	FiberTak	w/ #2 TigerTail®	AR- <b>3603</b>
	FiberTak	w/ two #2 TigerTail	AR- <b>3603-2</b>
	Knotless 1.8 FiberTak Gen 2	w/#2 suture	AR- <b>3636</b>
	Kntoless 1.8 FiberTak	w/ #2 suture	AR- <b>3638</b>
	10		
For Rotator Cuff Repair	Anchor	Suture	Item Number
	Anchor  Self-Punching 2.6 FiberTak RC	Suture  W/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)	Item Number  AR-3652SP
	Self-Punching 2.6 FiberTak RC	w/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)	AR- <b>3652SP</b>
	Self-Punching 2.6 FiberTak RC Self-Punching 2.6 FiberTak RC	w/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)  w/ 1.7 mm FiberTape® Loop (blu) and 1.3 mm SutureTape (wht/blk)	AR- <b>3652SP</b> AR- <b>3652TSP</b>
	Self-Punching 2.6 FiberTak RC Self-Punching 2.6 FiberTak RC Self-Punching 2.6 FiberTak RC Self-Punching Knotless 2.6	w/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)  w/ 1.7 mm FiberTape® Loop (blu) and 1.3 mm SutureTape (wht/blk)  w/ 1.7 mm FiberTape Loop (blk/blu) and 1.3 mm SutureTape (blu)	AR-3652SP  AR-3652TSP  AR-3652TTSP
	Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching Knotless 2.6  FiberTak RC  Self-Punching Knotless 2.6	w/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)  w/ 1.7 mm FiberTape® Loop (blu) and 1.3 mm SutureTape (wht/blk)  w/ 1.7 mm FiberTape Loop (blk/blu) and 1.3 mm SutureTape (blu)  1.7mm TigerTape Loop (wht/blk) and #2 suture (blu)	AR-3652SP  AR-3652TSP  AR-3652TTSP  AR-3653SP
	Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC	w/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)  w/ 1.7 mm FiberTape® Loop (blu) and 1.3 mm SutureTape (wht/blk)  w/ 1.7 mm FiberTape Loop (blk/blu) and 1.3 mm SutureTape (blu)  1.7 mm TigerTape Loop (wht/blk) and #2 suture (blu)  1.7 mm FiberTape Loop (blu) and #2 suture (wht/blk)	AR-3652SP  AR-3652TSP  AR-3652TTSP  AR-3653SP  AR-3653TSP
	Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC	w/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)  w/ 1.7 mm FiberTape® Loop (blu) and 1.3 mm SutureTape (wht/blk)  w/ 1.7 mm FiberTape Loop (blk/blu) and 1.3 mm SutureTape (blu)  1.7mm TigerTape Loop (wht/blk) and #2 suture (blu)  1.7 mm FiberTape Loop (blu) and #2 suture (wht/blk)  1.7 mm FiberTape Loop (blu/blk) and #2 suture (blk/blu)	AR-3652SP  AR-3652TSP  AR-3652TTSP  AR-3653SP  AR-3653TSP  AR-3653TTSP
	Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Knotless 2.6 FiberTak  Self-Punching Knotless 2.6	w/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)  w/ 1.7 mm FiberTape® Loop (blu) and 1.3 mm SutureTape (wht/blk)  w/ 1.7 mm FiberTape Loop (blk/blu) and 1.3 mm SutureTape (blu)  1.7 mm TigerTape Loop (wht/blk) and #2 suture (blu)  1.7 mm FiberTape Loop (blu) and #2 suture (wht/blk)  1.7 mm FiberTape Loop (blu/blk) and #2 suture (blk/blu)  w/ #5 suture	AR-3652SP  AR-3652TSP  AR-3652TTSP  AR-3653SP  AR-3653TSP  AR-3653TTSP  AR-3641
	Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Knotless 2.6 FiberTak  Self-Punching Knotless 2.6 FiberTak RC	w/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)  w/ 1.7 mm FiberTape® Loop (blu) and 1.3 mm SutureTape (wht/blk)  w/ 1.7 mm FiberTape Loop (blk/blu) and 1.3 mm SutureTape (blu)  1.7 mm TigerTape Loop (wht/blk) and #2 suture (blu)  1.7 mm FiberTape Loop (blu) and #2 suture (wht/blk)  1.7 mm FiberTape Loop (blu/blk) and #2 suture (blk/blu)  w/ #5 suture  w/ #5 suture	AR-3652SP  AR-3652TSP  AR-3652TTSP  AR-3653SP  AR-3653TSP  AR-3653TTSP  AR-36411  AR-3641SP
	Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Knotless 2.6 FiberTak  Self-Punching Knotless 2.6 FiberTak RC  Knotless 2.6 FiberTak  Self-Punching Knotless 2.6 FiberTak  Self-Punching Knotless 2.6 FiberTak	w/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)  w/ 1.7 mm FiberTape® Loop (blu) and 1.3 mm SutureTape (wht/blk)  w/ 1.7 mm FiberTape Loop (blk/blu) and 1.3 mm SutureTape (blu)  1.7 mm TigerTape Loop (wht/blk) and #2 suture (blu)  1.7 mm FiberTape Loop (blu) and #2 suture (wht/blk)  1.7 mm FiberTape Loop (blu/blk) and #2 suture (blk/blu)  w/ #5 suture  w/ #5 suture  w/ #5 suture  w/ two 1.3 mm SutureTapes (wht/blu, wht/blk)	AR-3652SP  AR-3652TSP  AR-3652TTSP  AR-3653TSP  AR-3653TSP  AR-3653TTSP  AR-3641  AR-3641SP  AR-3632
	Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Knotless 2.6 FiberTak  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak  Self-Punching Knotless 2.6 FiberTak  Self-Punching Knotless 2.6 FiberTak	w/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)  w/ 1.7 mm FiberTape® Loop (blu) and 1.3 mm SutureTape (wht/blk)  w/ 1.7 mm FiberTape Loop (blk/blu) and 1.3 mm SutureTape (blu)  1.7 mm TigerTape Loop (wht/blk) and #2 suture (blu)  1.7 mm FiberTape Loop (blu) and #2 suture (wht/blk)  1.7 mm FiberTape Loop (blu/blk) and #2 suture (blk/blu)  w/ #5 suture  w/ #5 suture  w/ #5 suture  w/ two 1.3 mm SutureTapes (wht/blu, wht/blk)  w/ two 1.3 mm SutureTapes (wht/blu, wht/blk)	AR-3652SP  AR-3652TSP  AR-3652TTSP  AR-3653TSP  AR-3653TSP  AR-3653TTSP  AR-36411  AR-3641SP  AR-3632  AR-3632SP
	Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak RC  Knotless 2.6 FiberTak  Self-Punching Knotless 2.6 FiberTak RC  Self-Punching Knotless 2.6 FiberTak  Self-Punching Knotless 2.6 FiberTak  2.6 FiberTak  Self-Punching 2.6 FiberTak	w/ 1.7 mm TigerTape™ Loop (wht/blk) and 1.3 mm SutureTape (wht/blu)  w/ 1.7 mm FiberTape® Loop (blu) and 1.3 mm SutureTape (wht/blk)  w/ 1.7 mm FiberTape Loop (blk/blu) and 1.3 mm SutureTape (blu)  1.7 mm TigerTape Loop (wht/blk) and #2 suture (blu)  1.7 mm FiberTape Loop (blu) and #2 suture (wht/blk)  1.7 mm FiberTape Loop (blu/blk) and #2 suture (blk/blu)  w/ #5 suture  w/ #5 suture  w/ #5 suture  w/ two 1.3 mm SutureTapes (wht/blu, wht/blk)  w/ two 1.3 mm SutureTapes (wht/blu, wht/blk)  w/ three 1.3 mm SutureTapes (wht, wht/blu, wht/blk)	AR-3652SP  AR-3652TSP  AR-3652TTSP  AR-3653TSP  AR-3653TSP  AR-3653TTSP  AR-36411  AR-3641SP  AR-36322  AR-3632SP  AR-3633

Punch/ Tap	Drill Options	Spear/Guide Options (see page 24)	Disposable Options	Perc Kits	ShaverDrill	
N/A	AR-3600D-1 (1.6 mm, rigid, sterile) AR-3600ND-1 (1.6 mm, flexible, sterile) AR-3600D-3 (1.7 mm, rigid, sterile) AR-3600ND-3 (1.7 mm, flexible, sterile) AR-3600D-2 (1.8 mm, rigid, sterile) AR-3600ND-2 (1.8 mm, flexible, sterile)	AR-1948R AR-3610F (a) AR-3610CT AR-3610ST AR-3610CTC AR-3610CTC-2	AR-3600D AR-3600DC	AR- <b>3610PK-1</b>	AR- <b>3600NDSR-1</b>	(
N/A	AR-3610ND-2 (1.8 mm, flexible w/hub, sterile) AR-3600ND-2 (1.8 mm, flexible, sterile) AR-3600D-2 (1.8 mm, rigid, sterile) AR-3610ND-4 (1.9 mm, flexible w/hub, sterile) AR-3600ND-4 (1.9, flexible, sterile) AR-3600D-4 (1.9 mm, rigid, sterile)	AR-3610F AR-3610CT AR-3610ST AR-3610CTC AR-3610CTC-2	AR-3638DC AR-3638DS AR-3610DC-3	AR- <b>3610PK-3</b>	AR- <b>3610NSD-2</b>	
Punch/ Tap	Drill Options	Spear/Guide Options (see page 24)	Disposable Options	Perc Kits	ShaverDrill	
AR-3656	AR- <b>3657</b> (2.6 mm)	AR- <b>3655 (b)</b> AR- <b>1906</b> AR- <b>1907</b>	AR-3650DS	N/A	AR-3657SD	-







This description of technique is provided as an educational tool and clinical aid to assist properly licensed medical professionals in the usage of specific Arthrex products. As part of this professional usage, the medical professional must use their professional judgment in making any final determinations in product usage and technique. In doing so, the medical professional should rely on their own training and experience and should conduct a thorough review of pertinent medical literature and the product's directions for use. Postoperative management is patient-specific and dependent on the treating professional's assessment. Individual results will vary and not all patients will experience the same postoperative activity level or outcomes.

#### arthrex.com