

Assessment of the effects on wound healing and gene expression of a bio-electric dressing (CMB) using a porcine wound model and real time RT-PCR

Roberto Perez, PhD: Yan Rivas: Joel Gil: Jose Valdes and Stephen C. Davis*

University of Miami, Miller School of Medicine Department of Dermatology and Cutaneous Surgery, Miami, FL



Abstract

Wounds are a major cause of morbidity and impaired quality of life. Nonhealing wounds can lead to prolonged periods of distress, permanent debilitation, and death.¹ Every year, 6.5 million Americans are afflicted with chronic wounds due to pressure, venous stasis, or diabetes.² Electrical stimulation has been shown to be beneficial to non-healing wounds.3-5

Using a well established porcine model for wound healing⁶ we evaluated the effects of a bio-electric (CMB) wound dressing on deep partial thickness wounds using an epidermal migration assay and real-time RT-PCR with porcine specific oligonucleotides. Six female specific pathogen free animals were used in our experiments. Wounds (10 x 10 x 0.5mm LxWxD) were created using a specialized electrokeratome. Wounds were treated with sterile dressings (CMB versus non-active) and assessed using an epidermal migration assay beginning on day 4 (post-wounding). Biopsies were also taken for molecular analysis.

Treatment with the CMB dressing resulted in 65% of wounds being completely epithelialized on day 5 as compared to 20% of wounds in the control group (p-value < 0.001). Gene expression analysis of interleukin 1α (IL-1α) indicated that treatment with active dressing results in delayed peak expression. Although an initial inflammatory response is normal in adult fibrotic healing scarless fetal wound healing is characterized by the absence of the inflammatory phase of healing. Comparative analysis of matrix metalloproteinase-9 (MMP-9) indicated that peak gene expression was reduced in the active dressing group. Over expression of MMP-9 has been associated with chronic wounds. Others have shown MMP-9 levels in acute wounds are upregulated in scarless wound healing. These results suggest that the CMB bio-electric dressing may have important clinical implications. Additional studies, including clinical are warranted.

Introduction and Objectives:

Wounded skin has been shown to have natural bioelectrical currents Electrical fields are important in the wound healing process and can potentially be manipulated therapeutically to enhance wound healing.8,9,10 The possibility of delivering electrical fields through active dressings (without external currents) is very attractive. In addition to providing a moist environment, this material produces a microcurrent voltage that is very close to the voltage that occurs at areas of skin injury in normal hosts. The physiologic current of injury is necessary for the initiation of wound healing and the transport of cells to the healing wound margins. Domestic swine were chosen as our experimental animal since porcine skin is physiologically and biochemically homologous to human skir

Our study was designed to determine the effects of a bio-electric (CMB) wound dressing on:

•The rate of epithelialization of deep partial thickness wounds The inflammatory response using interleukin 1α (IL-1α) as a reporter marker •Wound proteases using matrix metalloproteinase 9 (MMP-9) as the reporter marker

·Early repair strength using type-1 and type-3 collagen expression as indicators

References

- Franks PJ, Moffatt CJ. Quality of life in patients with chronic wounds. Wounds. 1998;10(suppl E):1E-9E
- Singer AJ, Clark RAF. Cutaneous wound healing. N Engl J Med. 1999;341(10):738-746
- Hampton S, Collins F. Treating a pressure ulcer with bio-electric stimulation therapy. Br J Nurs. 2006 Mar 23-Apr 12;15(6):S14-8.
- Kloth LC. Electrical stimulation for wound healing: a review of evidence from in vitro studies, animal experiments, and clinical trials. Int J Low Extrem Wounds 2005 Mar:4(1):23-44
- Ojingwa JC, Isseroff RR. Electrical stimulation of wound healing. Prog Dermatol. 2002;36(4):1-12.
- Sullivan TP, Faglstein WH, Davis SC, Mertz P, The pig as a model for human wound healing. Wound Repair Regen . 2001 Mar-Apr;9(2):66-
- 7. Jaffe LF, Vanable JW: Electrical fields and wound healing. Clin Dermato 2(3):34-44, 1984,
- 8. Davis SC and Ovington LG: Electrical Stimulation and Ultrasound in Wound Healing. In: Dermatologic Clinics. W.B. Saunders Company. 1993; pp
- 9. Mertz PM, Davis SC et al Electrical Stimulation: Acceleration of soft tissue repair by varying the polarity. Wounds.1993:5(3): 153-159.4
- 10. Huckfeld R, Flick AB, Mikkelson D, Lowe C, Finley PJ. Wound closure after split-thickness skin grafting is accelerated with the use of continuous direct anodal microcurrent applied to silver nylon wound contact dressings. J Burn Care Res. 2007; 28(5):703-7

Methods and Materials:

F

Results





Active CMB dressing Polyester dressing

Results of epidermal migration assay combined from 6 animals. P-value for day 5 were p<0.001. day 6 p=0.006, and day 7 p= 0.04.





Days After Hansadary



Day 4: none of the wounds had healed Day 5: CMB dressing had a mean complete epithelialization rate of 67% and the polyester dressing had a rate of 20%. This difference was shown to be significant using a paired sample T-test (p-value < 0.001

Day 6: a mean 93% of wounds treated with the CMB dressing had completely re-epithelialized as opposed to only 50% in the polyester treated group. This difference was also found to be significant upon statistical analysis (p-value = 0.006).

Day 7: all wounds treated with CMB dressing had completely healed while 87% had healed in the polyester treated group. This difference was significant (p-value < 0.05). Day 8: all wounds healed

Results of molecular analysis from 4 animals. All genes were normalized to the geometric mean of the corresponding β -actin (actB) and β -2-microglobulin (B2M) expression. All values are scaled to the lowest value



3.10 200 7.00 204 1.10 As an experience day

IRIP-Emiative to act8 and 83M

Accession for

Interleukin 1 alpha (IL-1a): was upregulated in the polyester treated wounds on days 4, 5 and 8 compared to CMB treated wounds. CMB treated wounds had higher levels of IL-1a gene expression on days 6 and 7. Maximal IL-1a expression was greater for polyester treated wounds than CMB treated wounds. Polyester treated wounds had the highest IL-1a gene levels on day 4 while CMB treated wounds had maximal expression on day 6 indicating that expression of the cytokine in CMB treated wounds was both suppressed and delayed by comparison to polyester treated wounds.

Matrix metalloproteinase-9 (MMP-9): was upregulated in wounds treated with polyester dressing on days 4, 5, and 8 and was downregulated on days 6 and 7 by comparison to expression levels in wounds treated with CMB dressing. Expression levels in CMB treated wounds did not fluctuate greatly throughout the experiment. Gene levels in the polyester treated wound varied peaking at day 5, dropping on day 7, and spiking again at day 8. Such variation is not unusual in MMP expression since the enzymes are involved in initial degradation of the extracellular matrix (ECM) in early wound healing and play major roles in wound remodeling during late wound healing. Despite the differences in expression patterns, polyester treated wounds showed higher maximal expression levels than did wounds treated with the CMB dressing.

COL3 relative to act8 and 8:00

4.14

16.05

12.00

0.0

0.05

1.10

4.56

4.00

2.98

1.14

COL1 relative to act8 and 8:38



wounds treated with polyester dressing at every assessment time. Additionally, polyester treated wounds had higher maximal expression of COL1. Although type-1 upregulation of protein synthesis has been associated with both normal fibrotic healing and excessive scarring.

Type-3 collagen (COL3): did not vary greatly until day 7. Analysis of wounds sampled on days 7 and 8 indicated that COL3 was upregulated in polyester treated wounds. Upregulation of COL3 in adults has been associated with lower wound strength resulting in delayed healing and recurrent injury

. .

in second second

- Wounds treated with active (CMB) wound dressing had a stimulated rate of re-epithelialization as compared to control dressing. -Gene expression analysis of CMB treated wounds indicate a delayed inflammatory response

Gene expression analysis indicated a less intense MMP-9 expression in CMB treated wounds. -Type 1 and type 3 collagen expression was reduced in the CMB treated wounds.

-These results warrant further analysis into the mechanism of action of CMB dressings and their effects on gene expression associated with chronic and acute wounds

Study Sponsor:
Silverleaf Medical
Products, Inc.
T

Contact Information Stanhan C. Davie Aerociata Professo University of Miami, Miller School of Medicine Department of Dermatology and Cutaneous Surger Sdavis@med.miami.edu Ph: 305.243.485 Ph: 305.243.4897



Type-1 collagen (COL1): was consistently higher in collagen is the most abundant form of dermal collagen

Conclusions: